MyTest2

Execution time	Computer name	Language
03-10-2020 10:36:14	DESKTOP-6CP042A	en-US
Operating system	Screen dimension	Duration
Windows 10 64bit	1920x1080	1.2h

■ 17 x Success

Total warnings
5

Total errors
0

Table of Contents

> ⚠ Warnings occurred. For additional information see the report of the individual modules, please.

▶ TestCase   26.67s ⤒

◉ Recording1   26.63s ⤒

Time	Level	Category	Message
00:00.124	Info	Application	Run mobile app 'com.pentair.pentairhome' on device 'dell's iPhone'.
00:12.015	Info	Delay	Waiting for 10s.
00:22.112	Info	Touch	Touch item 'ComPentairPentairhome.Skip' at Center
00:26.633 ✅	Success	User	

▶ Login_into_the_application_   Rows: 1   1.2m ⤒ ⚠

▶ Login_into_the_application_   Data Row: 1   1.2m ⤒ ⚠

Username: sanjeevkumar.prasad@pentair.com

Password: Newman@1

◉ Login   1.2m ⤒ ⚠

Time	Level	Category	Message
00:26.751	Info	Data	Current variable values: $txtUsername = 'sanjeevkumar.prasad@pentair.com', $txtPassword = 'Newman@1'
00:26.799	Info	Set value	Setting attribute Text to '$txtUsername' on item 'ComPentairPentairhome.LoginTextInputEmail'.
00:27.724	Info	Set value	Setting attribute Text to '$txtPassword' on item 'ComPentairPentairhome.LoginTextInputPassword'.
00:28.533	Info	Touch	Touch item 'ComPentairPentairhome.LOGIN' at Center
00:29.999	Info	Delay	Waiting for 30s.
01:00.078	Info	Touch	(Optional Action) Touch item 'PH_Screen.ReviewNotification' at Center
01:30.549 ⚠	Warn	Module	(Optional Action) Failed to find item 'MyTest2Repository.PH_Screen.ReviewNotification'.
01:30.611	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
01:36.312	Info	Delay	Waiting for 3s.
01:39.368	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesWhiteLo'.
01:40.163 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesWhiteLo' does match the specified value.

| 01:40.280 | Info | User | Logged In Sucessfully |

Verify_the_Home_Dashboard(Bell,_Setting,_Alert_and_Device) Rows: **1** 3.5m

Verify_the_Home_Dashboard(Bell,_Setting,_Alert_and_Device) Data Row: **1** 3.5m

DeviceName: ChemCheck

Home_Dashboard 3.5m

| Time	Level	Category	Message
01:40.334	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
01:40.383	Info	Validation	(Optional Action) Alert icon successfully verified Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'.
02:40.794	Info	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' at step 'descendant-or-self::container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' after 253 attempts within 1m.).
02:41.166	Warn	Module	(Optional Action) Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' at step 'descendant-or-self::container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' after 253 attempts within 1m.).
02:41.234	Info	Validation	(Optional Action) Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.Bell_Alert'.
02:41.539	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.Bell_Alert' does match the specified value.
02:41.957	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2'.
02:42.228	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' does match the specified value.

4

02:42.654	Info	Validation	(Optional Action)
			Problem Detected Section Sucessfullt verified
			Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.ProblemDetected'.
02:42.938 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.ProblemDetected' does match the specified value.
02:43.295	Info	Validation	(Optional Action)
			Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.EverythingOK'.
03:43.639	Info	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.EverythingOK' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.EverythingOK'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilitylabel='Everything OK']/container[@accessibilitylabel='Everything OK'] at step 'descendant-or-self::container[@accessibilitylabel='Everything OK'] after 255 attempts within 1m.).
03:44.179 ⚠️	Warn	Module	(Optional Action) Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.EverythingOK' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.EverythingOK'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilitylabel='Everything OK']/container[@accessibilitylabel='Everything OK'] at step 'descendant-or-self::container[@accessibilitylabel='Everything OK'] after 255 attempts within 1m.).
03:44.907	Info	User	
03:44.910	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' at Center
03:54.526	Info	Delay	Waiting for 2s.
03:56.634	Info	Touch	Touch item 'ComPentairPentairhome.Dashboard_DeviceName' at Center
04:07.191	Info	Touch	Touch item 'Edit_Dashboard.SaveEditDashboard' at Center
04:17.248	Info	Delay	Waiting for 5s.

04:23.174	Info	User	
04:23.176	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
04:32.735	Info	Delay	Waiting for 2s.
04:34.822	Info	Touch	Touch item 'ComPentairPentairhome.Dashboard_DeviceName' at Center
04:45.283	Info	Touch	Touch item 'Edit_Dashboard.SaveEditDashboard' at Center
04:55.360	Info	Delay	Waiting for 2s.
04:58.549	Info	User	Device WQM
04:58.554	Info	Touch	Touch item 'ComPentairPentairhome.DeviceName' at Center
05:09.404	Info	Delay	Waiting for 3s.

Verify_Device_Dashboard_CheckCheck   Rows: **1**   9.77s

Verify_Device_Dashboard_CheckCheck   Data Row: **1**   9.76s

DeviceName: ChemCheck

◉ DeviceDasboard   9.76s

Time	Level	Category	Message
05:12.493	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
05:12.548	Info	Validation	(Optional Action) Problem Detected Section verification Validating AttributeEqual (AccessibilityLabel='alertDetected') on item 'ComPentairPentairhome.AlertDetected'.
05:14.110 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.AlertDetected' does match the specified value.

| 05:14.742	Info	Validation	(Optional Action) Reminder section validation Successful Validating AttributeEqual (AccessibilityLabel='Reminder') on item 'ComPentairPentairhome.Reminder'.
05:15.038 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Reminder' does match the specified value.
05:15.543	Info	Validation	Water Temperature Section validation successful Validating AttributeEqual (AccessibilityLabel='Water Temperature') on item 'ComPentairPentairhome.WaterTemperature'.
05:15.891 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.WaterTemperature' does match the specified value.
05:16.428	Info	Validation	PH section validation successful Validating AttributeEqual (AccessibilityLabel='pH') on item 'ComPentairPentairhome.ContainerPH'.
05:16.792 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.ContainerPH' does match the specified value.
05:17.293	Info	Validation	Sanitizer section validation successful Validating AttributeEqual (AccessibilityLabel='Sanitizer') on item 'ComPentairPentairhome.Sanitizer'.
05:17.581 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Sanitizer' does match the specified value.
05:18.203	Info	Validation	Water quality section validation successful Validating AttributeEqual (AccessibilityLabel='Water Quality') on item 'ComPentairPentairhome.WaterQuality'.
05:18.498 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.WaterQuality' does match the specified value.
05:19.058	Info	Validation	Settng icon Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.HeaderRightImage'.
05:19.350 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.HeaderRightImage' does match the specified value.
05:19.875	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac'.
05:20.210 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac' does match the specified value.
05:20.725	Info	Validation	Validating AttributeEqual (AccessibilityLabel=$DeviceNamevar) on item 'ComPentairPentairhome.Dashboard_DeviceName'.
05:21.033 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Dashboard_DeviceName' does match the specified value.

Time	Level	Category	Message
05:22.249	Info	User	

▶ Verify_the_Water_Temperature_section_graphs   1.1m ⬆

🎥 WaterTemperature   1.1m ⬆

Time	Level	Category	Message
05:22.258	Info	Touch	Touch item 'ComPentairPentairhome.WaterTemperature' at Center
05:33.530	Info	Delay	Waiting for 2s.
05:37.120	Info	User	Hourly Report

Time	Level	Category	Message
05:37.122	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
05:47.086	Info	Delay	Waiting for 2s.

05:50.666	Info	User	Daily report
05:50.671	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
06:00.647	Info	Delay	Waiting for 2s.
06:04.277	Info	User	
06:04.280	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
06:14.320	Info	Delay	Waiting for 2s.
06:17.907	Info	User	
06:17.910	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac' at Center

▶ **Verify_the_PH_Section_charts_**   1.1m ⊤

| Time	Level	Category	Message
06:27.940	Info	Touch	Touch item 'ComPentairPentairhome.ContainerPH' at Center
06:39.662	Info	Delay	Waiting for 2s.
06:43.379	Info	User	
06:43.381	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
06:54.096	Info	Delay	Waiting for 2s.
06:57.829	Info	User	
06:57.831	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
07:08.556	Info	Delay	Waiting for 2s.

07:12.203	Info	User	
07:12.205	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
07:22.875	Info	Delay	Waiting for 2s.
07:26.513	Info	User	
07:26.515	Info	Touch	Touch item 'ComPentairPentairhome.HeaderLeftImage1' at CenterLeft

▶ Verify_the_Sanitizer_Section_in_Device_Dashboard_   1.1m   ⬆

🎥 Sanitizer   1.1m   ⬆

Time	Level	Category	Message
07:36.273	Info	Touch	Touch item 'ComPentairPentairhome.Sanitizer' at Center
07:48.079	Info	Delay	Waiting for 2s.

07:51.781	Info	User	Hourly Basis Sanitizer
07:51.783	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
08:02.447	Info	Delay	Waiting for 2s.
08:06.115	Info	User	Daily Basis
08:06.117	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
08:16.859	Info	Delay	Waiting for 2s.

| 08:20.536 | Info | User | Weekly Basis |
| | | | |

08:20.540	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
08:31.188	Info	Delay	Waiting for 2s.
08:34.782	Info	User	Monthly Basis

| 08:34.784 | Info | Touch | Touch item 'ComPentairPentairhome.RCTView1' at CenterLeft |

Verify__Pool_Add_Into_Account Rows: **1**   8.9m

Verify__Pool_Add_Into_Account Data Row: **1**   8.9m

DeviceName: ChemCheck

Pool_Add   8.9m

Time	Level	Category	Message
08:44.496	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
08:44.568	Info	Touch	Touch item 'Product_Overview.ProfileBottom' at Center
08:51.526	Info	Delay	Waiting for 3s.
08:54.607	Info	Touch	Touch item 'Pool_Add.PoolInfoProfile' at Center
09:11.792	Info	Touch	Touch item 'Pool_Add.ADDANEWPOOL' at Center

09:25.241	Info	Touch	Touch item 'Pool_Add.Outdoor' at Center
09:44.940	Info	Set value	Setting attribute Text to 'OutdoorPool_Automation' on item 'Pool_Add.PoolName'.
09:48.000	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.PoolName'.
10:11.075	Info	Set value	Setting attribute Text to '6000' on item 'Pool_Add.Volume'.
10:14.102	Info	Touch	Touch item 'Pool_Add.SelectAddress' at Center
10:34.685	Info	Touch	Touch item 'Pool_Add.Container53diamondcourtBurllingame' at Center
10:43.135	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.Volume'.
11:06.149	Info	Touch	Touch item 'Pool_Add.PoolSave' at CenterRight
11:21.185	Info	Delay	Waiting for 3s.
11:24.274	Info	Touch	Touch item 'Pool_Add.ADDANEWPOOL' at Center
11:39.376	Info	Touch	Touch item 'Pool_Add.IndoorPool' at Center
12:00.365	Info	Set value	Setting attribute Text to 'IndoorPool_Automation' on item 'Pool_Add.PoolName'.
12:03.542	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.PoolName'.
12:27.896	Info	Set value	Setting attribute Text to '3000' on item 'Pool_Add.Volume'.
12:31.035	Info	Touch	Touch item 'Pool_Add.SelectAddress' at Center
12:52.879	Info	Touch	Touch item 'Pool_Add.Container53diamondcourtBurllingame' at Center
13:01.643	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.Volume'.
13:26.126	Info	Touch	Touch item 'Pool_Add.PoolSave' at CenterRight
13:42.004	Info	Delay	Waiting for 5s.
13:48.597	Info	User	
13:48.600	Info	Touch	Touch item 'Product_Overview.HomeButton' at Center
13:58.170	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
14:09.055	Info	Delay	Waiting for 2s.

14:11.365	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
14:26.006	Info	Delay	Waiting for 5s.
14:31.074	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
14:42.911	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
14:56.572	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
15:18.319	Info	Touch	Touch item 'Pool_Add.Address' at Center
15:37.219	Info	Delay	Waiting for 5s.
15:42.433	Info	Touch	Touch item 'Pool_Add.OutdoorPoolAutomation' at Center
16:06.326	Info	Delay	Waiting for 30s.
16:36.543	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
16:38.741 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
16:38.968	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
16:52.660	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center
17:05.760	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeA le' at Center
17:17.997	Info	Delay	Waiting for 2s.
17:20.089	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

Verify_Water_Quality_with_balanced_values   Rows: **1**   2.6m

Verify_Water_Quality_with_balanced_values   Data Row: **1**   2.6m

pH: 7.5

freeChlorine: 4

totalchlorine: 17

totalAlk: 100

CalciumHardness: 300

CyanuricAcid: 50

WaterTestBalancedValues   2.6m

Time	Level	Category	Message
17:36.002	Info	Data	Current variable values: $pHBalanced = '7.5', $ChlorineBalanced = '4', $totalchbalanced = '17', $TotalAlkabalanced = '100', $calciumbalanced = '300', $Cyanuricbalaned = '50'

Time	Level	Action	Description
17:36.066	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
17:52.766	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
18:08.766	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
18:23.493	Info	Delay	Waiting for 2s.
18:26.038	Info	Set value	Setting attribute Text to '$pHBalanced' on item 'Water_Quality.RCTUITextField'.
18:29.247	Info	Set value	Setting attribute Text to '$ChlorineBalanced' on item 'Water_Quality.Chlorine'.
18:32.673	Info	Set value	Setting attribute Text to '$totalchbalanced' on item 'Water_Quality.TotalChlorine'.
18:35.933	Info	Set value	Setting attribute Text to '$TotalAlkabalanced' on item 'Water_Quality.TotalAlkalinity'.
18:39.209	Info	Set value	Setting attribute Text to '$calciumbalanced' on item 'Water_Quality.Calcium'.
18:42.459	Info	Set value	Setting attribute Text to '$Cyanuricbalaned' on item 'Water_Quality.CyanuricAcid'.
18:45.783	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
19:05.603	Info	Touch	Touch item 'Water_Quality.Save' at Center
19:21.576	Info	Delay	Waiting for 2s.
19:23.667	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
19:41.530	Info	Delay	Waiting for 10s.
19:54.004	Info	User	
19:54.007	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Balanced Water') on item 'Water_Quality.BalancedWater'.
19:54.326 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.BalancedWater' does match the specified value.
19:55.863	Info	Touch	Touch item 'Water_Quality.Savebalanced' at Center

Verfy_Water_Quality_using_Test_Strip Rows: **1** 5.7m

Verfy_Water_Quality_using_Test_Strip Data Row: **1** 5.7m

pH: 11

pHagain: 6

freeChlorine: 5

totalchlorine: 6

totalAlk: 90

CalciumHardness: 300

CyanuricAcid: 40

▶️ WaterTestusingTeststrip 5.7m ⫶

| Time	Level	Category	Message
20:14.745	Info	Data	Current variable values: $PHvalue = '11', $Chlorine = '5', $pHagain = '6', $TotalChlorine = '6', $TotalAlkalinity = '90', $Calcium = '300', $CyanuricAcid = '40'
20:14.806	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
20:33.636	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
20:50.078	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
21:05.582	Info	Delay	Waiting for 2s.
21:07.690	Info	Set value	Setting attribute Text to '$PHvalue' on item 'Water_Quality.RCTUITextField'.
21:10.964	Info	Touch	Touch item 'Water_Quality.Chlorine' at Center
21:31.335	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.TheValidRangeForPHIs59'.
21:33.434 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.TheValidRangeForPHIs59' does match the specified value.
21:33.591	Info	Touch	Touch item 'Water_Quality.TextOK' at Center
21:45.753	Info	Delay	Waiting for 2s.
21:48.143	Info	Set value	Setting attribute Text to '' on item 'Water_Quality.RCTUITextField'.
21:51.296	Info	Set value	Setting attribute Text to '$pHagain' on item 'Water_Quality.RCTUITextField1'.
21:54.515	Info	Set value	Setting attribute Text to '$Chlorine' on item 'Water_Quality.Chlorine'.
21:57.926	Info	Set value	Setting attribute Text to '$TotalChlorine' on item 'Water_Quality.TotalChlorine'.
22:01.138	Info	Set value	Setting attribute Text to '$TotalAlkalinity' on item 'Water_Quality.TotalAlkalinity'.
22:04.527	Info	Set value	Setting attribute Text to '$Calcium' on item 'Water_Quality.Calcium'.
22:07.881	Info	Set value	Setting attribute Text to '$CyanuricAcid' on item 'Water_Quality.CyanuricAcid'.
22:11.241	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
22:31.284	Info	Touch	Touch item 'Water_Quality.Save' at Center
22:47.351	Info	Delay	Waiting for 2s.
22:49.759	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
23:07.770	Info	Delay	Waiting for 5s.

23:14.891	Info	User	
23:15.181	Info	Touch	Touch item 'Water_Quality.SodiumCarbonate' at Center
23:36.046	Info	Touch	Touch item 'Water_Quality.RecommendCONTINUE' at Center
23:54.901	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.RecommendedDosage'.
23:57.040 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.RecommendedDosage' does match the specified value.
23:57.183	Info	Touch	Touch item 'Water_Quality.Save' at Center
24:15.981	Info	Delay	Waiting for 3s.
24:19.420	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
24:37.419	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
24:54.401	Info	Touch	Touch item 'Water_Quality.View_Test_history' at Center
25:09.474	Info	Delay	Waiting for 5s.
25:14.573	Info	Touch	Touch item 'Water_Quality.Unbalanced_icon' at Center
25:39.048	Info	User	
25:39.052	Info	Validation	Validating AttributeEqual (AccessibilityLabel=$pHagain) on item 'Water_Quality.PH_value'.

Time	Level	Category	Message
25:39.445 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.PH_value' does match the specified value.
25:40.908	Info	Touch	Touch item 'Pool_Add.HomeIcon_without_red' at Center
25:54.592	Info	Delay	Waiting for 2s.

Verify_Water_balance_Indoor_Pool Rows: **1** 3.3m

Verify_Water_balance_Indoor_Pool Data Row: **1** 3.3m

DeviceName: ChemCheck

Water_Balance_Indoor_Pool 3.3m

Time	Level	Category	Message
25:56.702	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
25:56.787	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
26:13.890	Info	Delay	Waiting for 2s.
26:15.987	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
26:29.716	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
26:44.868	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
27:08.805	Info	Touch	Touch item 'Pool_Add.Address' at Center
27:29.930	Info	Delay	Waiting for 2s.
27:32.451	Info	Touch	Touch item 'Pool_Add.IndoorPool_Automation' at Center
27:58.984	Info	Delay	Waiting for 10s.
28:09.066	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
28:11.445 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
28:11.663	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
28:27.040	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center
28:41.536	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeA le' at Center
28:55.142	Info	Delay	Waiting for 2s.
28:57.351	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

Verify_InDoor_Pool_Water_Quality_with_balanced_values Rows: **1** 2.8m

## Verify_InDoor_Pool_Water_Quality_with_balanced_values Data Row: **1**   2.8m

pH: 7.5

freeChlorine: 4

totalchlorine: 15

totalAlk: 100

CalciumHardness: 300

Indoor_Balanced_Verification   2.8m

Time	Level	Category	Message
29:15.635	Info	Data	Current variable values: $pHBalanced = '7.5', $ChlorineBalanced = '4', $totalchbalanced = '15', $TotalAlkabalanced = '100', $calciumbalanced = '300'
29:15.721	Warn	Data	The following module variables are not bound to a data column: Cyanuricbalaned
29:15.766	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
29:34.549	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
29:52.249	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
30:09.020	Info	Delay	Waiting for 2s.
30:11.160	Info	Set value	Setting attribute Text to '$pHBalanced' on item 'Water_Quality.RCTUITextField'.
30:14.818	Info	Set value	Setting attribute Text to '$ChlorineBalanced' on item 'Water_Quality.Chlorine'.
30:18.439	Info	Set value	Setting attribute Text to '$totalchbalanced' on item 'Water_Quality.TotalChlorine'.
30:21.955	Info	Set value	Setting attribute Text to '$TotalAlkabalanced' on item 'Water_Quality.TotalAlkalinity'.
30:25.493	Info	Set value	Setting attribute Text to '$calciumbalanced' on item 'Water_Quality.Calcium'.
30:28.996	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
30:50.429	Info	Touch	Touch item 'Water_Quality.Save' at Center
31:07.532	Info	Delay	Waiting for 2s.
31:09.618	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
31:28.696	Info	Delay	Waiting for 10s.

Time	Level	Category	Message
31:40.834	Info	User	
31:40.836	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Balanced Water') on item 'Water_Quality.BalancedWater'.
31:41.158 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.BalancedWater' does match the specified value.
31:42.829	Info	Touch	Touch item 'Water_Quality.Savebalanced' at Center

Verify_Indoor_Pool_Water_Quality_NotBalanced   Rows: **1**   23.8m

Verify_Indoor_Pool_Water_Quality_NotBalanced   Data Row: **1**   23.8m

pH: 11

pHagain: 6

freeChlorine: 5

totalchlorine: 6

totalAlk: 90

CalciumHardness: 300

Indoor_Unbalanced_Water_Quality   23.8m

Time	Level	Category	Message
32:02.961	Info	Data	Current variable values: $PHvalue = '11', $pHagain = '6', $Chlorine = '5', $TotalChlorine = '6', $TotalAlkalinity = '90', $Calcium = '300'
32:03.030	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
32:23.209	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
32:40.710	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
32:56.905	Info	Delay	Waiting for 2s.
32:59.231	Info	Set value	Setting attribute Text to '$PHvalue' on item 'Water_Quality.RCTUITextField'.
33:02.759	Info	Touch	Touch item 'Water_Quality.Chlorine' at Center

33:24.306	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.TheValidRangeForPHIs59'.
33:26.126 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.TheValidRangeForPHIs59' does match the specified value.
33:26.300	Info	Touch	Touch item 'Water_Quality.TextOK' at Center
33:39.147	Info	Delay	Waiting for 2s.
33:41.271	Info	Set value	Setting attribute Text to '' on item 'Water_Quality.RCTUITextField'.
33:44.650	Info	Set value	Setting attribute Text to '$pHagain' on item 'Water_Quality.RCTUITextField1'.
33:48.254	Info	Set value	Setting attribute Text to '$Chlorine' on item 'Water_Quality.Chlorine'.
33:51.680	Info	Set value	Setting attribute Text to '$TotalChlorine' on item 'Water_Quality.TotalChlorine'.
33:55.182	Info	Set value	Setting attribute Text to '$TotalAlkalinity' on item 'Water_Quality.TotalAlkalinity'.
33:58.688	Info	Set value	Setting attribute Text to '$Calcium' on item 'Water_Quality.Calcium'.
34:02.154	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
34:23.488	Info	Touch	Touch item 'Water_Quality.Save' at Center
34:40.429	Info	Delay	Waiting for 2s.
34:42.530	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
35:01.444	Info	Delay	Waiting for 3s.
35:07.100	Info	User	Open Snapshot (To open snapshot file, please see original Ranorex report)
35:07.102	Info	Touch	Touch item 'Water_Quality.SodiumCarbonate' at Center
35:31.093	Info	Touch	Touch item 'Water_Quality.RecommendCONTINUE' at Center
35:50.911	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.RecommendedDosage'.
35:53.355 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.RecommendedDosage' does match the specified value.
35:53.511	Info	Touch	Touch item 'Water_Quality.Save' at Center
36:13.001	Info	Delay	Waiting for 3s.
36:16.087	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
36:35.047	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
36:53.017	Info	Touch	Touch item 'Water_Quality.View_Test_history' at Center
37:08.868	Info	Delay	Waiting for 3s.
37:11.959	Info	Touch	Touch item 'Water_Quality.Chemical_level_graph' at Center
37:30.340	Info	Touch	Touch item 'Water_Quality.Hourly_water_history' at Center
37:58.681	Info	Delay	Waiting for 3s.

| 38:04.579 | Info | User | |
38:04.581	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
38:35.385	Info	User	
38:35.387	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
39:07.314	Info	User	

39:07.316	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
39:40.042	Info	User	
39:40.326	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
40:12.276	Info	User	
40:12.277	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
40:42.114	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
41:12.164	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
41:42.185	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
42:10.904	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
42:38.333	Info	Delay	Waiting for 5s.

Time	Level	Category	Detail
42:46.083	Info	User	
42:46.260	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
43:17.056	Info	User	
43:17.058	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
43:47.935	Info	User	

| 43:47.939	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
44:18.851	Info	User	
44:18.853	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
44:48.960	Info	User	
44:49.355	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
45:17.635	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
45:46.013	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
46:14.456	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
46:41.919	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
47:08.939	Info	Delay	Waiting for 5s.

47:16.779	Info	User	
47:16.780	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
47:47.439	Info	User	
47:47.441	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
48:18.285	Info	User	

| 48:18.717	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
48:49.541	Info	User	
48:49.543	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
49:19.077	Info	User	
49:19.080	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
49:46.821	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
50:14.313	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
50:41.775	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
51:08.732	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center

51:39.342	Info	User	
51:39.345	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
52:09.463	Info	User	
52:09.478	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
52:39.906	Info	User	

52:39.909	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
53:10.065	Info	User	
53:10.068	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
53:39.906	Info	User	
53:39.908	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
54:08.088	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
54:36.415	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
55:04.164	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
55:31.265	Info	Touch	Touch item 'Pool_Add.HomeIcon_without_red' at Center

Verify_setting__with_Product_Overview_Checcmcheck Rows: **1**   3.6m

Verify_setting__with_Product_Overview_Checmcheck Data Row: **1** 3.6m

**DeviceName:** ChemCheck

Settings_Product_Overview 3.6m

| Time	Level	Category	Message
55:51.537	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
55:51.627	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center
56:02.196	Info	Delay	Waiting for 2s.
56:04.334	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
56:22.131	Info	Delay	Waiting for 2s.
56:24.215	Info	Touch	Touch item 'ComPentairPentairhome.HeaderRightImage' at Center
56:39.815	Info	User	
56:39.817	Info	Validation	(Optional Action) Validating AttributeEqual (AccessibilityLabel='Product Overview') on item 'Product_Overview.ProductOverviewclick'.
56:40.136 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Product_Overview.ProductOverviewclick' does match the specified value.
56:41.457	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
56:57.506	Info	Delay	Waiting for 2s.

57:01.620	Info	User	
57:01.622	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Product_Overview.Nickname'.
57:25.609	Info	User	
57:25.612	Info	Touch	Touch item 'Product_Overview.BackArrow' at Center
57:41.673	Info	Touch	Touch item 'Product_Overview.Notifications' at Center
57:57.500	Info	Delay	Waiting for 3s.

Time	Level	Category	Message
58:03.055	Info	User	
58:03.057	Info	Touch gestures	Swipe gesture with direction 'Left (180°)' starting from 'Center' with distance '1.0' with swipe duration'500ms' and step count '0' on item 'Product_Overview.RCTView2'.
58:30.212	Info	Delay	Waiting for 2s.
58:34.643	Info	User	
58:34.645	Info	Touch	Touch item 'Product_Overview.Notification_back_arrow' at Center
58:52.564	Info	Touch	Touch item 'Product_Overview.ContactAProfessional' at Center
59:08.414	Info	Delay	Waiting for 2s.
59:10.520	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Product_Overview.AssetsSrcCommonFeatureImagesPinLoca'.
59:12.433 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Product_Overview.AssetsSrcCommonFeatureImagesPinLoca' does match the specified value.
59:12.572	Info	Touch	Touch item 'Product_Overview.Contact_Pro_back' at CenterLeft
59:28.199	Info	Delay	Waiting for 1s.

▶ Verify_Pool_Device_remove_functionality   6.7m   ⊤ 🟠

🎥 Pool_Device_remove   6.7m   ⊤

| Time	Level	Category	Message

59:29.644	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
59:45.303	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
60:10.082	Info	Touch	Touch item 'Pool_Add.Address' at Center
60:31.654	Info	Delay	Waiting for 2s.
60:34.165	Info	Touch	Touch item 'Pool_Add.Test_Pool' at Center
61:04.975	Info	Delay	Waiting for 2s.
61:07.069	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
61:14.341 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
61:16.156	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
61:31.823	Info	Delay	Waiting for 3s.
61:34.883	Info	Touch	Touch item 'Product_Overview.ProfileBottom' at Center
61:48.754	Info	Delay	Waiting for 2s.
61:50.836	Info	Touch	Touch item 'Pool_Add.PoolInfoProfile' at Center
62:17.405	Info	Delay	Waiting for 2s.
62:19.488	Info	Touch	Touch item 'Pool_Add.OutdoorPoolAutomation' at Center
62:55.557	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Pool_Add.Volume_title'.
63:25.750	Info	Touch	Touch item 'Pool_Add.DeletePool' at Center
63:57.423	Info	Delay	Waiting for 3s.
64:00.525	Info	Touch	Touch item 'Pool_Add.IndoorPool_Automation' at Center
64:35.766	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Pool_Add.Volume_title'.
65:05.276	Info	Touch	Touch item 'Pool_Add.DeletePool' at Center
65:36.560	Info	Delay	Waiting for 3s.
65:41.732	Info	User	
65:41.737	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center

Time	Level	Category	Message
65:54.558	Info	Touch	(Optional Action)
			Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAl e' at Center
66:07.442	Info	Delay	Waiting for 2s.

📄 ReportToPDFModule (Ranorex Automation Helpers) 193ms ⯭ ⚠

Time	Level	Category	Message
66:09.978 ⚠	Warn	Data	The following module variables are not bound to a data column:
			PdfName, PdfDirectoryPath, Xml, Details, DeleteRanorexReport

▶ Verify_Sanitizer_Calibration Rows: 1 2.8m ⯭

▶ Verify_Sanitizer_Calibration Data Row: 1 2.8m ⯭

DeviceName: ChemCheck

🎥 Sanitize_Calibration 2.8m ⯭

Time	Level	Category	Message
66:10.039	Info	Data	Current variable values:
			$DeviceNamevar = 'ChemCheck'
66:10.088	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
66:27.054	Info	Delay	Waiting for 3s.
66:30.131	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
66:44.067	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '400' with swipe duration'800ms' and step count '0' on item 'Product_Overview.ContactAProfessional'.
67:00.385	Info	Touch	Touch item 'Calibration.Sanitizer_Calibration' at Center
67:16.289	Info	Delay	Waiting for 3s.
67:19.345	Info	Set value	Setting attribute Text to '2' on item 'Calibration.Calibration_Chlorine'.
67:23.107	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Calibration.Free_chlorine_Label'.
67:49.105	Info	Touch	Touch item 'Calibration.Calibrate_button' at Center
68:13.217	Info	Delay	Waiting for 5s.

68:20.190	Info	User	
68:20.192	Info	Touch	Touch item 'Calibration.Calibration_Ok' at Center
68:29.483	Info	Delay	Waiting for 4s.
68:35.138	Info	User	
68:35.377	Info	Touch	Touch item 'Pool_Add.HomeIcon_without_red' at Center
68:46.158	Info	Delay	Waiting for 10s.

Verify_PH_calibration   Rows: **1**   1.8m ⤒

Verify_PH_calibration   Data Row: **1**   1.8m ⤒

DeviceName: ChemCheck

📹 PH_Calibration   1.8m ⤒

Time	Level	Category	Message
68:56.736	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
68:56.844	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

69:13.966	Info	Delay	Waiting for 3s.
69:17.108	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
69:30.881	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '400' with swipe duration'800ms' and step count '0' on item 'Product_Overview.ContactAProfessional'.
69:47.044	Info	Touch	Touch item 'Calibration.ph_Offset' at Center
70:02.683	Info	Set value	Setting attribute Text to '7' on item 'Calibration.pH_calibration_textbox'.
70:06.236	Info	Touch	Touch item 'Calibration.Calibrate_button' at Center
70:29.750	Info	Delay	Waiting for 2s.
70:33.676	Info	User	
70:33.679	Info	Touch	Touch item 'Calibration.Calibration_Ok' at Center
70:44.648	Info	User	