
CDF Checklist of Galapagos Mammals



Jiménez-Uzcátegui, G., Snell, H. L. (2014). CDF Checklist of Galapagos Mammals - FCD Lista de especies de Mamíferos Galápagos. *In*: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzcátegui, G., Ruiz, D., Guézou, A. & Ziemmeck, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin. Charles Darwin Foundation / Fundación Charles Darwin, Puerto Ayora, Galapagos: http://www.darwinfoundation.org/datazone/checklists/vertebrates/mammalia/ Last updated: 24 Jan 2014

CDF Checklist of Galapagos Mammals

Gustavo Jiménez-Uzcátegui, Howard L. Snell

Last updated: 24 Jan 2014

Abstract

This Checklist of Galapagos Mammals includes a total of all 59 taxa reported from the Galapagos Islands.

For each name, detailed information is provided: its Galapagos distribution in islands groups or bioregions generated from the specimen records, comments about the taxonomy (especially synonyms), the origin (native and introduced), taxon status (accepted vs. rejected records) and relevant literature references.

Introduction

This publication lists all species of Galapagos Mammals currently known.

Mammals are capable of regulating their body temperature and have a pulmonary respiratory system. The females give milk to their young from breast glands (called *mammae* in Latin).

Embryo development of mammals usually occurs inside the body of the mother.

Of the 57 species recorded in Galapagos, 16 are native and endemic, eight species are extinct. Five became extinct before humans arrived in the archipelago, and were only ever known as fossils.

Methods

This checklist of all known Galapagos Mammals is automatically generated using the online database of the Charles Darwin Foundation Galapagos Species Checklist.

All CDF Galapagos Species Checklists represent the synthesis of many different records: literature citations, data from previously unpublished reports (grey literature), specimen records of natural history collections located in Galapagos and all over the world. To the best of their knowledge authors of the individual checklists revised all available data. When new information becomes available, the taxonomy of a group changes or new species are discovered, the CDF online database and thus this publication becomes updated.

For many poorly known species groups the higher taxonomic classification still regularly changes according to how our knowledge about species being related changes. In many well known groups the phylogeny is somewhat stable, but to avoid confusion, in particular for groups where taxonomic changes are frequent, all checklists presented here are sorted alphabetical according to genus name and specific epithet. Please refer to the website for the currently accepted taxonomic hierarchy of each group.

Please be aware that the distribution presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

For marine species, the distribution generally refers to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elisabeth Bay Bioregion). For the terrestrial species more than 120 islands, islets and small rocks have been

aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Numbers of the species included in this list are auto-generated. Adding up the number of species in each category will not always equal the total number indicated. Some species have insufficient data to be categorized while others (e.g., category eradicated) will not be included in the total.

Results

Names of taxa included in this checklist: 59 (55 accepted, 4 unidentified taxon).

Origin of the taxa included: 5 accidental, 3 cultivated, 6 escaped, 1 intercepted, 15 endemic, 3 indigenous, 13 migrant, 13 vagrant.

1. Aegialomys bauri (Allen, 1892)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Oryzomys galapagoensis bauri (Allen, 1892) [previous versions of the checklist erroneoulsy cited this synonym as Oryzomys galapagoensis bauri Wilson & Reeder, 2005, but this name does not exist, instead the species is listed in Wilson & Reeder (2005) who did not publish that name]; Oryzomys bauri Allen, 1892

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Santa Fé.

References: Allen, J.A. et al. (1892), Dowler R.C. et al. (2000), Harris, D.B. et al. (2006),

Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991), Weksler, M. et al. (2006), Wilson, D.E. et al. (2005).

2. Aegialomys galapagoensis (Waterhouse, 1839)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Oryzomys galapagoensis (Waterhouse, 1839), Oryzomys galapagoensis galapagoensis Waterhouse, 1839

Origin: Native, Endemic. IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Orr, R.J. et al. (1966), Snell, H.L. et al. (1999), Steadman, D. et al. (1991), Weksler, M. et al. (2006).

3. Arctocephalus galapagoensis Heller, 1904

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Española, Fernandina, Isabela, San Cristóbal, Santiago.

References: Alava, J.J. et al. (2011), Appeltans, W. et al. (2010), Hickin, N. et al. (1979), Lanteri, A.A. et al. (2001), Merlen, G. et al. (1995), Salazar, S. et al. (2002).

4. Balaenoptera acutorostrata Lacépéde, 1804

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Agaphelus gibbosus Cope, 1968, Balaena gibbosa Cope, 1868, Balaena microcephala Tomilin, 1957, Balaena minima Rapp, 1837, Balaena minima borealis Knox, 1838, Balaena rostrata Fabricius, 1780, Balaenoptera acutorostrata thalmaha Deraniyagala, 1963, Balaenoptera acuturostrata Lacépède, 1804 (lapsus calami), Balaenoptera davidsoni Scammon, 1872, Balaenoptera eschrichtius Rasch, 1845, Balaenoptera microcephala Gray, 1850, Balaenoptera rostrata Van Beneden & Gervais, 1880, Balaenoptera thalmaha, Balaenoptera thalmaha Deranyagala, 1963, Pterobalaena minor Eschricht, 1849, Pterobalaena minor bergensis Eschricht, 1849, Pterobalaena minor groenlandica Eschricht, 1849, Pterobalaena nana Barkow, 1862, Pterobalaena nana pentadactyla Barkow, 1862, Pterobalaena nana tetradactyla Barkow, 1862, Pterobalaena pentadactyla Flower, 1865, Rorqualus minor Hamilton, 1837, Sibbaldius mondinii Capellini, 1877, fide Appeltans et al. (2010)

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Palacios, D.M. et al. (2002).

5. Balaenoptera borealis Lesson, 1828

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Balaenoptera alba Giglioli, 1870 (synonym), Balaenoptera arctica Temminck, 1841 (synonym), Balaenoptera iwasi Gray, 1846 (synonym), Balaenoptera laticeps Gray, 1846 (synonym), Balaenoptera schlegelii Van Beneden & Gervais, 1880 (synonym), Balaenoptera schlegellii Dabbene, 1902 (synonym), Balaena rostrata Rudolphi, 1822 (synonym), Belaenoptera schlegeli Lahille, 1899 (synonym), Pterobalaena alba Giglioli, 1874 (synonym), Pterobalaena schlegeli Tomilin, 1957 (synonym), Pterobalaena schlegeli alba Tomilin, 1957 (synonym), Sibbaldius schlegelii Gray, 1864 (synonym), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Hickin, N. et al. (1979).

6. Balaenoptera edeni Anderson, 1879

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Balaenoptera brydei Olsen, 1913 (Nomen inquirendum), Baloenoptera brydei Cadenat, 1957, fide Appeltans et al. (2010)

Origin: Native, Migrant.

IUCN Red List: Data Deficient.

Galapagos Distribution: Santa Cruz, Santiago.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002).

7. Balaenoptera musculus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Balaena borealis Fischer, 1829 (synonym), Balaena maximus, Balaena musculus Linnaeus, 1758 (basionym), Balaenoptera carolinae Malm, 1866 (synonym), Balaenoptera gigas Reinhardt, 1857 (synonym), Balaenoptera indica Blyth, 1859 (synonym), Balaenoptera jubartes Lacépède, 1804 (synonym), Balaenoptera miramaris Lahille, 1898 (synonym), Balaenoptera sibbaldi Van Beneden, 1887 (synonym), Balaenoptera sibbaldii Flower, 1885 (synonym), Physalus latirostris Flower, 1865 (synonym), Physalus sibbaldii Gray,

1847 (synonym), Pterobalaena gigas Reinhardt, 1857 (synonym), Pterobalaena grypus Munter, 1877 (synonym), Rorqualus boops F. Cuvier, 1836 (synonym), Rorqualus borealis Hamilton, 1837 (synonym), Rorqualus major Knox, 1870 (synonym), Sibbaldius antarcticus Burmeister, 1866 (synonym), Sibbaldius borealis Gray, 1864 (synonym), Sibbaldius musculus Kellogg, 1929 (synonym), fide Appeltans et al. (2010)

Origin: Native, Migrant. **IUCN Red List:** Endangered.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et

al. (2000), Palacios, D.M. et al. (2002).

8. Balaenoptera physalus (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Balaena antipodarum Tomilin, 1957 (synonym), Balaena antiquorum Fischer, 1829 (synonym), Balaena boops Linnaeus, 1758 (synonym), Balaena mysticetus major Kerr, 1792 (synonym), Balaena physalis Kerr, 1792 (synonym), Balaena physalus Linnaeus, 1758 (basionym), Balaena quoyi Fischer, 1829 (synonym), Balaena rostrata australis Desmoulins, 1822 (synonym), Balaena sulcata Neill, 1811 (synonym), Balaenoptera antarctica Gray, 1846 (synonym), Balaenoptera aragous Farines & Carcasonne, 1829 (synonym), Balaenoptera australis Gray, 1846 (synonym), Balaenoptera blythii Anderson, 1879 (synonym), Balaenoptera brasiliensis Gray, 1846 (synonym), Balaenoptera gibbar Lacépède, 1804 (synonym), Balaenoptera mediterraneensis Lesson, 1828 (synonym), Balaenoptera mediterranensis Cabrera, 1961 (misspelling), Balaenoptera musculus Van Beneden & Gervais, 1880 (synonym), Balaenoptera patachonica Lahille, 1905 (synonym), Balaenoptera patachonicus Burmeister, 1865 (synonym), Balaenoptera patagonica Dabbene, 1902 (synonym), Balaenoptera quoyii Lonnberg, 1906 (synonym), Balaenoptera rorqual Lacépède, 1804 (synonym), Balaenoptera sulcata arctica Schlegel, 1841 (synonym), Balaenoptera swinhoii Gray, 1866 (synonym), Balaenoptera tenuirostris Sweeting, 1840 (synonym), Balaenoptera velifera Cope, 1869 (synonym), Balaenoptera velifera copei Elliot, 1901 (synonym), Balaenopteris guibusdam Tomilin, 1957 (synonym), Benedenia knoxii Gray, 1864 (synonym), Dubertus rhodinsulensis Tomilin, 1957 (synonym), Physalis vulgaris Fleming, 1828 (synonym), Physalus antarcticus Gray, 1850 (synonym), Physalus australis Gray, 1850 (synonym), Physalus brasiliensis Gray, 1850 (synonym), Physalus dugundii Heddle, 1856 (synonym), Physalus fasciatus Gray, 1850 (synonym), Physalus patachonicus Burmeister, 1866 (synonym), Physalus verus Billberg, 1828 (synonym), Pterobalaena communis Van Beneden, 1857 (synonym), Pterobalaena gigantea michrochira Barkos, 1862 (synonym), Rorqualus musculus F. Cuvier, 1836 (synonym), Sibbaldius tectirostris Cope, 1869 (synonym), Sibbaldius tuberosus Cope, 1869 (synonym), Swinhoia chinensis Gray, 1868 (synonym), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Hickin, N. et al. (1979).

9. Bos taurus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Wolf, T. et al. (1892).

10. Canis lupus familiaris Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Barnett, B.D. et al. (1986), Gingrich, E.N. et al. (2010), Heyerdahl, T. et al. (1956), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Levy, J.K. et al. (2008), Tapia, W. et al. (2000).

11. Capra hircus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Black, J. et al. (1973), Campbell, K. et al. (2004), Hamann, O. et al. (1975), Heyerdahl, T. et al. (1956), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007).

12. Cavia porcellus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002).

13. *Delphinus delphis* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Fernandina, Isabela, San Cristóbal, Santa Cruz.

References: Constant, P. et al. (2007), Hickin, N. et al. (1979), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

14. Equus asinus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Carrión, V. et al. (2006), Coulter, J. et al. (1845), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).

15. Equus caballus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Carrión, V. et al. (2006), Coulter, J. et al. (1845), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).

16. Felis catus (Schreber, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), Levy, J.K. et al. (2008),

MacDonald, I. A. W. et al. (1987), Naveda, B. et al. (1949), Salvin, O. et al. (1876).

17. Feresa attenuata Gray, 1846

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002), Palacios, D.M. et

al. (1999).

18. Globicephala macrorhynchus Gray, 1846

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Data Deficient.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et

al. (2002), Palacios, D.M. et al. (1999).

19. Grampus griseus Cuvier, 1812

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et

al. (2002), Palacios, D.M. et al. (1999).

20. Homo sapiens sapiens Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

21. Hyperoodon planifrons Flower, 1882

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2002).

22. Indopacetus pacificus Longman, 1926

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Palacios, D.M. et al. (2002).

23. Kogia breviceps Blainville, 1838

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Cogia breviceps Benham, 1901 (synonym), Euphisetes pottsi Tomilin, 1957 (misspelling), Euphysetes grayii Wall, 1851 (synonym), Euphysetes macleayi Gill, 1871 (synonym), Euphysetes pottsi Haast, 1874 (synonym), Kogia brevirostris Gray, 1865 (synonym), Kogia floweri Gill, 1871 (synonym), Kogia goodei True, 1884 (synonym), Kogia grayi Gill, 1871 (synonym), Kogia greyi Trouessart, 1898 (synonym), Kogia macleayi Gill, 1871 (synonym), Physeter breviceps de Blainville, 1838 (basionym), fide Appeltans et al. (2010)

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Palacios, D.M. et al. (2002).

24. *Kogia sima* Owen, 1866

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002).

25. Lagenodelphis hosei Fraser, 1956

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

26. Lasiurus borealis brachyotis (Müller, 1776)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Lasiurus borealis Müller, 1776, Atalapha brachyotis Peters, 1871, Nycteris borealis Borkhausen, 1797

Origin: Native, Endemic.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Santa Cruz.

References: Allen, J.A. et al. (1892), Brosset, A. et al. (1963), Jiménez-Uzcátegui, G. et al. (2007),

Jiménez-Uzcátegui, G. et al. (2007), Koopman, K. et al. (1998), MacCracken, G.F. et al. (1997), Niethammer, J. et al. (1964), Orr, R.J. et al. (1966), Peterson, R.L. et al. (1966), Sangoquiza, M. et al. (2006), Sangoquiza, M. et al. (2007), Steadman, D. et al. (1991).

111. et al. (2007), Steadillain, B. et al. (1991).

27. Lasiurus cinereus (Palisot de Beauvois, 1796)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Atalapha cinereus Peters, 1871, Nycteris cinereus Borkhausen, 1797

Origin: Native, Indigenous.

IUCN Red List: Least Concern.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Koopman, K. et al.

(1998), MacCracken, G.F. et al. (1997), Niethammer, J. et al. (1964), Orr, R.J. et al. (1966), Peterson, R.L. et al. (1966), Sangoquiza, M. et al. (2006), Sangoquiza, M. et al. (2007).

28. Megaoryzomys curioi Niethammer, 1964

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic. IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Snell, H.L. et al. (1999),

Steadman, D. et al. (1991).

29. Megaoryzomys sp. 1

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic. IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Snell, H.L. et al. (1999),

Steadman, D. et al. (1991).

30. Megaptera novaeangliae Borowski, 1781

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Balaena allamack Gray, 1846, Balaena atlanticus Hurdis, 1897, Balaena boops Fabricius, 1780, Balaena gibbosa Gray, 1843, Balaena lalandii Fischer, 1829, Balaena longimana Rudolphi, 1832, Balaena nodosa Bonnaterre, 1789, Balaena novaeangliae Borowski, 1781 (basionym), Balaena sulcata antarctica Schlegel, 1841, Balaenoptera antarctica Temminck, 1841, Balaenoptera astrolabe Pucheran, 1843, Balaenoptera australis Lesson, 1828, Balaenoptera capensis A. Smith, 1834, Balaenoptera leucopteron Lesson, 1842, Balaenoptera syncondylus A. Mueller, 1863, Kyphobalaena keporkak Van Beneden, 1868, Megaptera americana Gray, 1846, Megaptera antarctica Gray, 1846, Megaptera australis Iredale & Troughton, 1934, Megaptera bellicosa Cope, 1871, Megaptera boops Van Beneden & Gervais, 1880, Megaptera brasiliensis True, 1904, Megaptera braziliensis Cope, 1867, Megaptera burmeisteri Burmeister, 1866, Megaptera gigas Cope, 1865, Megaptera indica Gervais, 1883, Megaptera kusira Trouessart, 1904, Megaptera kuzira Gray, 1850, Megaptera lalandii Gray, 1864, Megaptera longimana Gray, 1846, Megaptera longimana morei Gray, 1866, Megaptera longipinna Gray, 1846, Megaptera nodosa Bonnaterre, 1789, Megaptera nodosa Lahille, 1905, Megaptera nodosa bellicosa Elliot, 1904, Megaptera nodosa lalandii Tomilin, 1946, Megaptera nodosa nodosa Tomilin, 1946, Megaptera nodosa novaezealandiae Ivashin, 1958, Megaptera novaezelandiae Gray, 1864, Megaptera osphya Mead & Brownell, 2005, Megaptera osphyia Cope, 1865, Megaptera poescop Gray, 1846, Megaptera versabilis Cope, 1869, Poescopia lalandii Gray, 1866, Rorqualus antarcticus F. Cuvier, 1836, Rorqualus australis Hamilton, 1837, fide Appeltans et al. (2010)

Origin: Native, Migrant.

IUCN Red List: Least Concern.
Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002).

31. *Mesoplodon densirostris* Blainville, 1871

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Delphinus densirostris Blainville, 1817 (basionym), Nodus densirostris Galbreath, 1963 (synonym),

Ziphius sechellensis Gray, 1846 (synonym), fide Appeltans et al. (2010)

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002).

32. Mesoplodon ginkgodens Nishiwaki & Kamiya, 1958

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Mesoplodon hotaula Deraniyagala, 1963

Origin: Native, Vagrant.

Galapagos Distribution: Genovesa, Santa Cruz.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios,

D.M. et al. (1996).

33. Mesoplodon peruvianus Reyes, Mead & Van Helden, 1991

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002).

34. Mus musculus (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Harris, D.B. et al. (2006), Hickin, N. et al. (1979), Jácome, M. et al. (1989), Jiménez-Uzcátegui,

G. et al. (2007), Patry, M. et al. (2002).

35. Nesoryzomys darwini Osgood, 1929

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic. **IUCN Red List:** Extinct.

Galapagos Distribution: Santa Cruz.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007),

Jiménez-Uzcátegui, G. et al. (2007), Osgood, W.H. et al. (1929), Snell, H.L. et al. (1999), Steadman, D. et al. (1991).

36. Nesoryzomys fernandinae Hutterer & Hirsch, 1979

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic. **IUCN Red List:** Vulnerable.

Galapagos Distribution: Fernandina.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007),

Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

37. Nesoryzomys indefessus (Thomas, 1899)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic. **IUCN Red List:** Extinct.

Galapagos Distribution: Santa Cruz.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Snell, H.L. et al. (1999), Steadman, D. et al. (1991).

38. Nesoryzomys narboroughi Heller, 1904

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic. **IUCN Red List:** Vulnerable.

Galapagos Distribution: Fernandina.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007),

Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

39. Nesoryzomys sp. 1

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic. **IUCN Red List:** Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007),

Steadman, D. et al. (1991).

40. Nesoryzomys sp. 2

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic. **IUCN Red List:** Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Snell,

H.L. et al. (1999), Steadman, D. et al. (1991).

41. Nesoryzomys sp. 3

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic. **IUCN Red List:** Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007),

Steadman, D. et al. (1991).

42. Nesoryzomys swarthi Orr, 1938

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Santiago.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007),

Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

43. *Orcinus orca* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Orcinus glacialis (Berzin & Vladimirov, 1983), Orcinus nanus Mikhalev etal., 1981

Origin: Native, Migrant.

IUCN Red List: Data Deficient.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Hickin, N. et al. (1979), Merlen, G. et al. (1995), Palacios, D.M. et al.

(2002), Palacios, D.M. et al. (1999).

44. Oryctolagus cuniculus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).

45. Otaria flavescens Shaw, 1800

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Genovesa, Pinta, Santa Cruz, Santiago.

References: Wellington, G.M. et al. (1976).

46. Ovis aries Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Santa Cruz.

References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002).

47. Peponocephala electra (Gray, 1846)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

48. Physeter macrocephalus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Physeter catodon Linnaeus, 1758

Origin: Native, Migrant.

IUCN Red List: Vulnerable.

Galapagos Distribution: Santa Cruz.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios,

D.M. et al. (1999).

49. Pseudorca crassidens Gould, 1838

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Data Deficient.Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et

al. (2002), Palacios, D.M. et al. (1999).

50. Rattus norvegicus Berkenhout, 1769

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Harris, D.B. et al. (2006), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).

51. Rattus rattus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz,

Santiago.

References: Harris, D.B. et al. (2006), Hickin, N. et al. (1979), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).

52. Saguinus oedipus Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Intercepted.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007).

53. Stenella coeruleoalba Meyen, 1833

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Stenella euphrosyne Gray, 1846

Origin: Native, Migrant.

IUCN Red List: Least Concern.
Galapagos Distribution: Marchena.

References: Constant, P. et al. (2007), Gelin, A. et al. (2002), Merlen, G. et al. (1995), Palacios, D.M. et al.

(2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

54. Stenella longirostris Gray, 1828

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

IUCN Red List: Data Deficient.
Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Gelin, A. et al. (2002), Merlen, G. et al. (1995), Palacios, D.M. et al.

(2002), Palacios, D.M. et al. (1999).

55. Steno bredanensis Cuvier, 1828

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Isabela.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios,

D.M. et al. (1999).

56. Sus scrofa Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Cruz, F. et al. (2005), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jácome, M. et al.

(1989), Jiménez-Uzcátegui, G. et al. (2007), Wolf, T. et al. (1892).

57. Tursiops truncatus Montagu, 1821

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Tursiops gephyreus Lahille, 1908, Tursiops gilli Dall, 1873, Tursiops nuuanu Andrews, 1911

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Española, Floreana, Isabela, Santa Cruz.

References: Constant, P. et al. (2007), Hickin, N. et al. (1979), Merlen, G. et al. (1995), Palacios, D.M. et al.

(2004), Palacios, D.M. et al. (2002).

58. Zalophus wollebaeki Sivertsen, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Zalophus californianus wollebaeki Sivertsen, 1953

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé,

Santiago.

References: Alava, J.J. et al. (2011), Alava, J.J. et al. (2011), Bataille, A. et al. (2009), Jiménez-Uzcátegui, G. et al. (2007), Merlen, G. et al. (1995), Salazar, S. et al. (2002), Sivertsen, E. et al. (1953), Wolf, J.B.W. et al.

(2007).

59. Ziphius cavirostris Cuvier, 1823

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Aliama desmarestii Gray, 1864, Aliama indica Gray, 1865, Delphinorhynchus australis Burmeister, 1865, Delphinus desmaresti Risso, 1826, Delphinus philippii Cocco, 1846, Epiodon australe Burmeister, 1867, Epiodon australis Gray, 1871, Epiodon chathamiensis Hector, 1873, Epiodon cryptodon Gray, 1870, Epiodon desmarestii Carus, 1893, Epiodon heraultii Gray, 1872, Epiodon patachonicum Burmeister, 1867, Hyperodon semijunctus Cope, 1865, Hyperondon semijunctus Hall & Kelson, 1959, Hyperoodon capensis Gray, 1865, Hyperoodon desmarestii Gray, 1850, Hyperoodon doumetii Gray, 1850, Hyperoodon gervaisii Duvernoy, 1851, Petrorhynchus capensis Gray, 1865, Petrorhynchus indicus Gray, 1865, Petrorhynchus mediterraneus Gray, 1871, Ziphiorrhynchus cryptodon Burmeister, 1865, Ziphius aresques Gray, 1871, Ziphius australis Trouessart, 1904, Ziphius cavirostris indicus Deraniyagala, 1945, Ziphius chatamensis

Lahille, 1899, Ziphius chathamensis Flower, 1885, Ziphius chathamiensis Iredale & Troughton, 1934, Ziphius cryptodon Fischer, 1857, Ziphius decavirostris Gray, 1871, Ziphius grebnitzkii Stejneger, 1883, Ziphius indicus Van Beneden, 1863, Ziphius novaezealandiae Haast, 1876, Ziphius savii Richiardi, 1873, Zyphius chathamensis Moreno, 1895, fide Appeltans et al. (2010)

Origin: Native, Migrant.

IUCN Red List: Least Concern.

Galapagos Distribution: Isabela, Pinta, Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002).

Acknowledgements

We are grateful for the financial report received for this project. Please refer to the website (www.darwinfoundation.org/datazone/checklist/) for a detailed list of all our donors.

This checklist would not be possible without adjunct and collaborating scientists, and volunteers of the Charles Darwin Foundation. The following scientists and volunteers have contributed to the CDF Checklist of Galapagos Mammals: Paola Buitrón, Donna Harris, Brian Milstead, Elizabeth Pillaert, Sandie Salazar, Fritz Trillmich, David A. Wiedenfeld, Javier Zabala.

References

- Alava, J.J., Salazar, S., Cruz, M., Jiménez-Uzcátegui, G., Villegas-Amtmann, S., Paez-Rosas, D., Costa D.P., Ross, P.S., Ikonomou, M.G., Gobas F.A.P.C. (2011) DDT strikes back: Galapagos sea lions face increasing health. Ambio DOI 10.1007/s13280-011-0136-6.
- 2. Alava, J.J., Ross, P.S., Ikonomou, M.G., Cruz, M., Jiménez-Uzcátegui, G., Dubetz, C., Salazar, S., Costa, D.P., Villegas-Amtmann, S, Howorth, P., Gobas, F.A.P.C. (2011) *DDT in endangered sea lions (Zalophus wollebaeki)*. Marine Pollution Bulletin xxx (2011): xxx-xxx.
- 3. Allen, J.A. (1892) On a Small Collection of Mammals from the Galapagos Islands, collected by Dr. G. Baur. Bull. Am. Mus. Nat. His. 4: 47-50.
- 4. Appeltans, W., Bouchet, P., Boxshall, G.A., Fauchald, K., Gordon, D.P., Hoeksema, B.W., Poore, G.C.B., van Soest, R.W.M., Stöhr, S., Walter, T.C., Costello, M.J. (eds.) (2010) *World Register of Marine Species (WoRMS)*. Available online at http://www.marinespecies.org.
- 5. Barnett, B.D. (1986) *Eradication and control of feral and free ranking dogs in the Galápagos Islands*. Proc. Vertebr. Pest Conf. 12: 358-368.
- Bataille, A., Cunningham, A.A., Cedeño, V., Patiño, L., Constantinou, A., Kramer, L.D. & Goodman, S.J. (2009) Natural colonization and adaptation of a mosquito species in Galápagos and its implications for disease threats to endemic wildlife. Proceedings of the National Academy of Sciences of the United States of America 106(25): 10230-10235.
- 7. Black, J. (1973) Galápagos. Archipiélago del Ecuador. Imp. Europa (CDF & WWF), Quito, 1-138.
- 8. Brosset, A. (1963) Mammiferes des Isles Galápagos. Mammalia 27: 323-338.

- 9. Campbell, K., Donlan, J., Cruz, F. & Carrión, V. (2004) *Eradication of Feral Goats Capra hircus from Pinta Island, Galápagos, Ecuador*. Oryx 38(3): 328-333.
- 10. Carrión, V., Donlan, J., Campbell, K., Lavoie, C. & Cruz, F. (2006) Feral Donkey (Equus asinus) Eradications in the Galápagos. Biod. and Cons. DOI 10.1007/s10531-005-5825-7.
- 11. Constant, P. (2007) *Marine Life of the Galapagos*. The Diver's guide to Fishes, Whales, Dolphins and marine Invertebrates, 307 pp.
- 12. Coulter, J. (1845) Adventures in the Pacific; with observations on the natural productions, manners and customs of the natives of the various islands; together with remarks on missionaries, British and other residents, etc. William Curry, Jun. and Co., Dublin, 290 pp.
- 13. Cruz, F., Donlan, C.J., Campbell, K., Lavoie, C. & V. Carrión (2005) *Conservation action in the Galapagos:* feral pig Sus scrofa eradication from Santiago Island Biol. Conserv. 121: 473-478.
- 14. Dowler R.C., Carroll, D.S. & Edwards, C.W. (2000) *Rediscovery of rodents (Genus Nesoryzomys)* considered extint in the Galapagos Island. Oryx 34(2): 109-117.
- 15. Gelin, A., Gravez, V. (2002) *Lagunas costeras. In: Danulat, E. & Edgar, G.J. (eds.) (2002): Reserva Marina de Galápagos. Línea Base de la Biodiversidad.* Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador, p. 119-145.
- 16. Gingrich, E.N., Scorza, A.V., Clifford, E.L., Olea-Popelka, F.J., & Lappin, M.R. (2010) *Intestinal parasites of dogs on the Galapagos Islands*. Veterinary Parasitology, 169(3-4): 404-407.
- 17. Hamann, O. (1975) *Vegetational changes in the Galapagos Islands during the period 1966-1973*. Biol. Conserv. 7(1): 37-59.
- 18. Harris, D.B. (2006) *Introduced black rats abd endemic Galapagos rice rats: competition, coexistence and conservation.* A thesis submitted for the degree of Doctor of Philosophy. Linacre College, Oxford.
- 19. Harris, D.B., MacDonald, D.W. (2007) Population ecology of the endemic rodent Nesoryzomys swarthi in the tropical desert of the Galapagos Islands. Journal of Mammalogy 88 (1): 208-219.
- 20. Heyerdahl, T., Skolsvod, A. (1956) *Archeologycal evidence of pre-Spanish visit to the Galápagos Island*. American Antq. 22: 1-71.
- 21. Hickin, N. (1979) Animal life of the Galapagos. Ferundune Books, Faringdon, U.K., 236 pp.
- 22. Hoeck, H.N. (1984) *Introduced fauna. In: Perry, R. (ed.): Key environments: Galápagos.* Pergamon Press, Oxford, p. 233-246.
- 23. Jiménez-Uzcátegui, G., Milstead, B., Márquez, C., Zabala, J., Buitrón, P., Llerena, A., et al. (2007) Galapagos vertebrates: endangered status and conservation actions. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 104–110.
- Jiménez-Uzcátegui, G., Carrión, V., Zabala, J., Buitrón, P. & Milstead, B. (2007) Status of introduced vertebrates in Galapagos. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 136–141.

- 25. Jiménez-Uzcátegui, G. (2007) CS/ECU/2006/168 Estudio biologico en Santa rosa y en El Camote, Isla Santa Cruz y en Isla Baltra, previo a la colocacion del Parque Eolico. Informe técnico final para la Fundación Charles Darwin y Servicio Parque Nacional Galápagos, 43 pp.
- Jácome, M. (1989) Mamíferos introducidos en Galápagos. Informe técnico para la Fundación Charles Darwin y Servicio Parque Nacional. Galápagos. Puerto Ayora, Ecuador. 33 pp.
- 27. Koopman, K., McCracken, G.F. (1998) *The taxonomic status of Lasiurus (Chiroptera: Vespertilionidae) in the Galapagos Islands*. American Museum Novitiates 3243: 1-6.
- 28. Lanteri, A.A. (2001) *Biogeografía de las Islas Galápagos: Principales aportes de los estudios filogenéticos*. Introducción a la Biogeografía en Latinoamérica: Conceptos, teorías, métodos y aplicacions. Vol. I, Ciencias, UNAM, México Pp. 141-151.
- Levy, J.K., Crawford, C., Lappin, M.R., Dubovi, E.J., Levy, M.G., Alleman, R., Tucker, S.J. & Clifford, E.L. (2008) *Infectious diseases of dogs and cats on Isabela island, Galapagos*. Journal of Veterinary Internal Medicine 22: 60-65.
- 30. MacCracken, G.F., Hayes, J.P., Cevallos, J., Guffey, S.Z. & Romero, F.C. (1997) *Observations on the distribution, ecology, and behaviour of bats on the Galapagos Islands*. J. Zool., Lond. 243: 757-770.
- 31. MacDonald, I. A. W. (1987) Estrategias para limitar la invasión de organismos introducidos a las áreas protegidas Memorias. Investigación Botánica y Manejo en Galápagos. Pg.210-223
- 32. Merlen, G. (1995) A field guide to the marine mammals of Galapagos. Charles Darwin Foundation.
- 33. Naveda, B. (1949) Galápagos a la vista. Ediciones Últimas Noticias, Quito, Ecuador.
- 34. Niethammer, J. (1964) Contribution a la connaissance des mammiferes terrestres de l'îile Idenfatigable (= Santa Cruz), Galápagos. Résultats de l'expédition Allemande aux Galapagos 1962/63. Mammalia 28(4): 593-606.
- 35. Orr, R.J. (1966) Evolutionary aspects of the mammalian fauna of the Galapagos. In: Bowman, R.I. (ed.): The Galapagos. Proc. Symposia G.I.S.P., Univ. Calif. Press, Berkeley, p. 276-281.
- 36. Osgood, W.H. (1929) *A new rodent from the Galapagos Islands*. Field Museum of Natural History Zoology 17: 21-24.
- 37. Palacios, D.M. (1996) On the specimen of the Ginkgo-toothed beaked whale Mesoplodon ginkgodens from the Galapagos Islands. Marine Mammal Science 12(3): 444-446.
- 38. Palacios, D.M. (1999) *Distribution of dolphins in Galapagos waters*. Marine Mammal Science 15(2): 550-555.
- 39. Palacios, D.M. (2000) Blue whale (Balaenoptera musculus) ocurrence off the Galapagos Islands, 1978-1995. J. Cetacean res. Manage 1(1): 41-51.
- 40. Palacios, D.M., Salazar, S. (2002) Cetaceos. In: Danulat, E. & G.J. Edgar (eds.): Reserva marina de Galápagos. Línea base de la biodiversidad. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador. p. 291-302.

- 41. Palacios, D.M., Salazar, S.K. & Day, D. (2004) Cetacean remains and strandings in the Galapagos Islands, 1923-2003. Lajam 3(2): 127-150.
- 42. Patry, M. (2002) Estatus de vertebrados introducidos en las islas mayores de Galápagos y estrategias de manejo. En: Fundación Natura: Informe Galápagos 2001-2002. Quito, Ecuador.
- 43. Peterson, R.L. (1966) Recent mammal records from the Galapagos Islands. Mammalia 50: 441-445.
- 44. Salazar, S. (2002) Lobo marino y lobo peletero. In: Danulat, E. & Edgar, G.J. (eds.): Reserva marina de Galápagos. Línea base de la biodiversidad. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador, p. 267-285.
- 45. Salvin, O. (1876) On the avifauna of the Galápagos Archipelago. Transactions of the Zoological Society of London 9: 447-510.
- 46. Sangoquiza, M. (2006) Aspectos Ecológicos de los Murciélagos Lasiurus boreales brachyotis y Lasiurus cinereus (Chiroptera: Vespertilionidae) Santa Cruz Galápagos. Tesis previa a la obtención de título como licenciado en Ciencias Biológicas. Universidad Central del Ecuador, Quito, Ecuador.
- 47. Sangoquiza, M., Jiménez-Uzcátegui, G. (2007) *Presencia y ausencia de las dos especies de murciélagos en Santa Cruz y Baltra*. En : Jiménez-Uzcátegui, G. 2007. (Ed). CS/ECU/2006/168 Estudio biológico en Santa Cruz y Baltra. Informe técnico para la FCD, PNG y Proyecto ERGAL. Puerto Ayora, Ecuador, 41 pp.
- 48. Sivertsen, E. (1953) *A new species of sea lion Zalophus wollebaeki from the Galapagos Islands*. Det Kongelige Norske Videnskabers Selskabs Forhandlinger 26(1): 1-3.
- 49. Snell, H.L., Tye, A., Causton, C.E. & Bensted-Smith, R. (1999) *Estado y amenazas de la biodiversidad terretre de Galápagos*. Visión para la biodiversidad de las islas Galápagos. Fundación Charles Darwin para las islas Galápagos y WWF. Puerto Ayora, Galápagos.
- 50. Steadman, D., Stafford, T.W., Donahue, D.J. & Jull, A.J.T. (1991) *Chronology of Holocene vertebrate extinction in the Galápagos Islands*. Quaternary Research 36(1): 126-133.
- 51. Tapia, W., Patry, M., Snell, H. & Carrión, V. (2000) *Estado actual de los vertebrados introducidos a las islas Galápagos*. Fundación Natura: Informe Galápagos 1999-2000. Quito, Ecuador.
- 52. Weksler, M., Reis Percequillo, A. & Voss, R.S. (2006) *Ten New Genera of Oryzomyine Rodents (Cricetidae: Sigmodontinae)*. American Museum Novitates 3537: 1-29.
- 53. Wellington, G.M., de Vries, T. (1976) *The South American sea lion, Otaria byronia, in the Galápagos Islands*. Journal Mammalogy 57(1): 166-167.
- 54. Wilson, D.E., Reeder, D.M. (2005) *Mammal species of the world*. Johns Hopkins University Press, Baltimore, 3rd ed., 142 pp.
- 55. Wolf, J.B.W., Tautz, D. & Trillmich, F. (2007) Galapagos and Californian sea lions are separate species: Genetic analysis of the genus Zalophus and its implications for conservation management. Frontiers in Zoology 4(20) doi: 10,1186/1742-9994-4-20
- Wolf, T. (1892) Geografía y Geología del Ecuador. Publicada Orden Supremo Gobierno Repúblia. Leipzig,
 Quito, (Part 5, El Archipiélago de Galápagos) p. 469-493.

Disclaimer

The Charles Darwin Foundation Galapagos Species Checklist is a continuously updated list of all species currently known from the Galapagos Islands and reflects up-to-date knowledge compiled by scientists of the Charles Darwin Foundation (CDF) in collaboration with experts from around the world. CDF shares this data publicly and invites comments, corrections and additions.

Please do not hesitate to contact us; your input is very welcome. However, please understand that additions, changes, and corrections will be posted at periodic intervals after thorough cross-referencing of all new data. As an independent international scientific organization, the Charles Darwin Foundation relies on funding from donors who support our work. Please contact us at datazone@fcdarwin.org.ec if you would like to support the Charles Darwin Foundation Galapagos Species Checklist and help make knowledge of Galapagos biodiversity more widely available.