



DRAWER BASE — OVERALL ENVELOPE



GENERAL NOTES

1. All dimensions in inches ("). AFF = above finished floor. Figured dimensions govern — DO NOT scale.
2. Grounded 74 × 85 × 17 drawer base; mattress bay 67 × 81; six soft-close full-extension drawers (3 per long side).
3. Base top / border platform at 17" AFF. Headboard bolts to the base rear at $\pm 36 \pm \pm 4$; TV cabinet bolts to the foot.
4. Joinery method + grain at fabrication discretion. Parts (sheet 2) NOT to a single scale — the cut list governs.



SHEETS IN THIS SET

- 1 OVERALL ENVELOPE (this sheet)
- 2 PART DRAWINGS + CUT LIST
- 3 SECTION DETAILS
- 4 CRITICAL INTERFACES
- 5 HARDWARE SCHEDULE

PROJECT
HEIRLOOM BED

DRAWING
Drawer Base


REV
1.8

DRAWING NO.
Base-Shop_Blueprint


SHEET
1 OF 5

PART DRAWINGS & CUT LIST


1 SIDE CHORD
2.4" THK · ×2




2 CENTER SPINE
3" THK · ×1




3 END RAIL
3" THK · ×2



4 DRAWER BOX
×6



5 DRAWER FACE
1" THK · ×6



6 MATTRESS SLAT
a/r




CUT LIST

#	PART	QTY	SIZE (in)	NOTES
1	Side chord	2	2.4 × 15 × 85	long sides; 3 drawer openings cut per side
2	Center spine	1	3 × 15 × 85	full-length; cable chase runs the spine
3	End rail	2	3 × 15 × 74	head + foot; foot has the under-base cable gap
4	Drawer box	6	interior 19 × 10.75 × 33	undermount soft-close, full-extension
5	Drawer face	6	1 × ~28 × 12	1.5" recess; finger-pull (no push-to-open)
6	Mattress slat / border shoulder	a/r	as required	slat platform at 16" AFF; 3.5" border shoulder hosts the drawer-lip LED

PROJECT HEIRLOOM BED	
DRAWING Drawer Base	DRAWING NO. Base-Shop_Blueprint
REV 1.8	SHEET 2 OF 5


SECTION DETAILS

SECTION A-A · TRANSVERSE (ACROSS THE WIDTH)



Section A-A: two side chords + a center spine carry the slat platform over six soft-close drawers (AV in the spine chase).

DETAIL B — DRAWER-LIP / SMART-IN16 RECESS · ENLARGED · 1 in = 44 px




DETAIL B (drawer-lip): the COB is FIXED to the base lip — not the moving drawer — so it needs no flexing wire. The 1.5" lip carrier leaves 0.768" wood above the 0.732" Smart-In16 channel; the 1.102" channel centres in the 1.5" recess (~0.199"/side). Light washes DOWN the 0.5"-recessed faces. Channel / clearances / diffuser sample-confirmed (D-034 / D-036).

PROJECT HEIRLOOM BED	
DRAWING Drawer Base	DRAWING NO. Base-Shop_Blueprint
REV 1.8	SHEET 3 OF 5

CRITICAL INTERFACES

BASE BOLT LANDS · headboard (head end, rear) · TV cabinet (foot end)



Head end — the headboard bolts to the base rear at $x = \pm 36 + \pm 4$, rows $5" + 14.5"$ AFF.
Foot end — the TV cabinet bolts to the base at $x = \pm 33$, rows $5" + 14.5"$ AFF; power + audio cross the centered 3/4" grommated gap, fed by the under-base foot gap. Bolt hardware on sheet 5.

PROJECT HEIRLOOM BED	
DRAWING Drawer Base	DRAWING NO. Base-Shop_Blueprint
REV 1.8	SHEET 4 OF 5

HARDWARE SCHEDULE

#	ITEM	QTY	SPECIFICATION	LOCATION / NOTE
1	Drawer slide	6 pr	Undermount soft-close, FULL-EXTENSION	Six drawers · 33" box · recessed finger-pull (no push-to-open)
2	Bed bolt — headboard	8	3/8"-16 steel, hex head	Head end (rear) · x = ±36 + ±4 · rows 5" / 14.5" AFF
3	Bed bolt — TV cabinet	4	3/8"-16 steel, hex head	Foot end · x = ±33 · rows 5" / 14.5" AFF
4	Cross-dowel (barrel nut)	12	3/8"-16 steel	Receives each bed bolt (headboard + cabinet)
5	Wire grommet	1	3/4" ID rubber / EPDM	Foot cable gap → TV cabinet (power + audio)
6	Drawer-lip LED channel	a/r	Per LED spec (supplied separately)	Underside of the 3.5" border shoulder, both long sides

Case joinery + grain at fabrication discretion. Bolt + wire-gap positions locate on sheet 4 (Critical Interfaces).
Drawer-lip LED + the mattress-bay reveal are separately-supplied lighting — fabrication provides the 1.5" drawer-face recess + the border-shoulder channel.

PROJECT HEIRLOOM BED	
DRAWING Drawer Base	DRAWING NO. Base-Shop_Blueprint
REV 1.8	SHEET 5 OF 5