YUM CHASE / PRODUCT CONCEPTS

Chase Food

Canonical search + full-screen food customization

A review packet for the first local canonical catalog. Each following page shows one proposed phone screen with fast portions, reusable add-ons, and a live nutrition summary.

SETTINGS / FOOD DATA SOURCES

Choose catalogs for search

USDA

Open Food Facts

Chase Food

Turn USDA and Open Food Facts off to test Chase Food alone. Disabled sources stay linked to history.

LOG FOOD / SEARCH

hamburger

Burger

Chase Food · 1 burger

Customize

My versions

Cheese + bacon · no bun

Variations group beneath their canonical food.

FLOW

01

Search

Aliases match; canonical names display.

02

Choose

Add directly or open Customize.

03

Adjust


Tap portions and reusable additions; totals update.

DATA NOTE

The source workbook has 474 foods and draft portion weights, but no verified nutrient profiles. Every calorie and macro number in this packet is a visual placeholder. Confirm recipes, portions, and nutrient sources before implementation.

Burger

Canonical food · one-screen customization



CANONICAL RECORD

Burger

`food_burger`

Search aliases

burger · hamburger · beef burger · smash burger

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

840 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Small ≈ 3 in · Large ≈ 5 in; slider-to-large patty cue · Bun is included and removable. Fries stay a separate reusable food. Add Five Guys, McDonald's, or Burger King phrases as verified aliases or variations.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Pizza

Canonical food · one-screen customization



CANONICAL RECORD

Pizza

`food_pizza_slice`

Search aliases

pizza · pizza slice · slice of pizza · cheese pizza

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

330 kcal

Illustrative total · changes on tap

PRODUCT NOTES

One slice from a 12-, 14-, or 18-inch pizza · Size describes one wedge from a stated pie diameter and cut count. Confirm the common topping set before launch.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Omelet

Canonical food · one-screen customization



CANONICAL RECORD

Omelet

`food_omelet`

Search aliases

omelet · omelette · egg omelette

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

360 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Choose small, medium, or large by finished omelet size · Ham joins cheese and bacon. Add ingredient search for foods such as kielbasa; retain the chosen ingredient in this logged item and saved variation.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Taco

Canonical food · one-screen customization



CANONICAL RECORD

Taco

`food_taco`

Search aliases

taco · tacos · soft taco

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

345 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Protein choice and toppings are quick options; avoid creating a second nutrition profile.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Pasta

Canonical food · one-screen customization



CANONICAL RECORD

Pasta with sauce

`Proposed · food_pasta_with_sauce`

Search aliases

pasta with sauce · spaghetti marinara · orecchiette

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

540 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Separate Lasagna screen; this screen is for sauced pasta · Proposed broad canonical food. Lasagna stays separate. Add searched ingredients to this configuration.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Toast

Canonical food · one-screen customization



CANONICAL RECORD

Toast

`food_toast`

Search aliases

toast · plain toast · toasted bread

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

255 kcal

Illustrative total · changes on tap

PRODUCT NOTES

One, two, or three slices · Bread type is a one-choice selector; toppings remain optional additions.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Cereal

Canonical food · one-screen customization



CANONICAL RECORD

Cereal

`Proposed · food_cereal`

Search aliases

cereal · breakfast cereal · common cereal brand names

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

270 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Cup measure stays visible with the selected portion · Use Cereal as the canonical name. Type choices are mutually exclusive; popular product names can also match as aliases.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Coffee

Canonical food · one-screen customization



CANONICAL RECORD

Coffee

`Proposed · food_coffee`

Search aliases

coffee · brewed coffee

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

40 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Small 8 fl oz · Medium 12 fl oz · Large 16 fl oz · Coffee is the canonical name. Milk type is one choice; sugar, cream, and syrup stay optional.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Banana

Canonical food · one-screen customization



CANONICAL RECORD

Banana

`food_banana`

Search aliases

banana · fresh banana

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

200 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Suggested addition: a common standalone food with an existing small/medium/large portion set.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Yogurt

Canonical food · one-screen customization



CANONICAL RECORD

Yogurt

`Proposed · food_yogurt`

Search aliases

yogurt · plain yogurt · Greek yogurt

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

185 kcal

Illustrative total · changes on tap

PRODUCT NOTES

½, 1, or 1½ cups · Suggested addition: generic Yogurt identity with one selected type and reusable fruit or topping links.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Cappuccino

Canonical food · one-screen customization



CANONICAL RECORD

Cappuccino

`Proposed · food_cappuccino`

Search aliases

cappuccino · cappuccino coffee

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

120 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Small 8 fl oz · Medium 12 fl oz · Large 16 fl oz · Personal daily entry, separate from Coffee. Espresso and foamed milk define the base; milk is one exclusive choice.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Protein shake

Canonical food · one-screen customization



CANONICAL RECORD

Homemade protein shake

`Proposed · food_homemade_protein_shake`

Search aliases

protein shake · homemade protein shake · protein smoothie

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

270 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Use serving volume and explicit powder scoop count · Creatine stays a separately logged supplement. Consider cocoa and honey as searchable add-ins; powder brand and scoop nutrition require review.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Sandwich

Canonical food · one-screen customization



CANONICAL RECORD

Sandwich

`Proposed · food_sandwich`

Search aliases

sandwich · turkey sandwich · tuna sandwich · lunch sandwich

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

410 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Filling and bread each use a one-choice selector · Mayonnaise is shown selected as the usual choice. Add/toggle tuna as the exclusive filling; white bread is the suggested default.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Caesar salad

Canonical food · one-screen customization



CANONICAL RECORD

Caesar salad

`Proposed · food_caesar_salad`

Search aliases

Caesar salad · caesar · caesar with chicken

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

485 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Own canonical salad. Keep chicken and extra components reusable; cookbook recipe names do not become nutrition profiles.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Other salad

Canonical food · one-screen customization



CANONICAL RECORD

Other salad

`Proposed · food_other_salad`

Search aliases

other salad · spinach salad · kale salad · mixed salad

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

195 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Anne's Spinach Salad and Kick-Ass Kale Salad map here. Southwest Caesar is intentionally omitted as a canonical entry.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Potato salad

Canonical food · one-screen customization



CANONICAL RECORD

Potato salad

`Proposed · food_potato_salad`

Search aliases

potato salad · homemade potato salad

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

320 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Distinct from other salad because it is a familiar, independently searchable dish.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Lasagna

Canonical food · one-screen customization



CANONICAL RECORD

Lasagna

`Proposed · food_lasagna`

Search aliases

lasagna · lasagne · baked lasagna

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

530 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Separate canonical screen from Pasta with sauce. Side dishes retain their own reusable identities.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Chili

Canonical food · one-screen customization



CANONICAL RECORD

Chili

`Proposed · food_chili`

Search aliases

chili · beef chili · turkey chili · vegetarian chili · Noel's chili

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

440 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Type is exclusive: beef, turkey, or vegetarian. Rice, sour cream, and cheese are separately reusable additions.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Beef stew

Canonical food · one-screen customization



CANONICAL RECORD

Beef stew

`Proposed · food_beef_stew`

Search aliases

beef stew · homemade beef stew

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

380 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Own canonical entry matching the cookbook dish; any side remains separately logged.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Chicken Parmesan

Canonical food · one-screen customization



CANONICAL RECORD

Chicken Parmesan

`Proposed · food_chicken_parmesan`

Search aliases

chicken parmesan · chicken parm · chicken parmigiana

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

660 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Pasta can be added as its own food or saved with Chicken Parmesan as a combined configuration.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Chicken piccata

Canonical food · one-screen customization



CANONICAL RECORD

Chicken piccata

`Proposed · food_chicken_piccata`

Search aliases

chicken piccata · chicken with lemon caper sauce

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

390 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Keep searchable as its own familiar preparation; use additions for sides and extra sauce.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Orange chicken

Canonical food · one-screen customization



CANONICAL RECORD

Orange chicken

`Proposed · food_orange_chicken`

Search aliases

orange chicken · Chinese orange chicken

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

665 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Own entry; rice and vegetables stay optional related foods.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Roast turkey

Canonical food · one-screen customization



CANONICAL RECORD

Roast turkey

`Proposed · food_roast_turkey`

Search aliases

roast turkey · turkey · Thanksgiving turkey · Thanksgiving

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

465 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Thanksgiving is a search alias for the turkey entry. Each holiday dish is its own reusable food and can be added from this screen.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Cheesecake

Canonical food · one-screen customization



CANONICAL RECORD

Cheesecake

`Proposed · food_cheesecake`

Search aliases

cheesecake · burnt cheesecake · baked cheesecake

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

400 kcal

Illustrative total · changes on tap

PRODUCT NOTES

Burnt cheesecake is a style choice or variation beneath the canonical Cheesecake result.

REVIEW BEFORE BUILDING


The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.

Pancake

Canonical food · one-screen customization



CANONICAL RECORD

Pancake

`Proposed · food_pancake`

Search aliases

pancake · pancakes · buttermilk pancake

QUICK CONTROLS

Portion changes and optional foods recalculate the summary immediately. Search and history continue to use the canonical ID.

DEMO STATE

500 kcal

Illustrative total · changes on tap

PRODUCT NOTES

One pancake entry with natural count portions and common toppings; cookbook recipe title stays an alias.

REVIEW BEFORE BUILDING

The workbook portion is a draft estimate. Nutrients and component increments shown here are placeholders for the interaction concept.

ACTION

One final action adds the configured food. If a side such as fries is selected, keep it reusable and preserve its separate identity in the diary.