

Html – Exercise 3

Follow the instructions below and edit **holiday.html** and **hs_styles.css** so that the former renders as shown in **holidayComplete.png**.

1. Enter **your name** and the **date** in the comment section of both **holiday.html** and **hs_styles.css**.
2. Make the following changes to **hs_styles.css**:
 - a. Use the **@font-face** rule to access and load the web font file, **CloisterBlack.eot**.
 - b. Create a style rule for the page body, set the background color to **white**, and set the default font list to **Trebuchet MS, Helvetica, and sans-serif**.
 - c. Create a style rule for unordered lists within the nav element that: i) sets the background color to the value **(248, 175, 175)**; ii) sets the line height to **3.5em**; iii) removes the bullet marker; iv) sets the width of the padding-left property to **0** pixels; and v) indents the text **5** pixels.
 - d. For the first list item, create a style rule to i) increase the font-size to **150%**; ii) display the text in small caps; and iii) display the text in **bold**.
 - e. For every hypertext link within the navigation list, create a style that removes the underlining and sets the font color to **white**.
 - f. When the user hovers the mouse pointer over list items in the navigation list, change the background color to the value **(148, 51, 62)**.
 - g. When the users hovers the mouse pointer over a hypertext link in the navigation list, change the font to **yellow**.
 - h. The image, **holiday.jpg**, is placed within a figure box in **holiday.html**. Set the background color of figure boxes to the color value **(248, 175, 175)** and **center** the contents of figure boxes.
 - i. For the caption within the figure box, add styles to i) set the font-size to **14** pixels; ii) display the text in **italic**, and iii) **center** the caption-text.
 - j. For h1 headings nested within the section element, create a style rule to i) set the background color to the value **(148, 51, 62)**; ii) set the font color to **white**; iii) use the font list containing the **CloisterBlack** and **fantasy** fonts; iv) set the font size to **2.5em**; v) remove boldface from the text; vi) set letter spacing to **0.3em**; vii) set the line height to **2em**; and viii) indent the text **5** pixels.
 - k. For h2 headings nested within the section element, create a style rule to i) set the background color to the value **(182, 134, 52)**; ii) set the font color to the color value **(255, 255, 255)** with an opacity of **0.8**; iii) set the font weight to **normal**; iv) set the letter spacing to **0.7em**; and v) indent the text **1em**.
 - l. For unordered lists directly after h2 headings nested within the section element, create a style rule that displays the image file **flake.png** as the bullet marker.
 - m. For address elements nested within the footer element, create a style rule to i) set the background color to the value **(148, 51, 62)**; ii) set the font color to the color value **(255, 255, 255)** with an opacity of **0.8**; iii) change the font style to **normal** weight in small caps, **0.8em** in size with a line height of **4em**, and use fonts from the list **Palatino Linotype, Book Antiqua, Palatino, and serif**; and iv) **center** the address text.
 - n. Save the changes.
3. Open **holiday.html** and add a link to the **hs_styles.css** file.
4. Save all the files for this HOE to your W: drive.
5. Submit just the URL to **holiday.html**.

Let's assume that student Jane Doe (username: Jane.A.Doe10), has saved **holiday.html** within a folder called HtmlEx3 under her public_html folder on W:. The URL for this file would be:

<http://www.business.colostate.edu/jane.a.doe10/HtmlEx3/holiday.html>