

Blessed & Dressed

First Sample Specification Sheet (v3) — Prepared for Yamamoto EXCY · August 2026

Client Body Baseline (measured in person)

Master client fit profile, verified over multiple completed garments. All values in cm unless noted; ease = finished – body. The finished measurements and adjustment tables on the following pages are the values to cut against; they already include the correct ease for this client. Shell fabrics: suit in navy worsted wool Super 110s–120s, shirt in white two-ply ~100s cotton poplin — please propose options. Trim, thread and lining codes (e.g. FK503237, YZ002, FB2634A1) reference our current component library; nearest equivalents may be proposed.

Body Baseline

Height	170.2 (under verification vs 175.3 — confirm before cutting)
Weight	88.5–90.3 kg
Age	34
Chest	111.8
Stomach	102.9
Stomach (highest point)	113.0
Waist	99.1
Seat	110.5
Thigh	63.5
Neck	41.1
Knee (finished ref)	45.7
Calf	36.8
Shoulder (curve-taped)	47.0 — functional shoulder is 45.0; cut against 44.5–45.0 finished
Front shoulder	41.9
Pant bottom (ref)	36.8
Bicep	33.0
Wrist L / R	17.8 / 17.8
Sleeve L / R	61.0 / 61.7
Outseam L / R	97.8 / 97.8
Nape to waist	38.1
Front waist length	38.6
U-rise	71.1
Back waist height	11.4
Front waist height	14.5
Back length (jacket/shirt)	73.7
Across-back / inseam	To be confirmed at fitting — available on request

Blessed & Dressed

First Sample Specification Sheet (v3) — Prepared for Yamamoto EXCY · August 2026

Sample A — Suit Jacket (Double-Breasted 6x2)

Construction & Options

Shoulder head	Regular
Canvas	FULL CANVAS (upgraded from fused — owner decision 2026-08-22)
Lapel	Curved Peak Lapel 103°
Lapel width	12.5 CM
Folded collar craftsmanship	Normal
Collar tab fabric	None
Collar interlining	Regular
Lapel buttonhole style	Rome 2.3 CM (M)
Lapel buttonhole position	Each side double
Lapel buttonhole color	YZ002
Chest pocket	Straight Welt Chest Pocket in 2.5 cm
Lower pocket	Large Slanted Flap in 6.5 cm
Lower pocket bartack	X-bartack
Ticket pocket	Flap 5 CM, same design with lower pocket (seam excluded)
Front style	DB 6 BY 2
Placket button	FK503237
Hem & gusset	Squared bottom
Sleeve vent	Functional
Sleeve vent ribbon position	Ribbon on button side
Sleeve vent ribbon fabric	As body lining
Sleeve button	FK502437
Sleeve cuff	Square sleeve cuff
Collar melton	Matching to fabric
Chest dart distance	-2 cm
Double breasted left & right button distance	10 cm
Upper & lower button distance	9 cm
Cuff button number	Six
Cuff button spacing	NO KISSING
Pick stitching	0.15*0.6 cm double pick stitching
Pick stitching position	Lapel, Collar, Front, Pocket, Sleeve Vent
Pick stitching color	Matching to fabric
Sleeve buttonhole direction	Slant
Back vent	Side Vents
Folded back vent	Folded back vent
Front buttonhole	By machine
Lower coin pocket	None
All front buttonholes in one color	YZ002

Sleeve buttonhole	By machine
1st sleeve buttonhole in contrast color	YZ002
2nd sleeve buttonhole in contrast color	Matching to fabric
3rd sleeve buttonhole in contrast color	YZ002
4th sleeve buttonhole in contrast color	Matching to fabric
5th sleeve buttonhole in contrast color	YZ002
6th sleeve buttonhole in contrast color	Matching to fabric
Sewing button style	"=" stitching by hands
Buttoning thread color	YZ002
Hand-made	Individual hand-made parts
Facing	Facing 1
Pen pocket	Left jetted pocket
Half lining / full lining	Full lining
Half lining shape	None
Half lining craftsmanship	NONE
Body lining	FB2634A1
Sleeve lining	As body lining
Columbia stitching / piping	Columbia stitching
Columbia stitching color	Matching to fabric
Piping color	None
Inner pocket button	Inner pocket button 4
Inner pocket closure	D-bartack
Perfume pad style	Triangle underarm shield
Inner ticket pocket	Right
Namecard pocket	Left Inner Pocket Depth 15 CM
Mp3 pocket	None
Upper pocket fabric	As body lining
Brand label position	Above the left inner pocket (no labelling on lining)
Fabric label position	No Fabric Label
Collar label	Loop in ribbon
Care label classify	Standard
Care label position	Left inner pocket

Blessed & Dressed

First Sample Specification Sheet (v3) — Prepared for Yamamoto EXCY · August 2026

Sample A — Jacket Measurements & Fit Adjustments

Jacket — Finished Measurements (proven fit — cut exactly)

Measurement point	Enter (finished, cm)
Full Chest (Finished)	120.0 (body 111.8, ease +8.2 — proven)
Full Stomach (Finished)	109.0 (proven)
Full Belly (Finished)	116.0 (body highest point 113.0 — tightest margin, do not reduce)
Full Seat (Finished)	118.0 (proven)
Full Bicep (Finished)	41.0 (body 33.0)
Full Cuff (Finished)	28.0
Shoulder Width (Finished)	44.5 (do NOT narrow further)
Back Width (Finished)	46.5
Left / Right Sleeve (Finished)	61.0 / 62.0
Back Length (Finished)	72.5
Front Length (Finished)	75.0 (front–back balance +2.5 — preserve)
First Button Stance	39.0
Neckline (body)	41.1

Jacket — Posture & Figure Adjustments

Left shoulder slope	NORMAL — body reads slightly square; never cut with sloping shoulders (causes a horizontal fold below the collar)
Right shoulder slope	NORMAL — same
Front shoulder	Very Forward
Arm	Generally advanced; bent arm 1.0
Armhole depth	Up 2.5 cm
Front chest	–1.5 cm
Stomach dart	0.5 cm
Head / Neck	Slightly forward / slightly thin
Chest	Out / slightly pectorales
Seat	Normal — never Flat, never Portly belly
Belly	Normal (fat around)

Blessed & Dressed

First Sample Specification Sheet (v3) — Prepared for Yamamoto EXCY · August 2026

Sample A — Trousers

Trousers — Construction & Options

Front pocket	Slant pocket 2
Front pocket depth	Standard
Waistband style	Metal Adjusters on Outseam
Metal adjuster	Gold Metal Adjuster FK140103
Waistband extension shape	Straight Extension with Rounded Corner
Waistband extension length	Same with pattern
Waistband width	5 cm
Closure	Two buttons two hooks
Pleat	Single dart
Belt loops	None
Fly style	Metal zipper
Fly decoration thread	Pick stitching by machine
Manual bar tack location	I-tack by machine
Outside watch pocket	Flap watch pocket with buttonhole
Inside coin pocket	Both side
Button	NJ38 / FK752405
Buttoning thread color	YZ002
Sewing button style	Regular sewing by machine
Center crease	With Center Crease
Front pocket decoration thread	Pick stitching by machine 1
Back pocket	Jetted pocket with tab and button 1
Back pocket position	Both side
Back pocket seal craft	X-bartack
Back dart	Double Darts
Bottom shape	Turn-up by machine 5
Bottom with skid stick	Back
Inner waist style	FY025143 (Standard waistband)
Buttonhole	By machine
Buttonhole thread color	YZ002
Center waist seam style	V-shape
Center back seam style	Binding
Lining style in pants	None
Fabric label position	No Fabric Label
Brand label position	No Brand Label

Trousers — Finished Measurements (cut exactly)

Measurement point	Enter (finished, cm)
Full Waist (Finished)	99.0 (body +0 — works with side adjusters; do not go below)

Full Seat (Finished)	117.5 (+7.0 ease)
Full Thigh (Finished)	69.5 (+6.0 — seated thigh expands 3–5 cm)
Full Knee (Finished)	46.5 (slim taper)
Full Opening (Finished)	37.0 (must clear calf 36.8 — floor is 37)
U-Rise (Finished)	74.5 (+3.4 ease — critical for seated comfort)
Front Rise (Finished)	26.0
Back Rise (Finished)	45.5 (raised — back path length for sitting)
Left / Right Pant Length (Finished)	97.8 / 97.8 (equalized)
Full Calf (body)	36.8

Trousers — Posture & Figure Adjustments

Hips	NORMAL — never Very Low (drops the waistband and steals rise)
Back crotch	Do NOT straighten (straightening shortens the seat); back crotch curved 0.5 — adds seated seat length
Front centre height	3 cm
Waist height	Higher 2.0 cm — back only (anchors waistband when seated)
Seat / Belly	Normal / Normal — never Flat, never Portly

Blessed & Dressed

First Sample Specification Sheet (v3) — Prepared for Yamamoto EXCY · August 2026

Sample B — Dress Shirt

Construction & Options (shell: white cotton poplin, two-ply ~100s — please propose options)

Sleeve head	Regular
Front	Normal
Collar (lapel)	Curved in 9 cm
Decoration stitching on collar	Machine 0.5 cm AMF stitching
Decoration stitching color on collar	3894
Collar stay	Fixed
Collar stand height	Collar stand height 3.7 cm (2 BUTTON)
Collar stand	Round collar stand with 2 buttons
Button on collar stand	FKE01641
Placket	Outer placket
Placket width	Placket width 4.5 cm
Placket button position	9 buttons (not including)
Decoration stitching on placket	Machine 0.3 cm top stitching
Decoration stitching color on placket	3894
Placket button	FKE01632
Buttonhole thread color on placket	3894
Placket buttonhole direction	Horizontal Second Buttonhole from bottom
Buttonhole	Machine
Buttonhole thread color on collar band	3894
Collar linings	Collar linings hard
First button distance	The first button distance 4 cm
Sewing button style	Machine buttoning
Buttoning thread color	3894
Pocket	None
Hem	Small Round hem
Decoration stitching on shoulder	Machine 0.6 cm top stitching
Cuff	Hexagonal cuff with 2 buttons & 2 buttonholes
Buttonhole thread color on cuff	3894
Long sleeve cuff width	Cuff width 7 cm
Cuff lining	Cuff lining hard FC390057
Cuff pleat	Double pleat
Sleeve vent decoration thread	0.1 cm top stitching
Sleeve vent decoration thread color	3894
Decoration stitching on cuff	Machine 0.3 cm AMF stitching
Decoration stitching color on cuff	3894
Sleeve tab	None
Back	SIDE PLEATS WITH DOUBLE DARTS
Yoke	Normal yoke

Bias cutting	Inner collar stand + Inner cuff
Contrast color position	Inner right placket + Inner collar stand + Inner cuff + Inner top collar + Inner yoke
Contrast fabric	RMC39053
Epaulet	None
Fabric label position	No Fabric Label
Brand label position	Outer right placket bottom

Dress Shirt — Finished Measurements (proven fit, one noted refinement)

Measurement point	Enter (finished, cm)
Neck (Finished)	42.0 (body 41.1, ease +0.9)
Full Chest (Finished)	118.2 (body 111.8, ease +6.4 — proven)
Full Stomach (Finished)	116.0 (body 102.9 — trimmed to +13 from proven +18.1, per fit note)
Full Seat (Finished)	118.5 (+8.0)
Full Bicep (Finished)	41.0 (body 33.0, +8.0)
Shoulder Width (Finished)	45.0 (functional shoulder 45.0, ease 0)
Left / Right Sleeve (Finished)	61.5 / 62.5 (body 61.0 / 61.7)
Left / Right Cuff (Finished)	25.3 / 25.9
Back Length (Finished)	76.2
Front Length (Finished)	81.3
Nape to Waist Length (body)	38.1
Front Waist Length (body)	38.6

Dress Shirt — Posture & Figure Adjustments

Head / Neck	Slightly forward / slightly thin
Shoulders	Normal slope, both sides
Front shoulder	Forward shoulder
Arm	Slightly thin + forward
Armhole	Up 2
Chest	Slightly pectorales

Blessed & Dressed

First Sample Specification Sheet (v3) — Prepared for Yamamoto EXCY · August 2026

Fit Rules & Notes

Fit Rules (learned across completed garments — please respect)

Shoulders	Cut against 44.5–45.0 finished shoulder. The body reads slightly square: a sloping-shoulder cut produces a horizontal fold below the collar; keep slope NORMAL both sides.
Jacket balance	Preserve front–back balance of +2.5 (front length 75.0 vs back 72.5).
Belly ease	The jacket's tightest margin — finished belly 116.0 over a 113.0 body point; do not reduce.
Trouser back path	Seated comfort requires U-rise ease $\geq +3$ (target 74.5) and back rise ≥ 45.5 . Non-negotiable for the slim trouser.
Leg opening	Must clear the 36.8 calf — floor is 37.0.
Iteration	This profile is proven on previous garments; if the factory recommends deviating, please change one variable at a time and tell us which.

Notes

Purpose	Evaluate sewing quality, construction, finishing and fit accuracy against the measurements above, before discussing an ongoing MTM program.
Measurements in production	All client measurements are taken in person by Blessed & Dressed during private consultations (full body measurements and garment measurements). Each order arrives as a per-order spec sheet in this format.
Tolerance	± 1.0 cm on lengths and circumferences, ± 0.5 cm on collar, shoulder and cuffs.
Shipping	FedEx/DHL to the United States (Louisiana, ZIP 71234 area); exact address confirmed at order.
Contact	Chase Stanley · Founder · chasestanley91@gmail.com