## ITCS 3160 Project - Data Dictionary Group 20

| Table<br>Name        | Attributes Name   | Description   | Data Type  | Length                                 | PK/FK                                      | Constraints  | Range   | Nullable                              |
|----------------------|---|---|--|--|--|--|---|---------------------------------------|
| order                | order_id person_id delivery_id location_id driver_id restaurants_id total_price delivery_charge | id of order id of person id of delivery id of location id of driver id of restaurants total price of order delivery charge of order           | INT INT INT INT INT FLOAT                              | 11<br>11<br>11<br>11<br>11<br>11       | PK<br>PK, FK<br>PK, FK<br>PK, FK<br>PK, FK | PK, Not null<br>Not null<br>Not null<br>Not null<br>Not null<br>Not null | 4 bytes (32 bit) | N N N N N N N N N N N N N N N N N N N |
| location             | location_id<br>location_address<br>location_name<br>drop_off_point                              | id of location<br>address of location<br>name of location<br>drop off point   | INT<br>VARCHAR<br>VARCHAR<br>VARCHAR                   | 11<br>75<br>75<br>75                   | PK<br>FK                                   | PK, Not null   | 4 bytes (32 bit)<br>0 to 65,535<br>0 to 65,535<br>0 to 65,535   | N<br>Y<br>Y                           |
| location_a<br>ddress | location_address<br>latitude<br>longitude   | address of location<br>latitude of address location<br>longitude of address<br>location   | VARCHAR<br>VARCHAR<br>VARCHAR                          | 75<br>75<br>75                         | PK   |  | 0 to 65,535<br>0 to 65,535<br>0 to 65,535   | Y<br>Y<br>Y                           |
| person               | person_id<br>person_name<br>person_email<br>cell  | id of person<br>name of person<br>email of person<br>cell of person   | INT<br>VARCHAR<br>VARCHAR<br>BIGINT                    | 11<br>300<br>150<br>20                 | PK   | PK, Not null   | 4 bytes (32 bit)<br>0 to 65,535<br>0 to 65,535<br>8 bytes (64 bit)  | N<br>Y<br>Y                           |
| faculty              | faculty_id person_id title degree_college highest_degree  | id of faculty id of person title of faculty college degree of faculty highest degree of faculty   | INT<br>INT<br>VARCHAR<br>VARCHAR<br>VARCHAR            | 11<br>11<br>75<br>75<br>75             | PK<br>PK, FK                               | PK, Not null<br>Not null   | 4 bytes (32 bit)<br>4 bytes (32 bit)<br>0 to 65,535<br>0 to 65,535<br>0 to 65,535   | N<br>N<br>Y<br>Y                      |
| restaurant           | restaurant_id<br>location<br>restaurant_name<br>schedule<br>website<br>rating_id                | id of restaurant<br>location of restaurant<br>name of restaurant<br>schedule of restaurant<br>website of restaurating<br>rating of restaurant | INT<br>VARCHAR<br>VARCHAR<br>VARCHAR<br>VARCHAR<br>INT | 11<br>75<br>75<br>75<br>75<br>75       | PK<br>FK                                   | PK, Not null   | 4 bytes (32 bit)<br>0 to 65,535<br>0 to 65,535<br>0 to 65,535<br>0 to 65,535<br>4 bytes (32 bit)  | N<br>Y<br>Y<br>Y<br>Y                 |
| rating               | rating_id person_id restaurant_id driver_id score description                                   | id of rating id of person id of restaurant id of driver score of rating description of rating   | INT<br>INT<br>INT<br>INT<br>VARCHAR<br>VARCHAR         | 11<br>11<br>11<br>11<br>11<br>75<br>75 | PK<br>PK, FK<br>PK, FK<br>PK, FK           | PK, Not null<br>Not null<br>Not null<br>Not null                         | 4 bytes (32 bit)<br>4 bytes (32 bit)<br>4 bytes (32 bit)<br>4 bytes (32 bit)<br>0 to 65,535<br>0 to 65,535  | N<br>N<br>N<br>N<br>Y                 |
| staff                | staff_id<br>person_id<br>position<br>is_admin   | id of staff<br>id of person<br>position of staff<br>whether staff is admin or not   | INT<br>INT<br>VARCHAR<br>VARCHAR                       | 11<br>11<br>75<br>1                    | PK<br>PK, FK                               | PK, Not null   | 4 bytes (32 bit)<br>4 bytes (32 bit)<br>0 to 65,535<br>0 to 65,535  | N<br>N<br>Y<br>N                      |
| student              | student_id<br>person_id<br>graduation_year<br>major<br>type                                     | id of student<br>id of person<br>graduation year of student<br>major of student<br>type of student  | INT<br>INT<br>INT<br>VARCHAR<br>VARCHAR                | 11<br>11<br>4<br>75<br>75              | PK<br>PK, FK                               | PK, Not null<br>Not null   | 4 bytes (32 bit)<br>4 bytes (32 bit)<br>4 bytes (32 bit)<br>0 to 65,535<br>0 to 65,535  | N<br>N<br>Y<br>Y                      |
| vehicle              | vehicle_id<br>vehicle_plate<br>model  | id of vehicle<br>Plate of vehicle<br>model of vehicle   | INT<br>VARCHAR<br>VARCHAR                              | 11<br>75<br>75                         | PK   | PK, Not null   | 4 bytes (32 bit)<br>0 to 65,535<br>0 to 65,535  | N<br>Y<br>Y                           |

|          | make   | make of vehicle  | VARCHAR                              | 75             |                        |                                      | 0 to 65,535   | Y                |
|----------|--|--|--------------------------------------|----------------|------------------------|--------------------------------------|---|------------------|
| delivery | delivery_id<br>driver_id<br>vehicle_id<br>delivery_time              | id of delivery<br>id of driver<br>id of vehicle<br>delivery time of delivery                             | INT<br>INT<br>INT<br>DATETIME        | 11<br>11<br>11 | PK<br>PK, FK<br>PK, FK | PK, Not null<br>Not null<br>Not null | 4 bytes (32 bit)<br>4 bytes (32 bit)<br>4 bytes (32 bit)                | N<br>N<br>N<br>Y |
| driver   | driver_id<br>student_id<br>license_number<br>date_hired<br>rating_id | id of driver<br>id of student<br>license number of driver<br>date hired of driver<br>rating id of driver | INT<br>INT<br>VARCHAR<br>DATE<br>INT | 11<br>11<br>75 | PK<br>PK, FK<br>PK, FK | PK, Not null<br>Not null             | 4 bytes (32 bit)<br>4 bytes (32 bit)<br>0 to 65,535<br>4 bytes (32 bit) | Z                |