	LE GE ND	INDEX		I NDE X		ISHEET I OF 3
termine is majorija terika kitika parameter ti	EXISTING BOUNDARY OF LA PURISIMA	NUMBE R	DESCRIPTION	NUMBER	DESCRIPTION	RECORD OF SURVEY
4:	MISSION STATE HISTORIC PARK	13	Found monument same as (11) PER MAP C.S. 715 6" ABOVE GROUND WITH ADDITIONAL MARK "S.E. COR." FROM WHICH A LINE MONUMENT TYPE "A" 12" ABOVE GROUND BEARS WESTERLY	33	POSITION DETERMINED BY PROPORTIONATE MEASUREMENT BETWEEN 31 AND 39, NOTHING SET.	OF
·	 Dimensional point only, nothing found or set。 Found evidence as described. 		ALONG LINE 29.9 FEET AND ANOTHER LINE MONUMENT TYPE "A" BEARS NORTHERLY ALONG LINE 18.6 FEET.	34)	POINT ON LINE BETWEEN 33 AND 39 AT RECORD DISTANCE (48.15') FROM 33 PER COUNTY SURVEYOR MAP NO. 1212.	A PORTION OF RANCHO MISSION DE LA PURISIMA, LOT 35 AND PORTIONS OF LOTS 24 AND 36 OF THE SUBDIVISION OF PART OF THE SANTA RITA RANCHO PER MAPS AND SURVEYS BOOK 2 PAGE 40
	SET MONUMENT AS DESCRIBED.	(14)	FOUND MONUMENT SAME AS (11) 6" ABOVE GROUND PER MAP C.S. 715 WITH ADDITIONAL MARK "N.E. COR." FROM WHICH A LINE MONUMENT TYPE "A" BEARS NORTHERLY ALONG LINE 166.2 FEET.	35)	FOUND 1½ IRON PIPE 6" ABOVE GROUND IN CONCRETE WITH TAG "SANTA BARBARA COUNTY ROAD COMM. MON." IN POSITION SHOWN ON COUNTY SURVEYOR'S MAP NO. 1212.	AND PORTIONS OF FARM LOTS 1 AND 7 OF THE SUBDIVISION OF RANCHOS LOMPOC AND MISSION VIEJA PER MAPS AND SURVEYS BOOK 1 PAGE 45
	1) INDEX NUMBER TO DESCRIPTIONS.	(15)	FOUND T-BAR WITH TAG STAMPED "L.S. 2333 S.R. 17"			SANTA BARBARA COUNTY STATE OF CALIFORNIA
	() INDICATES RECORD OR NON-RECORD DATA FROM SOURCES NOTED.		(NO RECORD) FLUSH WITH GROUND AND 1.99 FEET EAST OF LINE BETWEEN MONUMENTS 14 AND 18.	(36) (37)	Position determined by Proportionatemeasure between 35 and 37, nothing set. Position determined by extending line from 40	SCALE: 1" = 300"
CERTAIN MO	NUMENT TYPES MENTIONED IN DESCRIPTIONS:	(16)	Found T-BAR WITH TAG STAMPED 'L.S. 2333' (NO RECORD) $2''$ ABOVE GROUND ON LINE BETWEEN MONUMENTS 14 & 18 .		THROUGH (39) FOR RECORD DISTANCE (70.001) PER COUNTY SURVEYOR MAP NO. 1212, NOTHING SET.	
TYPE "A"	INDICATES A 4" BRASS CAP ON TOP OF A 3" IRON PIPE	(17)	Found monument same as (16) 3" above ground and 1.78" West of line between monuments (14) & (18).	38	FOUND MONUMENT TYPE "D" FLUSH IN PAVEMENT FOR ROAD COMMISSION MONUMENT NO. 1 PER C.S. MAP NO. 1212.	BASIS OF BEARINGS THE BASIS OF BEARINGS FOR THIS SURVEY IS THE LINE
	WITH CAP CAST "STATE OF CALIFORNIA DEPARTMENT OF NATURAL RESOURCES \$500 FINE FOR DESTURBING THIS MARK DIV. BEACHES & PARKS" AND AS SHOWN: THESE MONUMENTS WERE SET ON AN UNRECORDED	18)	Found monument same as 11) per Map C.S. 715 4" above ground from which a line monument Type "A" bears Southerly along line 29.3 feet.	39	FOUND MONUMENT TYPE "D" STAMPED "NO. 2" 5" ABOVE GROUND PER COUNTY SURVEYOR MAP NO. 1212.	BETWEEN MONUMENTS (1) AND (2) 1.E.S 56° 17' 05" E AS SHOWN ON SANTA BARBARA COUNTY SURVEYORS MAP C.S. 715 AND ON CALIFORNIA DIVISION OF HIGHWAYS MAP V-SB DA-WR-50, SHEET 6 OF 18 SHEETS.
TYPE "B"	SURVEY BY THE DIVISION OF BEACHES AND PARKS IN 1950. INDICATES A 2121 BRONZE DISC IN TOP OF A 3/411 x 3011	<u>(19)</u>	Found T-BAR WITH TAG "L.S. 2333" FLUSH WITH GROUND PER RECORD OF SURVEY BOOK 61 PAGE 19.	(40)	Found monument Type "C" 4" above ground per State Hwy. Map V-SB DA-WR-50, A Line monument Type "A" 12" above ground bears S 71°20°07"E 267.3 feet.	SHEET O OF TO SHEETS.
Type "C"	IRON PIPE. DISCS ARE CAST "CALIF. DIV. OF BEACHES & PARKS" AND STAMPED "L.S. 2685 P.O.B. 1961". INDICATES A 6" X 6" CONCRETE STATE HIGHWAY R/W	20	Found original 3/4" Iron PIPE PER M & S Book 4-97 3" BELOW GROUND. PIPE IS ALSO SHOWN ON MAP C.S. 715, MAP BOOK 51 PAGE 18 AND R OF S 61-19.	41)	FOUND MONUMENT TYPE "C" 8" ABOVE GROUND FROM WHICH A LINE MONUMENT TYPE "A" 6" ABOVE GROUND BEARS S 59° 05' 26" E 35.1 FEET.	SURVEYOR'S CERTIFICATE This map correctly represents a survey made by me or
Type "D"	MONUMENT PER CALIF. DIVISION OF HIGHWAYS MAPS "V-SB DA-WR-50", SHEETS 5 THROUGH 8 OF 18 SHEETS. INDICATES A 3" BRONZE DISC IN TOP OF A 6" CONCRETE	21)	Found 3" Brass cap on 2" Iron Pipe 6" above ground in position shown on Map C.S. 715. Cap is cast "Santa Barbara County Survey Mon. F.E. Evans County Surveyor". A line monument Type "A" 12" up bears	42	Found a 2 3/4" Bronze disc in 1" Iron Pipe 5" ABOVE GROUND ON RANCHO Line MARKED "A.G. Hollister L.S. 1744 Survey Mon. No. 66" As shown on State Highway Map(SEE 40).	under my direction in conformance with the requirements of the Land Surveyors! Act at the request of the State of California, Department of Parks and Recreation in March 1961, July 1964 and October 1969.
1772 0	POST PER SANTA BARBARA COUNTY SURVEYOR'S MAPS#121281213 DISCS ARE CAST "SANTA BARBARA ROAD COMMISSION MONUMENT" AND ARE STAMPED AS NOTED IN DESCRIPTIONS.	(22)	EASTERLY ALONG LINE 112.4 FEET. FOUND MONUMENT SAME AS (21) 12" BELOW GROUND IN		A LINE MONUMENT TYPE "A" 8" ABOVE GROUND BEARS S 58° 52' 46" E 16.5 FEET.	THE RELO LAND SURVEYING OF THE STATE OF THE
	•		CONCRETE FROM WHICH A LINE MONUMENT TYPE "A" BEARS WESTERLY ALONG LINE 115.8" AND IS 12" ABOVE GROUND.	43)	SET MONUMENT TYPE "B" 6" ABOVE GROUND BY PROPORTIONATE. MEASURE BETWEEN 42 AND 51 PER TRANSFER OF CONTROL FROM DIV. OF HIGHWAYS TO BEACHES AND PARKS DATED	Dean J. Jennings No. 2685 DEAN J. JENNINGS SUPERVISING LAND SURVEYOR DEPARTMENT OF PARKS AND RECREATION
INDEX		23)	Found a galvanised pipe plug in top of 6" x 6" concrete post 4" above ground (no record) from which a line monument Type "A" bears westerly along line 264.9 feet.	* ÷ ·	JAN. 13, 1944, UNRECORDED. FOUND MONUMENT SAME AS (42) FLUSH WITH GROUND MARKED	STATE OF CALIFORNIA
NUMBER	DESCRIPTION	24)	FOUND MONUMENT SAME AS (23) 6" ABOVE GROUND.		"A.G. HOLLISTER L.S. 1744 SURV. MON. NO 59" AS SHOWN ON STATE HIGHWAY MAP(SEE 40).	
1	Found a 3½" bronze disc in concrete 6" below surface marked "Union Oil Company of Calif. BM MV1 P1" per maps and Surveys Book 21 page 154.	25)	FOUND A 2 3/4" BRONZE CAP CAST "STATE OF CALIFORNIA DEPT. OF NATURAL RESOURCES DIVISION OF PARKS" 12"	45)	SET MONUMENT TYPE "B" ABOVE GROUND.	COUNTY SURVEYOR'S CERTIFICATE
2	FOUND A 3" BRONZE DISC IN CONCRETE FLUSH IN PAVEMENT		BELOW PAVEMENT IN CENTER OF OLD LA PURISIMA ROAD AS SHOWN ON MAP C.S. 715. THIS MONUMENT WAS ORIGINALLY SET ON AN UNRECORDED SURVEY BY THE NATIONAL PARK	(46)	SET MONUMENT TYPE "B" 8" ABOVE GROUND.	This map has been examined for conformance with the requirements of the Land Surveyors! Act this
	CAST "SANTA BARBARA COUNTY SURVEY MON. F.E. EVANS COUNTY SURVEYOR" AND STAMPED "M.V. 2" PER MAP C.S.715.		SERVICE IN 1936. A LINE MONUMENT TYPE "A" 12" ABOVE GROUND BEARS EASTERLY ALONG LINE 70.8 FEET AND ANOTHER	(47) (48)	SET MONUMENT TYPE "B" 10" ABOVE GROUND.	1/# DAY OF March, 1970.
3	FOUND MONUMENT TYPE "C" 8" ABOVE GROUND ON LINE BETWEEN MONUMENTS 1 AND 2. A LINE MONUMENT TYPE "A" 14" ABOVE GROUND ON FENCE LINE BEARS	(26)	FOUND A 2" IRON PIPE (NO RECORD) 6" ABOVE GROUND FROM	49	SET MONUMENT TYPE "B" 10" ABOVE GROUND.	Norman H. Caldwell COUNTY SURVEYOR
	N 66° 05' 22"W 30.1 FEET.	0	WHICH A LINE MONUMENT TYPE "A" BEARS E'LY ALONG LINE 229.9 FEET.	50	FOUND MONUMENT TYPE "C" 4" ABOVE GROUND.	$\mathcal{L}_{\mathbf{n}}$
(4) (5)	FOUND MONUMENT TYPE "C" 2" ABOVE GROUND FOR B.C. SET MONUMENT TYPE "B" FLUSH WITH GROUND FOR E.C.	26 A	Found tag "L.S. 2602" in top of 2" iron pipe 12" below ground for SE corner Tract 10024 per Map Book 51-18.	51	FOUND MONUMENT TYPE "A" AND ACCEPTED SAME FOR ANGLE POINT IN LINE DESCRIBED IN TRANSFER OF CONTROL FROM	CHIEF DEPUTY COUNTY SURVEYOR
6	SET MONUMENT TYPE "B" FLUSH IN PAVEMENT.		This monument was not accepted as marking the original property line as shown on M $\&$ S 4-97.		Highways to Beaches and Parks dated Jan 13, 1944, unrecorded.	
7	FOUND MONUMENT TYPE "C" 4" ABOVE GROUND.	26B	FOUND TAG "L.S. 2602" IN TOP OF 3/4" IRON PIPE 8" BELOW	52	Found a 3½ Bronze disc in concrete 2' below ground marked: "Union Oil Company of California BM P49"	
8	FOUND MONUMENT TYPE "C" 3" ABOVE GROUND FROM WHICH		GROUND FOR SW CORNER LOT 1 TRACT 10024 PER MAP BOOK 51-18.		PER MAPS AND SURVEYS BOOK 21 PAGE 154.	RECORDER'S CERTIFICATE FILED THIS
	A LINE MONUMENT TYPE "A" 8" ABOVE GROUND BEARS S 65° 33' 20" E 41.5 FEET.	27)	Position for Santa Barbara Road Commission monument No. 8 per C.S. MAP NO. 1213 and Map Book 51-18. A	(53) (54)	FOUND MONUMENT TYPE "A" 6" ABOVE GROUND. FOUND MONUMENT TYPE "A" 6" ABOVE GROUND AND ACCEPTED	AT 2:45 P.M. IN BOOK 85 OF R/S
9	Found monument Type "C" 5" below surface at angle point in fence line from which a line monument Type "A" 12" above ground bears N 65 ⁰ 33 20" W		MONUMENT TYPE "D" WAS RECOVERED IN 1961 AND 1964 BUT IS NOW OBLITERATED BY CONSTRUCTION.		SAME FOR B.C. ON LINE DESCRIBED IN TRANSFER OF CONTROL FROM HIGHWAYS TO BEACHES AND PARKS DATED JAN. 13, 1944,	AT PAGES 1-3 AT THE REQUEST OF THE STATE OF
	10.9 FEET AND ANOTHER LINE MONUMENT TYPE "A" 22" ABOVE GROUND BEARS S 74° 37' 21" E 114°4 FEET.	28)	FOUND MONUMENT TYPE "D" 4" ABOVE GROUND. DISC IS STAMPED "No. 7".	(55)	SET MONUMENT TYPE "B" 10" ABOVE GROUND BY PROPORTIONATE	CALIFORNIA, DEPARTMENT OF PARKS AND RECREATION. No Fee
10	FOUND MONUMENT TYPE "C" 7" ABOVE GROUND.	29	Found monument Type "D" flush with ground stamped "No. 6".		MEASURE BETWEEN 3 AND 54 PER ABOVE MENTIONED TRANSFER OF CONTROL.	FILE NO. 6555 RITA VAN BUSKIRK
11)	FOUND TAG STAMPED "S.B. CO. SURV. MON." IN TOP OF 2" IRON PIPE 2" ABOVE GROUND IN POSITION SHOWN ON MAP C.S. 722 FROM WHICH A LINE MONUMENT TYPE "A"	30	FOUND MONUMENT TYPE "D" 2" ABOVE GROUND STAMPED "No. 5".	(56) (57)	SET MONUMENT TYPE "8" 10" ABOVE GROUND SAME AS (55). SET MONUMENT TYPE "8" 8" ABOVE GROUND SAME AS (55).	By France ackland
	14" ABOVE GROUND BEARS N 56^{0} 27 $^{\circ}$ 42" W 43.1 FEET AND ANOTHER LINE MONUMENT TYPE "A" 10" ABOVE GROUND	(31) (32)	FOUND MONUMENT TYPE "D" 3" BELOW GROUND STAMPED "NO. 4". POSITION DETERMINED BY EXTENDING THE LINE THROUGH		OF LUCKOUSERS STEE D O ABOVE GROUND SAME AS (33) .	DEPUTY
12	BEARS N 29° 00' 41" E 29.8 FEET. FOUND MONUMENT SAME AS 11 6" ABOVE GROUND FROM WHICH A LINE MONUMENT TYPE "A" BEARS S 29° 00' 41" W	32)	monuments 30 & 31) to an intersection with a line parallel to the line between 31 & 33 from 34, nothing set.			
	28.7 FEET.					



