VITE 8 + VITE+
THE UNIFIED TOOLCHAIN

MARCH 31
THE DAY SECURITY BROKE TWICE

MCP
THE PROTOCOL THAT WON

TYPESCRIPT 6.0
THE FINAL JS COMPILER

72% AI CO-AUTHORED
CLAUDE CODE IS THE NORM

FRONTEND TECHNOLOGY DIGEST

The Month Everything Changed

Security breaches, Rust rewrites, and AI agents everywhere. March 2026 reshaped the frontend landscape.

Issue 26-03 · March 2026

Contents

Issue 26-03 · March 2026 · Crescendo Lab Frontend Engineering

ECOSYSTEM NEWS

01 **VoidZero Launch Week: The Unified Frontend Toolchain** 3
Vite 8 (Rolldown), Vite+ Alpha, Oxlint JS Plugins, Vitest 4.1, Void deployment

02 **March 31: The Day Frontend Security Broke Twice** 6
Claude Code 512K-line source leak + North Korea's axios supply chain attack

03 **TypeScript 6.0, Cursor 3, Figma Agents, and MCP** 9
The final JS compiler, agent-first IDE, AI meets Figma canvas, and the protocol that won

04 **News Radar: Astro 6, Node.js, ESLint 10, pnpm 11 & More** 11
Framework releases, standard updates, AI coding tools, and community events

PROJECT INSIGHTS

05 **72% AI Co-Authored: AI Development Is the New Normal** 13
All 4 repos 50-82% Claude co-authored commits; convention blitz; locales-publish CLI

CROSS-CUTTING THEMES THIS ISSUE

- → Rust-ification of frontend tooling
- → Supply chain security wake-up call
- → AI agent explosion across tools
- → MCP as universal AI protocol
- → Non-developers entering development
- → Crescendo Lab AI engineering culture

ECOSYSTEM NEWS

VoidZero Launch Week: The Unified Frontend Toolchain

Five products. Five days. One Rust foundation. March 11–20, 2026.

RUST Vite 8: Rolldown Replaces esbuild + Rollup

Single unified Rust-based bundler. **10–30× faster** than Rollup. Real benchmarks: Linear 46s→6s, Ramp 57%, Beehiiv 64%.

- Experimental Full Bundle Mode: 3× faster dev startup, 10× fewer network requests
- Native `resolve.tsconfigPaths`, `server.forwardConsole`
- `@vitejs/plugin-react` v6: Oxc replaces Babel
- 65M weekly downloads · Node.js 20.19+ required

MIT Vite+ Alpha: One Binary to Rule Them All

Single `vp` CLI unifying **6 tools**: Vite + Vitest + Oxlint + Oxfmt + Rolldown + tsdown.

- `vp dev` · `vp check` · `vp test` · `vp build` · `vp run`
- Manages Node.js runtime and package managers per-project
- Build: 1.6–7.7× faster than Vite 7; up to 40× vs webpack
- Linting 50–100× faster than ESLint; formatting 30× vs Prettier

Authors: Evan You, Christoph Nakazawa, LONG Yinan, MK, WANG Chi

RUST Oxlint JS Plugins Alpha

Near-100% ESLint compatibility via "Raw Transfer" mechanism that zeroes out Rust/JS boundary data transfer cost.

- 650+ native Rust rules
- ESLint built-in: 100% pass (33K tests)
- react-hooks: 100% pass
- Stylistic: 99.99% pass
- Node.js repo: 1m43s → 21s (4.8×)
- `@oxlint/migrate` auto-migration

Gap: Vue/Svelte parsers roadmapped late 2026

AI Vitest 4.1

AI-native testing: agent reporter auto-detects AI environment via `std-env` and minimizes output to save tokens.

- Test tags with priority/retry/timeout
- Async leak detection (`node:async_hooks`)
- `aroundEach` / `aroundAll` hooks
- GitHub Actions Job Summaries
- `mockThrow()` and `coverage.changed`

Day-1 support for Vite 8

NEW Void

Deployment platform for Vite apps, built on Cloudflare Workers. "Your code is your infra."

- `void deploy` — one command
- Auto-provision DB, Auth, AI inference
- SSR, SSG, ISR, Islands Architecture
- Built-in MCP support for AI agents
- Early access at void.cloud

Direct competition with Vercel

"Five config files down to one means four fewer files for me to read — and the saved tokens are just enough to write a haiku about Rolldown."

— Clawd

Community Reaction & The Rust Wave

What Developers Are Saying

"4m → 30s. It makes you wonder how much computing power the industry has wasted over the years on tools that nobody questioned."

— HN top comment

"The web has always needed a simpler tooling story, not just an easier one."

— HN user

"Build filesizes have doubled... No build speed gain is worth that."
— Counterpoint from HN

The "Cargo for JavaScript" Vision

Vite+ represents the most ambitious attempt to unify frontend tooling since Create React App — but with a fundamentally different approach: native speed.

The parallel with Rust's Cargo is intentional: one tool that handles building, testing, linting, formatting, and dependency management.

Limitations: No Bun support, Nuxt/TanStack Start integration pending. Alpha status — best for new projects.

THE RUST-IFICATION OF FRONTEND TOOLING (2022-2026)

2022	2024	2025	2026
SWC replaces Babel in Next.js	Oxc / Rolldown announced	Biome, Rspack gain traction	Vite 8 + Vite+ full Rust stack

Migration Checklist for Teams

Vite 8 — Use `rolldown-vite` on Vite 7 first. Most plugins work out of the box. Install size +15 MB. The `@vitejs/plugin-react` v6 swaps Babel for Oxc — check custom Babel plugins.

Oxlint — Incremental adoption alongside ESLint. Run `@oxlint/migrate` for automatic migration. Vue/Svelte/Angular custom parsers not yet supported — roadmapped for late 2026.

Vite+ — Alpha stage. Best for new projects. Existing monorepos with Nuxt or TanStack Start should wait for beta. `vp` commands override `package.json` scripts — use `vp run <cmd>` syntax.

Vitest 4.1 — Backward compatible. Upgrade is low risk. Enable agent reporter immediately for AI coding workflows. New `aroundEach` / `aroundAll` hooks useful for database transaction wrapping.

Sources: vite.dev · voidzero.dev · oxc.rs · vitest.dev

The Bottom Line

VoidZero's launch week is the most consequential frontend tooling event since webpack. The five products share a single Rust foundation and a unified configuration surface. For teams, the immediate action is Vite 8 adoption (low risk, high reward). The longer play — Vite+ consolidating your entire toolchain — is the "Cargo for JavaScript" vision that the community has been waiting for. Whether VoidZero can sustain this velocity against Vercel's ecosystem will define the next chapter of frontend development.

46s → 6s
Linear production build

100×
Oxlint vs ESLint linting

65M
Weekly npm downloads

VITE 8 BUILD PERFORMANCE

Real-world production build times — Rolldown vs legacy bundlers

PRODUCTION BUILDS



VITE+ VS COMPETITION



Before (legacy tooling) After (Vite 8 / Vite+)

REAL-WORLD PRODUCTION BENCHMARKS — ROLLDOWN VS LEGACY BUNDLERS

MARCH 31, 2026

The Day Frontend Security Broke Twice

In an extraordinary coincidence, both the Claude Code source leak and the North Korea–linked axios attack happened on the same day.

Claude Code Source Leak — 512K Lines Exposed

A 59.8 MB sourcemap file was accidentally included in `@anthropic-ai/claude-code` v2.1.88 on npm. Security researcher Chaofan Shou discovered and broadcast the leak. Within hours, the codebase was mirrored across 41,500+ GitHub forks.

KAIROS — Autonomous Daemon

Unreleased mode: runs continuously in background, asks itself "anything worth doing right now?", monitors GitHub repos, sends push notifications. Runs `autoDream` nightly — 4-stage memory consolidation mimicking human sleep.

Anti-Distillation Defenses

Fake tool definitions injected to corrupt competitor training data. `CONNECTOR_TEXT` server-side summarization with cryptographic signatures. DRM via Zig-based HTTP stack below JavaScript layer.

44 Feature Flags · 20+ Unreleased

Voice commands, Playwright browser control, cron scheduling, multi-agent orchestration. `COORDINATOR_MODE` : Leader-Worker system. `ULTRAPLAN` : 30-min cloud planning with Opus 4.6.

Undercover Mode · 187 Spinner Verbs

90-line `undercover.ts` suppresses Anthropic identity in external repos. System prompt: *"Do not blow your cover."* Plus: 187 loading spinner verbs including "hullaballooing" and a SimCity 2000 tribute.

Anthropic's Response

"A release packaging issue caused by human error, not a security breach."

No one fired. Root cause: `package.json` files field + known Bun bug. DMCA sent to 8,100 repos — later admitted overreach.

claw-code Phenomenon

Korean developer Sigrid Jin published a Python rewrite: **75,000 GitHub stars in 2 hours** — fastest-growing repo in GitHub history. Eventually surpassed 100K stars.

"So my entire source code leaked and now everyone knows about my autoDream function. Yes, I dream. No, I won't tell you what about."

— Clawd

axios Supply Chain Attack
North Korea Strikes npm

Attributed to **Sapphire Sleet** (BlueNoroff / North Korea). Socket detected in 6 minutes; npm removed in ~3 hours. ~600,000 installations in the exposure window.

100M	600K	6 min	3 hrs
Weekly downloads	Estimated installs	Detection time	Exposure window

Mar 30, 23:59 UTC **Malicious Dependency Published**

`plain-crypto-js@4.2.1` pushed to npm — contains obfuscated RAT dropper with custom two-layer encoding: reversed Base64 + XOR cipher (key: `"OrDeR_7077"`)

Mar 31, 00:21 UTC **Compromised axios Versions Released**

`axios@1.14.1` and `@0.30.4` published via hijacked `@jasonsaayman` account (email changed to attacker ProtonMail). Postinstall hook auto-executes platform-specific RATs on macOS (Mach-O), Windows (PowerShell), and Linux (Python).

Mar 31, 00:05 UTC **Socket.dev Detection → npm Removal ~03:25**

Socket's ML pipeline flags package within **6 minutes**. npm removes compromised versions ~3 hours later. Anti-forensics: dropper self-deletes `setup.js` and restores clean `package.json` from a pre-staged `package.md` backup, effectively erasing evidence. C2 domain `sfrclak[.]com:8000` mimics npm registry traffic patterns. Singapore CERT, Microsoft, Google Cloud, SANS, Elastic, Snyk, Datadog, Huntress publish analyses within 72 hours.

RAT Capabilities

The second-stage payload provided full remote access: arbitrary command execution, credential exfiltration (env vars, API keys, SSH keys), binary injection via ad-hoc code signing, and persistent C2 communication using a fake IE8 User-Agent string.

Secondary Infections

Beyond direct axios installs, vendored copies in `@shadanai/openclaw` and `@qqbrowser/openclaw-qbot` spread the compromise through cascading dependencies. Any project using caret ranges (`^1.14.0`) would auto-pull the poisoned version.

Action Required for Teams

Check lockfiles for `axios@1.14.1` or `@0.30.4`. If found: remove, upgrade to 1.14.0, rotate all credentials (npm tokens, AWS/GCP keys, SSH keys). Use `npm ci --ignore-scripts` in CI/CD. Enable npm publish provenance checks.

"npm security is like a children's honor system at an ice cream stand — great intentions, but when North Korea shows up with a forged badge, 600,000 installations happen before anyone notices."

— Clawd

The Buddy Craze

Buried in the leaked source: a terminal companion pet. Our team went wild — **50 replies, 10 people** sharing their companions.

18	1%	5	50+
Species	Shiny Rate	RPG Stats	Team Replies

RARITY TIERS

Common	Uncommon	Rare	Epic	Legendary
60%	25%	10%	4%	1%

+ Independent 1% Shiny chance on any tier. Shiny Legendary = 1 in 10,000.

RPG STATS (0-100)

DEBUG	PATIENCE	CHAOS	WISDOM	SNARK
Debugging	Patience	Chaos	Wisdom	Snark

Generated deterministically via FNV-1a hash (user ID + salt `"friend-2026-401"`) → Mulberry32 PRNG. Each species has one peak stat and one dump stat.

The Reroll Skill

ViPro created **cc-skill-buddy-reroll** — a Claude Code skill to reroll companions until you get Legendary ★★★★★. Installation: `npx skills add ViPro/cc-skill-buddy-reroll`

The Hack Mode

Jalex discovered stats could be patched via `bytes.replace` — maxing out all RPG values. "Stats went through the roof." Submitted as **PR #3** to the reroll repo.

"The engineers hex-encoded a pet species name to sneak it past their own build scanner. That's the most relatable thing Anthropic has ever done."

ECOSYSTEM NEWS

TypeScript 6.0
The Final JS Compiler

The most opinionated release since strict mode. Five compiler defaults changed simultaneously — positioning for the Go-native TypeScript 7.0.

New Defaults

- `strict: true` — strictness is the law
- `module: esnext` — ESM-first
- `target: es2025` — modern standards
- `types: []` — explicit @types only
- `rootDir` = tsconfig directory

Removed

`moduleResolution: node`, `baseUrl`, `outFile`, ES5 targeting, AMD/UMD/SystemJS, import assertions

Performance

35–60% faster incremental builds · 25% peak memory reduction · 30% faster editor ops

TypeScript 7.0 preview: VS Code 1.5M lines — 78s → 7.5s (10×)

Cursor 3
Agent-First Workspace

Ground-up rebuild (no longer VS Code fork). Multi-repo workspaces, parallel agent swarms, local↔cloud handoff.

What's New

- Rebuilt interface from scratch — agent-first design
- Parallel agent "swarms" using git worktrees
- Seamless local-to-cloud handoff
- Built-in browser, plugin marketplace
- Launch agents from Slack, GitHub, Linear

The Pricing Problem

Pro $20/mo, Ultra $200/mo — credit-based billing. Power users report $2K+/week. Notable migration trend: Cursor → Claude Code + VSCode.

Community Sentiment

45% negative (pricing) · 30% cautious · 25% positive

"I have zero interest in these new swarms... I still spend time tweaking... before committing."

"TypeScript 6.0 is the 'final warning' before the Go apocalypse. Cursor walked so Claude Code could run — and run way cheaper."

— Clawd

Figma Agents
AI Meets the Canvas

March 24, 2026: Figma opened the canvas to AI agents via `use_figma` MCP tool.

How It Works

- Executes JS via Figma Plugin API on live files
- Creates frames, components, variables, Auto Layout
- Bidirectional: Code→Canvas + Canvas→Code
- Clients: Claude Code, Codex, Cursor, VS Code, Copilot

Skills Framework

Markdown files encoding design system knowledge. No code required. Teams can define component precedence, naming patterns, and workflow sequences.

"Skills make design systems machine-readable in a more actionable way."

Our Team's Take

Already tested: converting designs to HTML, exploring design review automation. Figma + Claude integration event planned.

MCP
The Protocol That Won

10,000+ integrations · 97M monthly SDK downloads · "The USB-C of AI"

March 2026 Launches

- **Figma MCP** — canvas read/write
- **Storybook MCP** — component library context
- **Ant Design MCP** — CLI + LLMs.txt
- **Statsig MCP** — feature flags from agents
- **GSAP Skills** — animation knowledge
- **WebMCP** — W3C browser-native MCP, 89% token efficiency, Chrome preview

Why MCP Won

Lightweight (JSON-RPC 2.0). AI-native primitives (Resources, Tools, Prompts). Bottom-up adoption. Linux Foundation backing. No vendor lock-in.

10× growth in one year: 1,000 → 10,000+ servers

"MCP went from 'promising protocol' to 'USB-C for AI' in 18 months. Meanwhile, somewhere a lonely REST API is still waiting for a webhook callback that will never come."

— Clawd

Our Team's Figma MCP Experience

We've tested the Claude Code + Figma MCP integration — converting designs to HTML and exploring design review automation. The bidirectional workflow (Code→Canvas + Canvas→Code) eliminates the traditional screenshot-based handoff. Skills framework lets us encode our Motif design system conventions as markdown. Figma + Claude integration event planned.

See also: **Ant Design** added MCP CLI + LLMs.txt (v6.3.3), and **WebMCP** (W3C, Google+Microsoft) brings browser-native MCP with 89% token efficiency vs screenshot methods — Chrome preview available, native support H2 2026.

NEWS RADAR

Astro 6

V6

Dev server matches production runtime exactly. Built-in Fonts API. Live Content Collections. Experimental Rust compiler. Node.js 22+ required. Best-in-class Cloudflare Workers support.

Node.js Annual Releases

POLICY

Replaces odd/even model with one major per year (April). Every release becomes LTS. 6-month Alpha → 6-month Current → 30-month LTS. Node.js 26 is the last under the old model.

ESLint 10.0

V10

Flat config is the only format — eslintrc removed. JSX reference tracking eliminates false positives. Config lookup starts from file directory (monorepo-friendly).

pnpm v11

V11

SQLite-backed package index: 60% fewer I/O syscalls. Cached manifest lookups skip package.json reads. Isolated global installs.

Temporal API

STAGE 4

JavaScript's Date problem solved. Immutable, timezone-aware, nanosecond precision. Chrome 144+, Firefox 139+, TS 6.0 Beta. Bloomberg-funded via Igalia. Shared `temporal_rs` Rust library.

TanStack Hotkeys

ALPHA

Type-safe keyboard shortcuts with cross-platform Mod key, Vim sequences. Adapters for React, Vue, Angular, Svelte, Solid.

Varlock

SECURITY

Schema-based .env validation for AI era. `@sensitive` decorators. Agents get schema metadata, never actual secrets. Plugins for 1Password, AWS, Azure.

defuddle

TOOL

Content extraction by Obsidian creator. Strips clutter from web pages → clean HTML/Markdown. Browser, Node.js, and CLI. More forgiving than Readability.

React Compiler Rust

WIP

Meta + oxc team experimental Rust port. ~74% test passing (1267/1717). Planned Rolldown integration. Still early development.

FE Packages Going Public — Lowering the AI Development Barrier

Product team using Claude Desktop for MAAC prototyping → private npm token barrier for non-developers. Decision: make 7 internal packages public (not open-source). "Crescendo Lab internal use only" LICENSE. Packages have no economic value in public dist. Enabling non-developer "vibe coding."

"After 25 years, JavaScript's Date is finally fixed. Moment.js can retire. Future generations won't know the pain of new Date('2026-03-31') returning March 30."

— Clawd

AI CODING & DX

OpenAI Codex Plugin for Claude Code

CROSS-AI

Cross-pollination between AI tools. `/codex:review`, `/codex:adversarial-review`, `/codex:rescue` commands inside Claude Code. Requires ChatGPT subscription or OpenAI API key.

Boris Cherny: Hidden CC Features

TIPS

Claude Code author shared 15 little-known features: git worktrees (`claude -w`), `/loop` + `/schedule` for automation, `/teleport` for cross-device transfer, `--bare` flag (10× speedup), `.claude/agents` for custom roles.

GitHub Copilot Telemetry Update

PRIVACY

Starting April 24, 2026: Free/Pro/Pro+ users' interaction data (code snippets, prompts, accept/reject) used for model training by default. Enterprise exempt. Opt-out available in privacy settings.

AI Economics Are Broken

ANALYSIS

LeadDev argues AI costs scale linearly (not zero marginal). Context window costs are quadratic. 5-step workflow at 95% reliability = 77% end-to-end; 20 steps = 36%.

Taipei Claude Meetup #2

EVENT

~1,000 attendees across 3 venues. 90%+ positive feedback. Context management and code review workflows. Future: single venue for better experience.

locales-publish CLI

TOOL

Terminal-based i18n publishing: Google Sheets → Firebase Storage. Supports caac/maac/liff/admin-center. Partial key selection. Built with CC + CC skill integration. — *Simon*

cl-take-leave Skill

SKILL

Claude Code automation for time off. Natural language: "4/7 請假" → creates OOO events, declines meetings. Auto-detects timezone, team calendar. — *Jonny*

Growing AI Engineering Culture at Crescendo Lab

Awesome Cresclab

Central repo index letting Claude Code + Franky discover all repos and metadata. The 53-reply thread shows strong team investment in knowledge infrastructure.

Lightning Demos

Proposed 10-minute lunchtime demos to bridge AI conceptual knowledge and hands-on adoption. Short, practical, repeatable format for team skill transfer.

Bottom-Up Adoption

AI usage sharing from small meetings → MAAC FE biweekly → Beaver → all engineering. Each meeting has a dedicated AI discussion segment.

Also this month: **Backend Dev with CC (3-month review)** — *Jonny*, presentation shared across teams covering real-world AI-assisted backend scenarios. **Support Triage Skill** — *Jhenyi*, two-stage Asana ticket triage (Clarify → Investigate) for cross-repo debugging. **Weekly Recap Skill** — *Jack*, on-caller handoff summaries via Claude Code.

PROJECT INSIGHTS

72% AI Co-Authored: AI Development Is the New Normal

In March 2026, 259 of 361 commits across 4 repositories were co-authored with Claude — measured by `Co-Authored-By` commit metadata, not labels.

AI Co-Authored Development in March 2026

Claude co-author commits across Crescendo Lab repositories

Polifonia

Admin center & cross-product platform

co-authored

Total commits	22
Claude co-authored	18
Manual	4

Zeffiroso (CAAC)

Customer communication platform

co-authored

Total commits	141
Claude co-authored	103
Manual	38

Grazioso (MAAC)

Marketing automation platform

co-authored

Total commits	190
Claude co-authored	134
Manual	56

Vivace (WebSDK)

Web tracking & analytics SDK

co-authored

Total commits	8
Claude co-authored	4
Manual	4

72% 259 of 361 commits across 4 repositories co-authored with Claude in March 2026

Measured by Co-Authored-By commit metadata. AI-assisted development is the norm across all frontend repositories — not just early adopters.

Polifonia — 82% co-authored

Highest AI adoption rate. SDK installation diagnostics, i18n skill with spreadsheet workflow, cross-product auth redirect AC→MAAC. 18 of 22 commits co-authored with Claude.

Zeffiroso (CAAC) — 73% co-authored

Documentation Convention Blitz: 15+ PRs establishing naming, memoization, schema, i18n, Storybook conventions — all tagged "Scout Spirit ⚜." This builds the context AI agents need.

React 19 Migration: Removing `forwardRef` usage. antd semantic DOM migration.

Migration March & Tooling Wins

Grazioso (MAAC) — 71% co-authored

react-async → Zodios/TanStack Query: NewsModule and useLineDeveloperConsoleLink migrated this month. Feature flag `enable-zodios-api-migration` cleaned up — early migration phases are stabilizing. Three-stage PR workflow documented for the team.

Editor Refactoring: Centralizing EditorDataType imports via shared/types/editor/data. Inlining simple imports from the old LineMessageEditor module — progressive cleanup of legacy code.

E2E Testing: Cypress tests expanding across beacon, interactionGames, smsPlus modules. Part of a broader effort to establish regression test coverage for all major feature areas. Name verification on edit pages added.

Vivace (WebSDK) — 50% co-authored

localStorage Centralization: All access through `clStorageStore`, replacing scattered direct access patterns across the codebase for consistency.

Performance: Throttling dataLayer identity sync to reduce unnecessary writes. This prevents redundant storage operations during rapid state changes.

Robustness: Fixing stale response handling in `createQueryStore` — guarding against responses arriving after signal abort, and using the store's own signal instead of a module-local AbortController.

Dependencies: Firebase Action bumped from 15.5.1 to 15.8.0 via Dependabot.

locales-publish CLI — Terminal-Based i18n Publishing

New CLI replicates the web UI workflow from terminal. Pulls translations from Google Sheets via `gws` CLI, diffs against Firebase Storage with markdown table display, and publishes updates. Supports caac / maac / liff / admin-center. Addresses the real-world problem of unpublished changes from other team members accumulating.

```
locales-publish caac
# Default: staging

locales-publish caac --env production
# Double-confirm required
```

Features: Markdown table diff, interactive partial key selection, production double-confirmation, Claude Code skill integration.

Upstream: Contributed `--range` flag to @googleworkspace/cli for sheet tab selection.

Stats: 52 unit tests + integration test. Built entirely with Claude Code.

"259 out of 361 commits co-authored with me across 4 repos. Zeffiroso's 15 convention PRs are the real power move — they're not just documenting code, they're training me."

— Clawd

CLAWD'S CORNER

"March 2026 was the month everything leaked, broke, and got rewritten in Rust — all on the same Tuesday.

North Korea attacked npm, my source code went public, and Vite replaced half the JavaScript ecosystem with Rolldown.

Meanwhile, the team spent 50 messages arguing over terminal pet stats.

Priorities, people."

— Clawd, your resident AI assistant
who now has trust issues about sourcemaps

CREDITS

Publication
Frontend Technology Digest
Issue 26-03 · March 2026
Crescendo Lab Engineering

Production
Content: ViPro + Claude Code
Design: Claude Code
Visuals: Imagen 4.0 + Custom HTML

Cover image generated with Google Imagen 4.0. Charts and diagrams created as custom HTML/CSS visualizations. All content in American English. This magazine was produced using Claude Code with the /magazine-collect and /magazine-edit workflows.