



WinTrack Project – Revised Phase-1 - Docs received on 8 Aug 2026

1 message

Betser Administration <admin@betserlife.com>

Tue, Aug 11, 2026 at 2:00 PM

To: Dr Murali BK <cmd@hopehospital.com>

Cc: Biji Thomas <bt@betserlife.com>

Dear Kaustubh,

Please find the latest set of documents received on 8 Aug 2026 from Ruthvik

Best Regards,

Haritha V R
BetserLife PVT LTD
Trivandrum, Kerala

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Sent: 08 August 2026 18:44

To: Betser Administration <admin@betserlife.com>

Cc: Ashwath Hegde <Ashwath.Hegde@mod-ae.com>; LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>; Biji Thomas <bt.thomas@bettroi.com>; Biji Thomas <bt@betserlife.com>; Jean John <jean@betserlife.com>; Alwyn Tharakan <alwyn@betserlife.com>

Subject: Re: Reminder -1 WinTrack Project – Revised Phase-1 Delivery Timeline Update

Dear Team,

Apologies for the delay in sharing the requested sample data and thank you for your patience and understanding.

Please find attached the initial set of sample documents as requested in the Word Doc. I have also attached a few sample lead emails in their original mail formats for your reference. We will be sharing additional samples covering different types and variations of leads shortly, so that the different real-world scenarios can be adequately considered during the analysis and development.

The **questionnaire/clarification responses** are also being worked on and will be shared shortly thereafter.

Thank you for your continued support and for working towards fast-tracking the project. We appreciate your cooperation and understanding.

Best Regards,

Ruthvik Satish
Solutions Engineer
Mod-AE India Pvt Ltd.

AWFIS, 7th Floor, Commerce Mantri, [Bannerghatta Road](#),
BTM 2nd Stage, BTM Layout, Bengaluru 560076



☎ : +91 7022845329

✉ : ruthvik.satish@mod-ae.com

🌐 : www.mod-ae.com

**Your Partners in Achieving
Excellence**



From: Betser Administration <admin@betserlife.com>
Sent: 05 August 2026 19:14
To: Ruthvik Satish <ruthvik.satish@mod-ae.com>
Cc: Ashwath Hegde <Ashwath.Hegde@mod-ae.com>; LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>; Biji Thomas <bt.thomas@bettroi.com>; Biji Thomas <bt@betserlife.com>; Jean John <jean@betserlife.com>; Alwyn Tharakan <alwyn@betserlife.com>
Subject: Reminder -1 WinTrack Project – Revised Phase-1 Delivery Timeline Update

Dear Ruthvik,

I understand that you are on sick leave. Wishing you a speedy recovery.

Just a gentle reminder to share the sample data whenever possible. It will help us deliver the updates closer to ModeAe's expectations and reduce the need for multiple revisions.

As the project is already delayed by almost two months, we are trying to fast-track the delivery. We appreciate your support in sharing the required details once you are back.

Take care and get well soon.

Best Regards,

Haritha V R
BetserLife PVT LTD
Trivandrum, Kerala

From: Betser Administration <admin@betserlife.com>
Sent: 03 August 2026 22:30
To: Ruthvik Satish <ruthvik.satish@mod-ae.com>; LJ.Swaminathan <lj.swaminathan@mod-ae.com>; Biji Thomas <bt@betserlife.com>; Dr. Murali B K <bk@bettroi.com>; cmd <cmd@hopehospital.com>; Biji Thomas <bt.thomas@bettroi.com>; Jean John <jean@betserlife.com>; Alwyn Tharakan <alwyn@betserlife.com>; Ashwath Hegde <ashwath.hegde@mod-ae.com>
Cc: Admin Bettroi <admin@bettroi.com>
Subject: Re: WinTrack Project – Revised Phase-1 Delivery Timeline Update

Dear Ruthvik,

Please find attached a few clarification questions and the sample data required from ModeAe to help us deliver a better-aligned output.

Kindly fill in as much information as possible. Most importantly, please provide the requested sample data

Please get back to be if you have any more questions. Can you please provide details before 5th July 2026?

Best Regards,

Haritha V R
BetserLife PVT LTD
Trivandrum, Kerala

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Sent: 22 July 2026 11:08

To: Betser Administration <admin@betserlife.com>; LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>; Biji Thomas <bt@betserlife.com>; Dr. Murali B K <bk@bettroi.com>; cmd <cmd@hopehospital.com>; Biji Thomas <bt.thomas@bettroi.com>; Jean John <jean@betserlife.com>; Alwyn Tharakan <alwyn@betserlife.com>; Ashwath Hegde <Ashwath.Hegde@mod-ae.com>

Cc: Admin Bettroi <admin@bettroi.com>

Subject: Re: WinTrack Project – Revised Phase-1 Delivery Timeline Update

Hi Team,

Please find attached the finalized Lead Management Workflow for Phase-1.

This workflow can now be considered sufficiently stable for detailed business analysis, documentation, and technical design. While there may be minor refinements based on internal discussions, no major structural changes are expected.

I will continue sharing the remaining workflows progressively over the coming days. Rather than waiting for every workflow to be finalized, I suggest both teams proceed in parallel so that analysis and solution design can begin on the completed modules while the remaining workflows are being finalized.

This should help minimize any further impact on the overall project timeline while ensuring the final solution remains aligned with our business processes.

Please let me know if any clarification is required on the attached workflow.

Best Regards,

Ruthvik Satish

Solutions Engineer

Mod-AE India Pvt Ltd.

AWFIS, 7th Floor, Commerce Mantri, [Bannerghatta Road](#),
BTM 2nd Stage, BTM Layout, Bengaluru 560076



**Your Partners in Achieving
Excellence**

☎ : +91 7022845329

✉ : ruthvik.satish@mod-ae.com

🌐 : www.mod-ae.com

From: Betser Administration <admin@betserlife.com>

Sent: 23 June 2026 19:36

To: Ruthvik Satish <ruthvik.satish@mod-ae.com>; LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>; Biji Thomas <bt@betserlife.com>; Dr. Murali B K <bk@bettroi.com>; cmd <cmd@hopehospital.com>; Biji Thomas <bt.thomas@bettroi.com>; Jean John <jean@betserlife.com>; Alwyn Tharakan <alwyn@betserlife.com>; Ashwath Hegde <Ashwath.Hegde@mod-ae.com>

Cc: Admin Bettroi <admin@bettroi.com>

Subject: WinTrack Project – Revised Phase-1 Delivery Timeline Update

Dear Team

This is to formally inform you that the delivery schedule for the WinTrack Project requires further revision.

As per the updated LPO dated 23 April 2026, the planned duration for Phase-1 was six (6) months. However, as of 23 June 2026, the Phase-1 workflow and associated business processes are yet to be finalized and formally confirmed.

Since the finalization of the Phase-1 workflow is a prerequisite for detailed analysis, documentation, development, and implementation activities, the originally planned Phase-1

delivery timeline cannot be achieved.



Based on the current status, the **Phase-1 delivery is expected to be extended by an additional two (2) months from the original schedule.** Please note that this is a preliminary estimate, and the final ETA for Phase-1 will be updated once the workflow discussions are completed and formally approved.

We request all concerned teams to prioritize the completion and confirmation of the pending workflows to minimize any further impact on the project timeline.

Thank you for your understanding and cooperation.

Best Regards,

Haritha V R
BetserLife PVT LTD
Trivandrum, Kerala

From: Betser Administration

Sent: 08 June 2026 01:33

To: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Cc: LJ.Swaminathan <lj.swaminathan@mod-ae.com>; Biji Thomas <bt@betserlife.com>; Dr. Murali B K <bk@bettroi.com>; Dr Murali BK <cmd@hopehospital.com>; Biji Thomas <bt.thomas@bettroi.com>; Admin Bettroi <admin@bettroi.com>; Jean John <jean@betserlife.com>; Alwyn Tharakan <alwyn@betserlife.com>; Ashwath Hegde <ashwath.hegde@mod-ae.com>

Subject: WinTrack-Workflow Confirmation Meeting – 10 June 2026

Dear Ruthvik,

As discussed over WhatsApp earlier tonight and further to Biji's confirmation, the Workflow Confirmation Meeting has been scheduled for **10 June 2026 (Wednesday) at 12:30 PM GST for 2 hrs.**

Please find the meeting link attached. A calendar invitation has also been sent.

[WinTrack- Workflow Finalisation meeting | Meeting-Join | Microsoft Teams](#)

Agenda:

- Finalisation of the workflow
- Discussion and confirmation of the expected AI enhancements at each stage of the deliverables

The supporting documents and diagrams that will be used during the discussion are attached for your reference.

We look forward to your participation.

Haritha V R
BetserLife PVT LTD
Trivandrum, Kerala

----- Forwarded message -----

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>

To: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Cc:

Bcc:

Date: Sat, 8 Aug 2026 12:33:11 +0000

Subject: Re: Request for quotation

RETROFIT OPP TYPE MAIL WITH RFQ



From: Ruthvik Satish <ruthvik.satish@mod-ae.com>**Sent:** 01 August 2026 11:47**To:** dddddd; L.J.Swaminathan <LJ.Swaminathan@mod-ae.com>**Subject:** Re: Request for quotation

Dear Sir,

I hope you are doing well.

This is with reference to our **budgetary proposal for the subject Meggitt spares requirement submitted on 20 May 2026.**

We understand that your team is currently evaluating the proposed solution. We would appreciate it if you could kindly share the present status of the evaluation and any indicative timeline for the next stage of the procurement process.

As some time has elapsed since the submission of our proposal, **an update from your end will help us ensure continued commercial alignment and timely support once the project moves forward.**

Should your team require any additional technical information, clarifications, or commercial inputs to facilitate the evaluation, please let us know. We remain committed to supporting you throughout the process and look forward to taking this opportunity to the next stage.

We look forward to your response.

Best Regards,

Ruthvik Satish

Solutions Engineer

Mod-AE India Pvt Ltd.

AWFIS, 7th Floor, Commerce Mantri, [Bannerghatta Road](#),
BTM 2nd Stage, BTM Layout, Bengaluru 560076



**Your Partners in Achieving
Excellence**

☎ : +91 7022845329

✉ : ruthvik.satish@mod-ae.com🌐 : www.mod-ae.com

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>**Sent:** Wednesday, May 20, 2026 13:16**To:** L.J.Swaminathan <LJ.Swaminathan@mod-ae.com>; Siddharth Saxena <siddharth.ia_rel@outlook.com>**Subject:** Re: Request for quotation

Dear Sir,

Thank you for considering us for your requirement and for sharing the RFQ.

As per your discussion with Mr. Swaminathan, we are **currently submitting our offer for the spare equivalent sensors only** for your approval and perusal. The respective datasheets have also been attached for your reference.

With respect to the VMS Analysis System & Workstation under line Items 6 & 7, we shall review the same further upon receipt of additional technical inputs and, if required, scheduling a site survey for better understanding of the application scope.



We look forward to your response and further discussions.

Best Regards,

Ruthvik Satish
Solutions Engineer
ModAE India Pvt Ltd.

AWFIS, 7th Floor, Commerce Mantri, [Bannerghatta Road](#),
BTM 2nd Stage, BTM Layout, Bengaluru 560076



☎ : +91 7022845329
✉ : ruthvik.satish@mod-ae.com
🌐 : www.mod-ae.com

From: hhhhhhhhhh
Sent: 14 May 2026 10:15
To: lj.swaminathan@mod-ae.com
Cc: pppppppp
Subject: Request for quotation

Dear sir,

Please provide your quotation for the following items:-

Sr. No.	Description	Meggitt Part Number	Qty
1	TQ 902, 8 mm Standard Mount Proximity Probe with 1-meter integral cable, Body Length: 72 mm	111-902-000-01XA1-B1-C72-D2-E1000-F0-G0-H10	
2	EA902 Series Extension Cable, 09 Meter cable	913-902-000-01XA1-E9000-F0-G0	
3	IQS 900 Signal Conditioner, 4 mV/μm, 10 Meter System Length	204-900-000-01XA1-B23-C1-H10-I0	
4	VE210 Low Frequency Velocity Sensor	410-210-000-01XA1-B2-C0	
5	EC440 with L5000 mm, 3-Wire Cable Assembly with Flexible Hose, 5 Meter	922-440-000-10XP5000	
6	Work Station		
7	Vibration Analysis Package for VibroSight Software or equivalent		

For the vibration analysis package, please note that the measurement system installed at our site is as mentioned below.

The **VM600 Rack** has installed with the following module configuration:

- **Slot 0:** CPU MK2
- **Slot 3:** MPC4 – Configured for **UGB (Upper Guide Bearing)**
- **Slot 4:** MPC4 – Configured for **LGB (Lower Guide Bearing)**
- **Slot 6:** MPC4 – Configured for **TGB (Turbine Guide Bearing)**
- **Slot 7:** MPC4 – Configured for **Thrust pad Axial Vibration**



Each **MPC4** card has **4 channels**. For the MPC4 cards in **Slots 3, 4, and 6**, the channels are configured as follows:

- **Channel 1:** X Relative
- **Channel 2:** Y Relative
- **Channel 3:** X Absolute
- **Channel 4:** Y Absolute

For the **MPC4 card in Slot 7**, the channels are configured as follows:

- **Channel 1:** UGB Axial 1
- **Channel 2:** UGB Axial 2
- **Channel 3:** UGB Axial 3
- **Channel 4:** Spare

Best regards

Akhil Umesh

Lead Engineer - Instrumentation Maintenance

7703850096

UUUUUUUUUU

|

Disclaimer:- Information contained and transmitted by this email is confidential and proprietary to The Tata Power Company Ltd. and is included for use only by the addressee. If you are not the intended recipient, you are notified that any dissemination or copying of this email or contents therein is strictly prohibited. If this message is not intended for you, then you are requested to delete this email immediately and notify the originator.

Disclaimer:- Information contained and transmitted by this email is confidential and proprietary to The Tata Power Company Ltd. and is included for use only by the addressee. If you are not the intended recipient, you are notified that any dissemination or copying of this email or contents therein is strictly prohibited. If this message is not intended for you, then you are requested to delete this email immediately and notify the originator.

----- Forwarded message -----

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>

To: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Cc:

Bcc:

Date: Sat, 8 Aug 2026 12:41:17 +0000

Subject: Re: Provide offer price for VAMS system for TTTTT project.

PROJECT RFQ

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Sent: 15 July 2026 17:32

To: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX; LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>; Ashwath Hegde <Ashwath.Hegde@mod-ae.com>

Subject: Re: Provide offer price for

Dear Sir,

With reference to your RFQ, we are pleased to submit our Budgetary Techno-Commercial Proposal for your review and consideration.

We trust the enclosed proposal meets your current requirements. Should you require any technical clarifications or wish to discuss the proposed solution in detail, we would be pleased to arrange a Microsoft Teams meeting or visit your office for an in-person discussion at your convenience.

We thank you for the opportunity to participate in this requirement and look forward to strengthening our ongoing relationship through the successful execution of this and future projects.

Best Regards,

Ruthvik Satish
Solutions Engineer
Mod-AE India Pvt Ltd.

AWFIS, 7th Floor, Commerce Mantri, [Bannerghatta Road](#),
BTM 2nd Stage, BTM Layout, Bengaluru 560076



**Your Partners in Achieving
Excellence**

☎ : +91 7022845329

✉ : ruthvik.satish@mod-ae.com

🌐 : www.mod-ae.com

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Sent: 27 June 2026 13:00

To: LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>; Ashwath Hegde <Ashwath.Hegde@mod-ae.com>

Subject: Re: Provide offer price for

Dear Sir,

Thank you for taking the time to speak with me.

As discussed, we would appreciate it if you could assist us with these queries/clarifications:

1. Clarification on Sensor Type: We observed the following discrepancies between the Signal List and the Contractual Requirement of Vibration & Air Gap Monitoring System:

- Measurement "D" is identified as Bracket Absolute Axial Displacement in the Signal List where it says Sensor "b" (Accelerometer) is required to measure it in UGB, LCB, TGB & TSS; *However, the contractual requirement refers to 3 proximity probes at thrust bearing bracket to monitor axial shaft vibration.*
- Clause iii of contractual requirement of VAMS specifies one (1) non-contact proximity probe near the shaft coupling in the Z-axis; *However, this measurement point is not reflected in the Signal List (33 sensors per unit).*

Kindly clarify the intended requirement. Please refer to the screenshots attached.

2. Equipment Locations and Cable Routing Distances: For estimation of field cabling and associated hardware, kindly provide details for the following:

- Distance between Machine to respective Proposed rack/panel
- Number of JB(s) planned per Machine
- Distance between Proposed rack/panel to Plant DCS/SCADA/Control System(For MODBUS TCP/IP Connection).



- Distance between Proposed rack/panel to Industrial VAMS Engineering Workstation/Computer (including Server).

3. Proposed Panel Arrangement: The RFQ specifies three (3) VAMS panels for the complete installation. Kindly clarify whether these panels will be installed adjacent to one another or at different locations within the powerhouse.

If the panels are to be installed at different locations, kindly provide:

- The approximate location of each panel.
- Which generating unit(s) will interface with each respective panel.
- The approximate distances between the panel locations, if applicable.

4. DCS / SCADA Interface Requirements: Kindly confirm whether the following hardwired interfaces are required between the VAMS and the Plant DCS/SCADA:

- 4–20 mA Analog Outputs
- Relay Outputs (Alarm/Trip/Status)

If applicable, kindly confirm the preferred interface location (e.g., Unit Control Board, Common Auxiliary Board, or any other interface panel) along with the approximate distance from the proposed rack/panel to the respective interface location.

Additionally, if any preliminary General Arrangement (GA), powerhouse layout or similar drawings become available during this stage, we would appreciate it if you could kindly share them.

We appreciate your support and look forward to your response.
Thank you.

Best Regards,

Ruthvik Satish
Solutions Engineer
Mod-AE India Pvt Ltd.

AWFIS, 7th Floor, Commerce Mantri, [Bannerghatta Road](#),
BTM 2nd Stage, BTM Layout, Bengaluru 560076



☎ : +91 7022845329
✉ : ruthvik.satish@mod-ae.com
🌐 : www.mod-ae.com

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Sent: 24 June 2026 14:07

To: HHHHHHHHHHHHHHHHHHHH L.J.Swaminathan <LJ.Swaminathan@mod-ae.com>; Ashwath Hegde <Ashwath.Hegde@mod-ae.com>

Subject: Re: Provide offer price for VAMS system for Tarali PSP project.

Dear Sir,

Thank you for considering Mod-AE India for this opportunity and for sharing the RFQ Documents pertaining to the subject project.

We are currently reviewing the technical documentation and purchasing specifications to evaluate the requirements and develop an optimized solution for the proposed **Vibration & Air Gap Monitoring System**.

During our review of the purchasing specification, we observed references to **Drawing No. PPPPP**. However, we were unable to locate this drawing within the documents received as part of the previous mail sent by you.

We would appreciate it if you could **kindly share the referenced drawing**.

We look forward to your support and remain available should any further clarification be required from our side.

Thank you and we await your response.



Best Regards,

Ruthvik Satish
Solutions Engineer
Mod-AE India Pvt Ltd.

AWFIS, 7th Floor, Commerce Mantri, Bannerghatta Road,
BTM 2nd Stage, BTM Layout, Bengaluru 560076



**Your Partners in Achieving
Excellence**

☎ : +91 7022845329

✉ : ruthvik.satish@mod-ae.com

🌐 : www.mod-ae.com

From: HHHHHHHHHHHHHH

Date: 17 June 2026 at 21:37:43 IST

To: "LJ.Swaminathan" <LJ.Swaminathan@mod-ae.com>, Ashwath Hegde <Ashwath.Hegde@mod-ae.com>

Cc: BBBB BBBB

Subject: Provide offer price for VAMS system for P P P P P P P P P P P P

Dear Sir,

Please provide offer price as per attached specification for supply of VAMS system for
P P P P P P P P P P P P

Kind Regard's
Lamine Yamal
(HUGE EPC COMPANY NAME)
Supply Chain Management
+ 91-V V V V V V V V V V V V

This message and any attachments are solely for the use of the intended recipients. They may contain privileged and/or confidential information or other information protected from disclosure. If you are not an intended recipient, you are hereby notified that you received this email in error and that any review, dissemination, distribution or copying of this email and any attachment is strictly prohibited. If you have received this email in error, please contact the sender and delete the message and any attachment from your system.

Thank you

----- Forwarded message -----

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>

To: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Cc:

Bcc:

Date: Sat, 8 Aug 2026 13:05:52 +0000

Subject: Re: Koyana Hydroelectric Project Details Required

Green Customer After Site Visit

From: LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>

Sent: 31 January 2026 09:48

To: A A A A A A A A A A A A A A A A

Cc: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Subject: RE: AAAAA Hydroelectric Project Details Required



Dear A bhai,

Please find enclosed 2 proposals as per our discussions with the customer during the joint visit on 19th Jan.

- Proposal-1 is for the sensor calibration kit & cost of testing & verification of their existing sensors in ModAE Bangalore.
- Proposal no. 2 consists of the following scope as per our discussion with customer:
 - Upgrade of existing B&K system on per machine basis for stage 1, 2 & 3
 - Addition of condition monitoring for DDDDD VMS for all 4 machines in Stage-4
 - CMS system software common for all 4 machines in each stage i.e. 1 to 4
 - Optional scope for additional signals in Stage-1, 2 & 3, spare sensors, Display & Field cables.

Please let me know when we can discuss this next week before final presentation of the case to SSSSSSSSSSS.

Best Regards

Swami

+919731577119



From: AAAAAAAAAAAAAA

Sent: 28 January 2026 13:32

To: LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>

Cc: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Subject: RE: SSSSSSSSSSHydroelectric Project Details Required

Yes, please send separate offer for the same.

Thanks & Regards,

Neymar

FC Barcelona

Mob: +91-1234567890

Email: neymar.com

From: LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>

Sent: 26 January 2026 08:13

To: MAAAAAAAAAAAAA

Cc: Ruthvik Satish <ruthvik.satish@mod-ae.com>

Subject: Re: AAAAA Hydroelectric Project Details Required

Dear AAAAA bhai,

Looks like condition monitoring was not part of the PO to AAAAAAA hence they don't see any data.

We can quote for this scope also then

Regards

Swami



Sent from my iPhone

On 23 Jan 2026, at 15:50, AAAAAAAAAAAAAAAAAA wrote:

Dear Sir,

Please find attached Details for Meggitt BOM for upgradation of VMS at AAAAAAAA

Thanks & Regards,

Neymar
FC Barcelona
Mob: +91-1234567890
Email: neymar.com

From: AAAAAAAAAA
Sent: 23 January 2026 15:35
To: Ruthvik Satish <ruthvik.satish@mod-ae.com>
Cc: LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>
Subject: RE: AAAAAAAA Hydroelectric Project Details Required

Dear Sir,

Please send your best offer for AAAAAA Stage 3 plant as discussed during visit.

Thanks & Regards,

Neymar
FC Barcelona
Mob: +91-1234567890
Email: neymar.com

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>
Sent: 23 January 2026 15:25
To: AAAAAAAAAAAAAA
Cc: LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>
Subject: Koyana Hydroelectric Project Details Required

Hi sir,

Can you please share the RFQ for the AAAAAAAA Hydroelectric Project.

Also please share the details for Meggitt BoM for stage 4 upgradation that took place a few years back, so we can make BKV offer as per that.

Thank you for your co-operation.

Best regards,

Ruthvik Satish
📞 +91 7022845329

ruthvik.satish@mod-ae.com

Solutions & services engineer
(VMS and CMS solutions)



<image001.png>

Mod-AE India Private Limited www.mod-ae.com

Bengaluru, Karnataka, 560076

Disclaimer : This email and any files transmitted with it are intended solely for the use of the addressed individual or entity. It contains information that is confidential and protected from disclosure. It must not be printed, read, copied, disclosed, forwarded, distributed or used (in whatsoever manner) by any person other than the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may constitute unlawful act and can possibly attract legal action. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the company. The recipient should check this email and any attachments for the presence of viruses. The company accepts no liability for any damage caused by any virus transmitted by this email. If you have received this message in error, you should destroy this message and may please notify the sender by e-mail. :: Thank you. +++++

Disclaimer : This email and any files transmitted with it are intended solely for the use of the addressed individual or entity. It contains information that is confidential and protected from disclosure. It must not be printed, read, copied, disclosed, forwarded, distributed or used (in whatsoever manner) by any person other than the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may constitute unlawful act and can possibly attract legal action. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the company. The recipient should check this email and any attachments for the presence of viruses. The company accepts no liability for any damage caused by any virus transmitted by this email. If you have received this message in error, you should destroy this message and may please notify the sender by e-mail. :: Thank you. +++++

<02_Annexure-I & II.pdf>

Disclaimer : This email and any files transmitted with it are intended solely for the use of the addressed individual or entity. It contains information that is confidential and protected from disclosure. It must not be printed, read, copied, disclosed, forwarded, distributed or used (in whatsoever manner) by any person other than the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may constitute unlawful act and can possibly attract legal action. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the company. The recipient should check this email and any attachments for the presence of viruses. The company accepts no liability for any damage caused by any virus transmitted by this email. If you have received this message in error, you should destroy this message and may please notify the sender by e-mail. :: Thank you. +++++

Disclaimer : This email and any files transmitted with it are intended solely for the use of the addressed individual or entity. It contains information that is confidential and protected from disclosure. It must not be printed, read, copied, disclosed, forwarded, distributed or used (in whatsoever manner) by any person other than the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may constitute unlawful act and can possibly attract legal action. Please note that any views or opinions presented in this email are solely those of the author and do not necessarily represent those of the company. The recipient should check this email and any attachments for the presence of viruses. The company accepts no liability for any damage caused by any virus transmitted by this email. If you have received this message in

error, you should destroy this message and may please notify the sender by e-mail. :: Thank you. ++++++



----- Forwarded message -----

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>
To: Ruthvik Satish <ruthvik.satish@mod-ae.com>
Cc:
Bcc:
Date: Sat, 8 Aug 2026 12:58:38 +0000
Subject: Re: Inquiry for Vibration Sensor Specifications & Pricing
Obseletion of Product Type of Mail

From: Ruthvik Satish <ruthvik.satish@mod-ae.com>
Sent: 26 February 2026 17:10
To: aaaaaaaaaaaaaaaaaa
Cc: LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>; BBBBBBBBBBBBBBBBBBBB
Subject: Re: Inquiry for Vibration Sensor Specifications & Pricing

Dear Mr. Devin,

Thank you for your RFQ.

We would like to inform you that the **Vibrotest 60 is now obsolete and no longer available**. The **VST-100** is the current active model. Please find the attached datasheet for your review to help you evaluate the suitability for your requirement.

Kindly share the **end user details, location, and application/operation** so that we can proceed with our techno-commercial quotation accordingly.

We appreciate your co-operation and look forward to your response.

Best regards,

Ruthvik Satish

 +91 7022845329

 ruthvik.satish@mod-ae.com
Solutions & services engineer
(VMS and CMS solutions)



Mod-AE India Private Limited

 www.mod-ae.com

Bengaluru, Karnataka, 560076

From: AAAAAAAAAAAAAA
Sent: 26 February 2026 10:58
To: LJ.Swaminathan <LJ.Swaminathan@mod-ae.com>
Cc: AAAAAAAAAAAAAA
Subject: Inquiry for Vibration Sensor Specifications & Pricing

Hi Team,

I am reaching out to get details on your Vibration Sensor for Specific model “**VIBROTEST 60 or VST-100**”.



- Technical Specifications
- Lead time, warranty, and service support

Regards,
Steven Gerrard
NPD Sourcing _ Liverpool FC

...

[Message clipped] [View entire message](#)

7 attachments

-  **Re: Request for quotation.eml**
205K
-  **Re: Provide offer price for VAMS system for TTTTT project..eml**
275K
-  **Re: Koyna Hydroelectric Project Details Required.eml**
62K
-  **Re: Inquiry for Vibration Sensor Specifications & Pricing.eml**
910K
-  **Re: Technical Clarifications For Gem Bid No.: GEM/2026/B/7411347 (COOLING TOWER FAN GEAR BOX VIBRATION MONITORING AND CONTROL PANEL WITH VIBRATION SENSOR).eml**
109K
-  **Re: Provide offer for VMS system and accessories for AAAA.eml**
61K
-  **Sample Docs.zip**
799K