

JotFlow Workspace Link Rules

Corrected implementation guide · 18 July 2026

Core rule: form, assigned-task, prefill, approval, and sign URLs are different resources. Persist and open each URL only for its matching workflow type and team workspace.

1. Canonical links and tables

Resource	Canonical URL	PostgreSQL table
Form	<code>https://eforms.mediaoffice.ae/{formID}</code>	<code>team_workspace_forms.form_url</code>
Assigned task	<code>https://eforms.mediaoffice.ae/approval- form/{taskFormID}/task/{taskID}/access- token/{accessToken}</code>	<code>team_workspace_task_urls.task_url</code>
Assigned/pre-filled form	<code>https://eforms.mediaoffice.ae/{formID}/ prefill/{prefillID}? workflowAssignFormTask=1&taskID= {taskID}</code>	<code>team_workspace_prefill_form_urls.prefill_url</code>
Approval	<code>https://eforms.mediaoffice.ae/approval- form/{approvalFormID}/task/{taskID}/acc ess-token/{accessToken}</code>	<code>team_workspace_approval_urls.approval_url</code>
Signature	Exact uploaded or JotForm-provided signature URL	<code>team_workspace_sign_urls.sign_url</code>

Every table is keyed by `team_workspace_id`. Selection and sync must use the active JotForm profile/team workspace.

2. Assigned-task construction

For `workflow_assign_task`, use only values belonging to that exact task:

- `taskID`: workflow task `id`.
- `taskFormID`: task `internalFormID` / `formID`, not the parent submission form.
- `accessToken`: authentic task resource-share/email access token associated with that task.

```
domain/approval-form/{taskFormID}/task/{taskID}/access-  
token/{accessToken}
```

Never construct: an assigned-task URL from the parent form ID, an API key, another task's token, an inbox URL, or an empty token. If any required value is missing, return "task URL unavailable."

3. Assigned-form/prefill resolution

1. Select the active `workflow_assign_form` task.
2. Use `task.id` as `taskID` and `task.element.formID` as `formID`.
3. Call `GET /API/form/{formID}/prefills` using the correct workspace profile.
4. Flatten `content[].urls[]` and match `settings.id` to the parent submission ID.
5. Select the newest matching `created_at`; use `urls[].id` as `prefillID`.

```
domain/{formID}/prefill/{prefillID}?workflowAssignFormTask=1&taskID=  
{taskID}
```

No match means unavailable. Do not substitute a normal form, inbox, share, approval, or task link.

4. Approval and signature links

`workflow_approval` links use the approval task's own form ID, task ID, and authentic token. They are persisted only in `team_workspace_approval_urls`; assigned-task rows must never be copied there.

Signature URLs come from the workflow task signature property or the signature upload result. Store them with workspace, submission, task, and level identifiers in `team_workspace_sign_urls`.

5. UI routing and acceptance checks

- **Open Task** opens only an authenticated assigned-task URL.
- **Fill Form** opens only the matching prefill URL.
- **Approve/Reject** uses only the approval workflow/link.
- **Copy Link** copies the same authenticated JotForm task URL shown by Open Task.
- Normal form links never point to `/inbox/`.
- No action opens `about:blank` or silently falls back to a different URL type.
- Workspace switching reads and writes only rows with the selected `team_workspace_id`.

6. Reference documents

- JotFlow API Integration Guide
- JotFlow Master Pipeline Guide
- JotForm Enterprise API Document for Government of Dubai Media Office
- JotFlow workflow_assign_form Access Link Implementation Plan