USER GUIDE · VERSION 1.0

Digital Store

Complete Digital E-Commerce Admin & User Guide

This document covers **every option and feature** of the application.

Storefront · Customer Dashboard · Admin Panel · Settings

Laravel 13 | Filament 5 | PHP 8.3 | MySQL | Tailwind CSS | Marx IPG | Google Sign-In | Spatie Activity Log

Table of Contents

1. Introduction & System Overview

2. Requirements, Installation & Initial Setup

Default accounts, key URLs, .env recommendations

3. Storefront Features

Home, products, cart and checkout, contact

4. Accounts & Authentication

Registration, Google Sign-In, password reset, 2FA

5. Customer Dashboard

6. Admin Panel — Resources

Products, categories, orders, invoices, sliders, banners, users, messages, activity

7. Admin Panel — Site Settings

All 9 tabs explained in detail

8. Key Concepts & Statuses

9. Payment Methods (Marx IPG · Bank Transfer · Sandbox)

10. Security & Rate Limits

11. FAQ & Troubleshooting

12. Quick Reference

1. Introduction & System Overview

Digital Store is a complete e-commerce application built to sell digital products (software, subscriptions, courses, services). There is no physical delivery: as soon as payment is confirmed, the customer receives **instant** digital access (access details / file download) together with a PDF invoice.

The system has three main parts

1) Storefront	Public pages visible to guests and customers (home, products, cart, checkout).
2) Customer Dashboard	The logged-in customer's orders, invoices, downloads and profile.
3) Admin Panel	Management panel built on Filament (`/digitalsup`).

Technical Stack

Component	Details
Framework	Laravel 13 (PHP 8.3+)
Admin UI	Filament v5 (Admin Panel)
Frontend	Blade + Tailwind CSS + Alpine.js (Vite)
Database	MySQL (`digital`) — default
PDF invoices	barryvdh/laravel-dompdf
Social login	Laravel Socialite (Google)
Activity log	spatie/laravel-activitylog
Payment gateway	Marx IPG API v2 (+ built-in Sandbox)

2. Requirements, Installation & Initial Setup

2.1 Requirements

- PHP 8.3 or higher
- Composer and Node.js (npm)
- MySQL / MariaDB (Laragon or XAMPP)

2.2 Installation

Run the following from the project root for an automated setup, which performs composer install, creates `.env`, generates the app key, migrates, installs npm packages and builds assets:

```
composer run setup
```

To load the sample data (categories, products, sliders, admin):

```
php artisan migrate --seed
```

For development (Vite, queue and logs together):

```
composer run dev
```

2.3 Environment (.env)

Variable	Description
`APP_URL`	Base URL of the site (e.g. `http://localhost:8000`)
`DB_DATABASE / DB_USERNAME / DB_PASSWORD`	Database connection
`MAIL_MAILER` and SMTP	Email (also changeable from the panel)
`GOOGLE_CLIENT_ID / SECRET`	To enable Google sign-in
`MARX_IPG_*`	Marx payment gateway credentials
`SECURITY_CSP_ENABLED / HSTS`	Security header controls

> **Note:** Most settings (site name, mail, gateway, SEO) can later be changed from **Admin Panel → Site Settings**. Those values override the `.env` values.

2.4 Default Logins & Key URLs

Item	Value
Admin URL	`/digitalsup`
Admin account	`admin@digitalstore.test` / `password`
Customer account	`customer@digitalstore.test` / `password`
Landing page	`/`
Customer dashboard	`/customer`

> **Warning:** In production you must change these default passwords.

3. Storefront Features

3.1 Home Page — `/`

- **Hero / Slider:** If active sliders exist, they auto-rotate (every 6 seconds). If none exist, a gradient hero is shown.
- **Value props strip:** Instant Delivery, Secure Payments, Global Access, Invoices Included — these four are always shown.
- **Featured Products:** Products marked as `Featured` (up to 8). The title/subtitle are editable in Site Settings.
- **Promo Banner:** Banners shown below the featured section on the home page (alignment: left/center/right).
- **Category Sections:** Active categories that have products, each with up to 4 products.
- **CTA section:** "Create Account" and "Browse Products" buttons.

3.2 Product Listing — `/products`

- Search box (`q`) — search by name.
- Category filter (`category` slug) — from the sidebar.
- **12** products per page, newest first, with pagination.
- Empty/inactive products are not shown.

3.3 Product Detail — `/products/{slug}`

- Product name, description (rich text), image.
- **Price options:** Monthly and/or Yearly — choose the desired price.
- **Add to Cart** (adds and returns to the cart) and **Buy Now** (goes straight to checkout).
- Up to 4 related products from the same category.
- An inactive product returns a 404.

3.4 Pages

- **About — `/about` :** Introduction page, with the category list.
- **Contact — `/contact` :** Name, email, phone (947XXXXXXXX), subject, message, protected by reCAPTCHA. The message is stored in the database and emailed to the contact email set in Site Settings.

3.5 Cart — `/cart` (login required)

- Session-based cart. One line = product + billing variation.
- Add, remove, clear the whole cart, and view the subtotal.

3.6 Checkout — `/checkout` (login required)

- Choose the payment method: `Online Gateway` or `Offline / Bank Transfer`.
- A phone number (947XXXXXXXX) and accepting the terms are required.
- Choosing Online redirects to the Marx gateway; choosing Offline saves the order as pending and the customer must go to the order page and upload a receipt.
- After a successful payment, the `/checkout/success/{order}` page is shown.

4. Accounts & Authentication

Feature	Description
Registration	`/register` — name, email, phone (optional), password + confirmation. reCAPTCHA protected. Role defaults to `customer`.
Login	`/login` — admins go to the Filament panel, customers to their dashboard.
Google Sign-In	"Google" button on the login/register pages. If the email exists it links the account; otherwise a new account is created.
Forgot password	`/forgot-password` → email link → `/reset-password`.
Email verification	`/verify-email` — resend the verification link.
Password confirmation	`/confirm-password` — for sensitive sessions.
Admin 2FA	Filament Multi-Factor: **App Authentication** (TOTP with recovery codes) and **Email Authentication**.

> **Redirect safety:** `?redirect=` lets you return to a page after login. For security, only local paths are accepted.

5. Customer Dashboard

A logged-in customer has the following options under `/customer`:

5.1 Dashboard — `/customer`

- Statistics: total orders, completed orders, orders awaiting payment, total amount spent.
- The 5 most recent orders.

5.2 Orders — `/customer/orders`

- List of all orders (10 per page).
- Order detail (`/customer/orders/{order}`) — items, status, invoice link.
- **Upload receipt:** for offline orders, jpg/jpeg/png/pdf (max 5MB) + a note. An email is sent to the admin after upload.

5.3 Invoices — `/customer/invoices`

- List of all invoices and PDF download (`/customer/invoices/{invoice}/download`).

5.4 My Products — `/customer/products`

- Items from completed orders.
- If a digital file exists (`file_path`), a download button is shown (`/customer/products/{item}/download`).

5.5 Profile — `/profile`

- Update name, email, phone.
- Change password (confirming the current password).

6. Admin Panel — Resources

Access: `/digitalsup` (admin accounts only).

6.1 Dashboard — Statistics

- **Revenue** — total of paid orders.
- **Orders** — total orders + awaiting payment.
- **Products** — total products + category count.
- **Customers** — registered customers.

6.2 Products

Product form options

Field	Description
Category	Category (required, searchable).
Name	Product name (required).
Slug	URL slug (auto-generated from the name if left blank).
Short description	A short summary.
Description	Rich description — sanitized to prevent stored XSS.
Image	Product image (with image editor).
Digital file path	Path of the downloadable file (e.g. `downloads/product.zip`).
Digital access details	Access details emailed after payment (e.g. license keys).
Is digital	Whether it is a digital product (default: on).
Is active	Whether it appears in the store.
Featured	Whether it appears in the home page Featured section.

SEO / Meta (optional)

`meta_title`, `meta_keywords`, `meta_description` (up to 300 chars), and an OG social image.

Price Variations

- **Monthly** or **Yearly** billing cycle + price (Rs.). Both can be set at once.
- The list shows the lowest price; filters: category, is_active, is_featured.
- Actions: Edit, Delete, Bulk Delete.

6.3 Categories

Fields: Name, Slug, Description, Image, Is active, Sort order, and SEO (meta_title/keywords/description, OG image). The list shows the number of products per category, ordered by sort_order.

6.4 Orders

List columns

Order number, Customer, Total, Method (`Online` / `Offline`), Receipt status, Payment status, Order status, Placed (date).

Filters

- Awaiting payment verification (offline + pending + receipt present).
- payment_status, order_status, payment_method.

Actions

Action	Description
Receipt	Open the offline receipt in a new tab.
View	Full order detail (including the invoice).
Invoice	Generate and download the PDF invoice.
Mark Paid	Mark the order paid & completed, generate the invoice and email the customer.
Edit	Change payment_status and order_status, offline_note.

The order detail page also has “Items” and “Activities” relation tabs. Order number format: `ORD-YYYYMMDD-XXXXX`.

6.5 Invoices

Invoice number, Order, Customer, Total, Issued date, and a **Download** action. Number format: `{PREFIX}-YYYY-00001`.

6.6 Users

Name, email, phone, Role (`Customer` / `Super Admin`), order count. Filter: role. Actions: Edit, Delete, Bulk Delete. Password creation/update happens here.

6.7 Sliders (Hero Carousel)

Fields: Title, Subtitle, Image (required), Link, Button text, Sort order, Is active. The list is drag-and-drop reorderable.

6.8 Banners (Promo)

Fields: Title, Subtitle, Image (gradient background if empty), Link, Button text, Position (`Home — below featured`), Alignment (Left/Center/Right), Is active, Sort order. Reorderable.

6.9 Contact Messages

View (View) and delete name, email, phone, subject and message. Ordered by received date.

6.10 Activity Log

All important system actions are recorded (user, order, invoice, product, variation, category, slider, settings, contact, auth). Filters: Type, Event (created/updated/deleted).

6.11 Admin Profile & 2FA

From the profile menu in the top-right you can manage your name/email and set up **Two-Factor Authentication** (App or Email).

7. Site Settings

Access: **Admin** → **Site Settings**. Grouped by tab. Changed keys are written to the activity log on save.

7.1 General

- Site Name, Tagline, Currency Symbol (default `Rs.`), Meta Description
- Contact Email, Contact Phone, WhatsApp Number (`947XXXXXXXX` — for the floating WhatsApp button), Address

7.2 Branding & Home

- Logo, Favicon (uploaded to the public disk)
- Featured Section Title / Subtitle, Hero Button Text

7.3 Bank Transfer

- Bank Name, Branch, Account Name, Account Number, SWIFT/Branch Code
- Payment Instructions — shown to the customer on the offline checkout page

7.4 Payment Gateway (Marx IPG)

- **Enable Online Payment Gateway** — if off, only bank transfer is available
- **Gateway Mode** — Sandbox/Test or Production/Live
- Merchant ID, API Key, Merchant Secret (leave blank to keep the current value)
- Currency (default `LKR`), API Endpoint, Payment Time Limit (hours)

> In sandbox mode, or when no secret is set, a **built-in sandbox page** is used to test the payment flow.

7.5 Mail (SMTP)

- Mailer (`smtp` / `log` / `array`), Encryption (TLS/SSL/None)
- SMTP Host, Port, Username, Password (leave blank to keep the current password)
- From Address, From Name

7.6 Invoices

- Invoice Number Prefix (default `INV`).

7.7 SEO / Meta

- Default OG image, Default meta description, Default meta keywords
- Meta Title / Description per page: Home, Products, About, Contact

7.8 Security

- **Enable Google reCAPTCHA** (login/register protection)
- reCAPTCHA Site Key, Secret Key (v2 checkbox)

8. Key Concepts & Statuses

8.1 Payment Methods

Value	Meaning
online_gateway	Online payment via Marx IPG.
offline	Bank transfer — a receipt upload is required.

8.2 Statuses

Field	Possible values
Payment status	pending paid failed
Order status	pending completed cancelled
Role	customer admin
Billing cycle	monthly yearly

8.3 Order Lifecycle

1. The customer adds items to the cart and checks out → the order is created as **pending**.
2. Online: pay through the gateway; Offline: upload a receipt.
3. Once payment is confirmed the order becomes **paid & completed**.
4. A PDF invoice is generated and emailed to the customer with the access details.

9. Payment Methods in Detail

9.1 Online Gateway (Marx IPG v2)

1. `POST {endpoint}` — the order is created and `payUrl` + `trId` are returned.
2. The customer is redirected to `payUrl`.
3. After 3DS the customer returns to the returnUrl (with `tr_id`, `merchantRID`).
4. `PUT {endpoint}/{tr_id}` — verify the payment.

> When confirmed, the order is completed and the invoice + access details are emailed. On failure the order stays pending.

9.2 Sandbox (Testing)

When no live credentials exist, a `/checkout/marx/sandbox/{order}` page lets you simulate the payment (Complete or Cancel).

9.3 Offline / Bank Transfer

1. The customer makes the bank transfer and uploads the receipt from the order page.
2. The admin is emailed; the admin completes the order with the “Mark Paid” action.
3. The invoice + access details are emailed.

10. Security & Rate Limits

10.1 Rate Limits

Action	Limit
Contact form	5 per minute (per IP)
Cart actions	30 per minute
Checkout	10 per minute
Upload	10 per minute
Register	5 per hour
Login / Password reset	6 per minute

10.2 Security Features

- Security headers: X-Content-Type-Options, X-Frame-Options, Referrer-Policy, Permissions-Policy, COOP.
- HSTS (over HTTPS) and an optional CSP.
- Product description HTML is sanitized (prevents stored XSS).
- Google reCAPTCHA (login/register/contact).
- Strong password rules (mixed case required in production).
- All logins / logouts / failed logins are written to the activity log.
- HTTPS is forced in production.

> Recommended for production: `APP_ENV=production`, `APP_DEBUG=false`, `SESSION_ENCRYPT=true`, `SESSION_SECURE_COOKIE=true`, and `SECURITY_CSP_ENABLED=true` (after verifying the UI).

11. FAQ & Troubleshooting

Issue	Solution
Online payment option missing/disabled	Check that "Enable Online Payment Gateway" is on in Site Settings → Payment Gateway.
Emails not being sent	Check the Mail SMTP settings; use the `log` mailer for dev (see `storage/logs`).
Google sign-in not working	Set `GOOGLE_CLIENT_ID/SECRET`; register the redirect URI `{APP_URL}/auth/google/callback` in Google Cloud Console.
Receipt upload failing	Confirm jpg/jpeg/png/pdf and the 5MB limit; ensure `storage:link` has been run.
Digital file not received	Check the product `file_path` and that the file exists on the public disk; ensure the order is completed.
Cannot access the admin panel	Confirm the user's `role` = `admin`.
Settings not updating	The settings cache is cleared on save. If needed run `php artisan cache:clear`.
Default secrets not shown	API keys/secrets/mail passwords shown blank for security; leaving them unchanged keeps the existing value.

12. Quick Reference

12.1 Public Routes (no login)

URL	Action
`/`	Home page
`/products`	Product listing
`/products/{slug}`	Product detail
`/about`	About us
`/contact`	Contact
`/login`, `/register`	Login / Register

12.2 Customer Routes (auth)

URL	Action
`/cart`	Cart
`/checkout`	Checkout
`/customer`	Dashboard
`/customer/orders`	Orders
`/customer/invoices`	Invoices
`/customer/products`	My products / downloads
`/profile`	Profile

12.3 Common Commands

`composer run setup` — full installation

`composer run dev` — development environment

`php artisan migrate --seed` — database + sample data

`php artisan storage:link` — link storage to public

`php artisan test` — run tests