



Chathurya V R 251801045-2025-AIDS ▾

C2**Started on** Thursday, 17 September 2026, 8:27 AM**State** Finished**Completed on** Thursday, 17 September 2026, 8:27 AM**Time taken** 37 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  #define MAX_SIZE 100005
4
5  int arr1[MAX_SIZE];
6  int arr2[MAX_SIZE];
7
8  void solve() {
9      int n1, n2;
10
11      // Read the size of the first array
12      if (scanf("%d", &n1) != 1) return;
13      // Read the elements of the first array
14      for (int i = 0; i < n1; i++) {
15          if (scanf("%d", &arr1[i]) != 1) return;
16      }
17
18      // Read the size of the second array
19      if (scanf("%d", &n2) != 1) return;
20      // Read the elements of the second array
21      for (int i = 0; i < n2; i++) {
22          if (scanf("%d", &arr2[i]) != 1) return;
23      }

```

```

24
25     int i = 0, j = 0;
26     int first_print = 1;
27
28     // Two-pointer intersection logic
29     while (i < n1 && j < n2) {
30         if (arr1[i] == arr2[j]) {
31             if (!first_print) {
32                 printf(" ");
33             }
34             printf("%d", arr1[i]);
35             first_print = 0;
36             i++;
37             j++;
38         } else if (arr1[i] < arr2[j]) {
39             i++;
40         } else {
41             j++;
42         }
43     }
44     printf("\n");
45 }
46
47 int main() {
48     int t;
49     if (scanf("%d", &t) != 1) return 0;
50
51     while (t--) {
52         solve();

```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

//

[Back to Course](#)