


API Demo

The system provides a FastAPI-based interface with secure Bearer token authentication. Below are screenshots of the API in action.


1. Authorization

The API requires Bearer token authentication. Once authorized, all endpoints can be accessed securely.




2. FastAPI Swagger UI

The Swagger interface shows available endpoints, including health check and the main </api/v1/hackrx/run> submission endpoint.



3. Request Example

Sample request body with a PDF document URL and multiple natural language queries. The API processes the document, retrieves relevant clauses, and provides contextual answers.



4. Sample Output

```
{
  "answers": [
    "A grace period of thirty days is provided for premium payment after the due date.",
    "There is a waiting period of thirty-six (36) months for pre-existing diseases.",
    "Yes, the policy covers maternity expenses, subject to specified conditions.",
    "The waiting period for cataract surgery is two (2) years.",
    "Yes, organ donor expenses are covered under this policy.",
    "A No Claim Discount (NCD) of 5% is offered on renewal if no claims are made.",
    "The policy reimburses expenses for preventive health check-ups after two policy years.",
    "A hospital is defined as an institution with at least 10 inpatient beds.",
    "AYUSH treatments are covered for inpatient care.",
    "For Plan A, room rent is capped at 1% of the Sum Insured and ICU at 2%."
  ]
}
```