



Architecture Layout - Typical Floor


Scale 1:200

Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management			Bachelor Dissertation of Civil Engineering TAN THINH LOI APARTMENT		
Head of Dept.	Assoc. Prof. Nguyen Hong An		ARCHITECTURE LAYOUT		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S01



Beam Layout - Typical Floor


Scale 1:100



Column Layout - Typical Floor


Scale 1:100

Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF TYPICAL SLAB		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S02




Top Reinforcement Layout - Typical Floor

Scale 1:100




Bottom Reinforcement Layout - Typical Floor

Scale 1:100




Section A-A Reinforcement Layout - Typical Floor

Scale 1:50



Section B-B Reinforcement Layout - Typical Floor

Scale 1:50




DETAIL 1 - SLAB REINFORCEMENT CONNECT TO BEAM

SCALE 1:20


Note:

- Design Standard: EC2-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Cover concrete: Cc=40mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 40ϕmm
- Anchorage length: compression 30ϕmm


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF TYPICAL SLAB		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S03




FRAME 2 CROSS SECTION (BASEMENT - STORY2)
SCALE 1:50




DETAIL 1 - BEAM CONNECT TO COLUMN
SCALE 1:20




SECTION 1-1
SCALE 1:20




SECTION 2-2
SCALE 1:20




SECTION 3-3
SCALE 1:20




SECTION 4-4
SCALE 1:20




SECTION 5-5
SCALE 1:20




SECTION 6-6
SCALE 1:20




SECTION 7-7
SCALE 1:20



SECTION 8-8
SCALE 1:20




SECTION 9-9
SCALE 1:20



SECTION 10-10
SCALE 1:20

Note:
- Design Standard: EC2-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Cover concrete: Cc=65mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 40ϕmm
- Anchorage length: compression 30ϕmm


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF FRAME SECTION 1		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S04




FRAME 2 CROSS SECTION (STORY2 - STORY6)
SCALE 1:50

DETAIL 2 - COLUMN AND BEAM JOINT
SCALE 1:20


DETAIL 1 - BEAM CONNECT TO COLUMN
SCALE 1:20




SECTION 1-1
SCALE 1:20




SECTION 2-2
SCALE 1:20




SECTION 3-3
SCALE 1:20




SECTION 4-4
SCALE 1:20




SECTION 5-5
SCALE 1:20




SECTION 6-6
SCALE 1:20




SECTION 7-7
SCALE 1:20




SECTION 8-8
SCALE 1:20




SECTION 9-9
SCALE 1:20




SECTION 10-10
SCALE 1:20



SECTION 11-11
SCALE 1:20




SECTION 12-12
SCALE 1:20




SECTION 13-13
SCALE 1:20

Note:
- Design Standard: EC2-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Cover concrete: Cc=65mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 40Φmm
- Anchorage length: compression 30Φmm


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF FRAME SECTION 2		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S05




FRAME 2 CROSS SECTION (STORY6- STORY10)
SCALE 1:50




SECTION 1-1
SCALE 1:20




SECTION 2-2
SCALE 1:20




SECTION 3-3
SCALE 1:20




SECTION 4-4
SCALE 1:20




SECTION 5-5
SCALE 1:20




SECTION 6-6
SCALE 1:20




SECTION 7-7
SCALE 1:20




SECTION 8-8
SCALE 1:20




SECTION 9-9
SCALE 1:20




SECTION 10-10
SCALE 1:20




SECTION 11-11
SCALE 1:20



SECTION 12-12
SCALE 1:20




DETAIL 2 - COLUMN AND BEAM JOINT
SCALE 1:20




DETAIL 1 - BEAM CONNECT TO COLUMN
SCALE 1:20

Note:
- Design Standard: EC2-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Cover concrete: Cc=65mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 40Φmm
- Anchorage length: compression 30Φmm


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF FRAME SECTION 3		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S06




FRAME 2 CROSS SECTION (STORY10- STORY14)
SCALE 1:50




SECTION 1-1
SCALE 1:20




SECTION 2-2
SCALE 1:20




SECTION 3-3
SCALE 1:20




SECTION 4-4
SCALE 1:20




SECTION 5-5
SCALE 1:20




SECTION 6-6
SCALE 1:20




SECTION 7-7
SCALE 1:20




SECTION 8-8
SCALE 1:20




SECTION 9-9
SCALE 1:20




SECTION 11-11
SCALE 1:20



SECTION 12-12
SCALE 1:20




DETAIL 2 - COLUMN AND BEAM JOINT
SCALE 1:20




DETAIL 1 - BEAM CONNECT TO COLUMN
SCALE 1:20

Note:
- Design Standard: EC2-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Cover concrete: Cc=65mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 40ϕmm
- Anchorage length: compression 30ϕmm


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF FRAME SECTION 4		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S07




ARCHITECTURAL PLAN OF STAIRCASE
SCALE 1:50




REINFORCEMENT OF LANDING BEAM B1
SCALE 1:20




REINFORCEMENT OF LANDING BEAM B2
SCALE 1:20




SECTION 4-4
SCALE 1:20




SECTION 5-5
SCALE 1:20




SECTION 6-6
SCALE 1:20




SECTION 1-1
SCALE 1:20




SECTION 2-2
SCALE 1:20




SECTION 3-3
SCALE 1:20



SECTION A-A
SCALE 1:20




REINFORCEMENT PLAN OF STAIRCASE
SCALE 1:50




- Granite stone 20mm
- Mortar 20mm
- Brick
- RC landing slab 120mm
- Plaster 15mm

DETAIL OF THE FLIGHT



- Granite stone 20mm
- Mortar 20mm
- RC landing slab 100mm
- Plaster 15mm


DETAIL OF THE LANDING SLAB




SECTION B-B
SCALE 1:20

Note:
- Design Standard: EC2-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Cover concrete: Cc=25mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 40ϕmm
- Anchorage length: compression 30ϕmm


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF STAIRCASE		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S08




LAYOUT BEAM OF THE BOTTOM SLAB
SCALE 1:50



LAYOUT BEAM OF THE TOP SLAB
SCALE 1:50




SECTION A-A
SCALE 1:50




SECTION B-B
SCALE 1:50


B




LAYOUT OF THE BOTTOM REINFORCEMENT
SCALE 1:50




LAYOUT OF THE TOP REINFORCEMENT
SCALE 1:50




DETAIL OF BEAM B1
SCALE 1:25




SECTION 1-1
SCALE 1:20




SECTION 2-2
SCALE 1:20




DETAIL OF BEAM B3
SCALE 1:25




SECTION 3-3
SCALE 1:20




SECTION 4-4
SCALE 1:20



DETAIL OF BEAM B2
SCALE 1:25



SECTION 5-5
SCALE 1:20




SECTION 6-6
SCALE 1:20

Note:
- Design Standard: EC7-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Cover concrete: Cc=65mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 40ϕmm
- Anchorage length: compression 30ϕmm


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF WATER TANK		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S01

GEOTECHNICAL PROFILE
BORE HOLE 1




DESCRIPTION OF SOIL

Layer A: Fill soil
Layer 1: Very soft, blackish grey, organic clay
Layer 2: Soft, blackish grey, Clay
Layer 3: Firm, blackish grey, ashgrey, whitish gray, brownish gray. Clayey sand with quartz gravels




Foundation plan layout
Scale 1:100


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		FOUNDATION PROFILE AND LAYOUT		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S01




Bot Reinforcement Foundation P1
Scale 1:50




Bot Reinforcement Foundation P2
Scale 1:50




Foundation plan layout
Scale 1:200




Top Reinforcement Foundation P1
Scale 1:50




Top Reinforcement Foundation P2
Scale 1:50




SECTION 3-3
SCALE 1:20




SECTION 4-4
SCALE 1:20



Section 1-1
Scale 1:50




Section 2-2
Scale 1:50




SECTION 5-5
SCALE 1:20

Note:
- Design Standard: EC7-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Cover concrete: Cc=65mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 40ϕmm
- Anchorage length: compression 30ϕmm


Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DESIGN OF SPUN PILE		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S01




Detail of PC900-A
Scale 1:20




Detail of Spun pile D900
Scale 1:10




Detail A.1-End pile detail
Scale 1:10




Detail A.2-Steel plate weld
Scale 1:10




Detail A.3-Jointing plates cross section
Scale 1:10




Starter bars connection detail
Scale 1:20




Pile shoe detail
Scale 1:1



Pile shoe steel plate
Scale 1:1



Detail B - Anchorage hole
Scale 1:1



Starter bars connection cross-section
Scale 1:20

Note:
- Design Standard: EC2-1992
- Reinforced steel: CB500-V
- Concrete grade: C30/37 & C50/60
- Nominal concrete: c_{nom}=65mm
- Exposure class XC1
- Dimension unit is in millimeter(mm).
- Lap Length: 30ϕ mm
- Anchorage length: compression 30ϕ mm

Ho Chi Minh City University of Technology Faculty of Civil Engineering Department of Structural Engineering Department of Construction Eng. & Management		Bachelor Dissertation of Civil Engineering			
		TAN THINH LOI APARTMENT			
Head of Dept.	Assoc. Prof. Nguyen Hong An		DETAIL OF SPUN PILE		
Structural Instructor	Assoc. Prof. Nguyen Hong An				
Foundation Instructor	PhD. Lai Van Qui		START		DRAWING
Student	Chau Dai Duong	1952636	FINISHED		S01