


Name : Vivek Chaudhari

Project : 15

FlowOps : Automated CI/CD pipeline using Lambda trigger



Services Used & Purpose

1 GitHub

👉 Purpose:

- Store application source code
- Trigger pipeline on code changes

AWS CodePipeline

Purpose:

- Manage complete CI/CD workflow
 - Connect source → build → deploy stages
-

AWS CodeBuild

Purpose:

- Build the application
 - Run basic commands / testing
-

AWS Lambda

Purpose:

- Automatically trigger pipeline
 - Remove manual deployment step
-

AWS Identity and Access Management

Purpose:

- Provide permissions between services
 - Secure access control
-

Flow

 GitHub → Lambda Trigger → CodePipeline → CodeBuild → Done

Final Summary

A serverless CI/CD pipeline where Lambda automatically triggers CodePipeline to fetch code from GitHub and execute the build process.

trigger-pipeline

Function overview

Diagram

Template

trigger-pipeline

Layers

(0)

+ Add trigger

+ Add destination

Function ARN

arn:aws:lambda:ap-south-1:216153283160:function:trigger-pipeline

Description

-

Last modified

9 minutes ago

Code

Test

Monitor

Configuration

Aliases

Versions

Code source

Open in Visual Studio Code

Upload from

EXPLORER

TRIGGER-PIPELINE

lambda_function.py

lambda_function.py

DEPLOY

Deploy (Ctrl+Shift+I)

Test (Ctrl+Shift+I)

TEST EVENTS (SELECTED: LAMBDA-TRIGGER)

+ Create new test event

Private saved events

lambda-trigger

ENVIRONMENT VARIABLES

Lambda Deployed

Amazon Q

lambda_function.py

1 import boto3

2

3 def lambda_handler(event, context):

4 client = boto3.client('codepipeline')

5

6 response = client.start_pipeline_execution(

7 name='auto-deploy-pipeline'

8)

9

10 return {

11 'statusCode': 200,

12 'body': 'Pipeline triggered!'

13 }

PROBLEMS

OUTPUT

CODE REFERENCE LOG

TERMINAL

Status: Succeeded

Test Event Name: lambda-trigger

Response:

{

"statusCode": 200,

"body": "Pipeline triggered!"

}

Create new test event

Invoke

Save

Event Name

lambda-trigger

Maximum of 25 characters consisting of letters, numbers, dots, hyphens and underscores.

Invocation type

Synchronous

Executes the Lambda function and blocks until receiving the function's response, with a maximum timeout of 15 minutes. Returns function output or error details directly to the calling application.

Asynchronous

Executes the Lambda function for execution and returns immediately with a request ID. Function processes independently, with results optionally sent to a configured destination like SQS, SNS, or EventBridge.

Event sharing settings

Private

This event is only available in the Lambda Console and to the event creator. You can configure a total of ten.

Shareable

This event is available to IAM users within the same account who have permissions to access and use shareable events.

Test event is saved successfully.

trigger-pipeline-role-rcfr76un

Delete

Summary

Edit

Creation date

April 25, 2026, 13:35 (UTC+05:30)

Last activity

-

ARN

arn:aws:iam::216153283160:role/service-role/trigger-pipeline-role-rcfr76un

Maximum session duration

1 hour

Permissions

Trust relationships

Tags

Last Accessed

Revoke sessions

Permissions policies (2)

You can attach up to 10 managed policies.

Search

Filter by Type

All types

< 1 >

☐

Policy name

☐

AWSCodePipeline_FullAccess

☐

AWSLambdaBasicExecutionRole-7a7a1a65-9ddd-48ef-b547-298...

Type

AWS managed

Customer managed

Attached entities

1

1

auto-deploy-pipeline



Edit

Stop execution

Pipeline

Executions

Triggers

Settings

Tags

Stage



Source

16a169a2-d98f-4329-9202-2acad0f16cab

All actions succeeded.

Source

GitHub (via GitHub App) [🔗](#)

8 minutes ago

[c19869b8](#) [🔗](#) Source: Create deploy.sh



Build

16a169a2-d98f-4329-9202-2acad0f16cab

All actions succeeded.

Build

AWS CodeBuild [🔗](#)

8 minutes ago

[c19869b8](#) [🔗](#) Source: Create deploy.sh



Deploy

16a169a2-d98f-4329-9202-2acad0f16cab

All actions succeeded.

Deploy

Amazon S3 [🔗](#)

8 minutes ago

[c19869b8](#) [🔗](#) Source: Create deploy.sh