	1月13	-	
THE BRIDE			
and the same of the same of		make stolland	-pains
1367K 1	1	1	

		COATE:		
deligible to the selection of the second of	Why should yo	ou me nami?		
	- They ore e	asily readable by humans		
	- Thou one eas	sy to implement and use		
	- They are eas	ily portable between programming		
4 4	languages			
	- They match	the native data structures of agile		
	languages			
	- You can postorm maintenance			
	- They are fle	nci ble.		
*	* Structure of a yami file			
		YAML		
	key value paix	Arrays/Lists Dictionary/Map		
1				
	YAML Maps -			
	The first line of this config file is a			
	Se	parator, and is optional unless you are		
	apiversion, vi try	ing to define multiple structures in a		
	kind: pod sir	ngle tile.		
	maps let you associate name-value pairs, which of			
	course is conve	ourse is convenient when you're trying to set up		
	configuration information.			
	The second secon			
	apiversion: vi	You can also specify more complica-		
	Fird: Pod	ted structures by creating a tey that		
	metadase:	maps to another map, rather than a		
	name: 155-5ite	Bring.		
	labels;	A STATE OF THE PROPERTY OF THE		
	app; wate			
- The state of the state of the		· · · · · · · · · · · · · · · · · · ·		