

PROJECT REPORT

On

ONLINE BOOKS STORE

BACHELOR OF COMPUTER APPLICATION

SUBMITTED BY

SUMIT

10722130141

216097

BATCH YEAR:2021-2024

SUBMITTED TO: MONIKA CHOPRA



DAV COLLAGE, JALANDHAR

PG DEPARTAMENT OF COMPUTER SCIENCE

Acknowledgment:-

We extend our heartfelt gratitude to all those who have contributed to the successful completion of our Online Book Store Project. This endeavor would not have been possible without the unwavering support and guidance of many individuals and institutions.

First and foremost, we express our sincere thanks to our esteemed faculty members for their invaluable mentorship throughout this project. Their expertise, encouragement, and constructive feedback have been instrumental in shaping our ideas and refining our execution.

We are immensely grateful to our project supervisor, [Supervisor's Name], for their continuous guidance, patience, and insightful suggestions. Their expertise in the field has been a constant source of inspiration for us, motivating us to strive for excellence at every stage of development.

We extend our appreciation to our classmates and friends for their encouragement and assistance during the project. Their willingness to share knowledge, brainstorm ideas, and offer support has been invaluable in overcoming challenges and achieving our objectives.

Furthermore, we would like to thank the management of [Your Institution's Name] for providing us with the necessary resources and facilities to carry out this project effectively. Their support has been crucial in facilitating our learning and practical application of concepts.

Last but not least, we express our gratitude to all the online resources, libraries, and documentation sources that provided us with the information and tools necessary for the successful implementation of the Online Book Store Project.

In conclusion, we acknowledge and appreciate the collective effort of everyone involved in this project, directly or indirectly. Each contribution has played a significant role in making this endeavor a success, and we are truly grateful for the opportunity to work on this project and learn from the experience.

Thank you.

Instructions :-

Welcome to the Online Book Store Project! This project aims to provide you with hands-on experience in developing a web-based application for managing book inventory and facilitating online book purchases. Before you begin, please carefully read the following instructions:

1. Project Overview:

- The objective of this project is to design and implement a fully functional online book store.
- The system should allow users to browse books, view details, add them to the cart, and make purchases securely.
- Admin functionalities should include adding, updating, and deleting books, managing orders, and monitoring inventory.

2. Tools and Technologies:

- You are free to choose any programming language or framework for developing the project (e.g., HTML/CSS/JavaScript, PHP, Python, Java, etc.).
- Database management systems like MySQL, PostgreSQL, or MongoDB can be used for storing book information and user data.
- Ensure that the chosen technologies align with the scope and requirements of the project.

3. Project Requirements:

- Implement user authentication and authorization mechanisms to differentiate between regular users and administrators.
- Design an intuitive user interface for seamless navigation and a pleasant user experience.
- Implement features for searching and filtering books based on various criteria such as genre, author, price, etc.
- Develop a secure payment gateway for processing online transactions.
- Implement CRUD (Create, Read, Update, Delete) operations for managing books and orders in the admin panel.
- Ensure data validation and error handling to enhance the robustness of the application.

4. Project Deliverables:

- The final project submission should include the source code files, database schema, and any necessary documentation.

- Provide a detailed project report outlining the project's objectives, methodologies, system architecture, functionalities, implementation details, and future enhancements.
- Prepare a user manual or guide to assist users in navigating and utilizing the online book store application effectively.

5. Project Timeline:

- Plan your project timeline wisely, considering the complexity of the features and the time required for development, testing, and documentation.
- Allocate sufficient time for each phase of the project, including requirement analysis, design, implementation, testing, and documentation.

6. Collaboration and Communication:

- Encourage collaboration and teamwork among group members to distribute tasks effectively and ensure timely completion of the project.
- Maintain regular communication with your project supervisor for guidance, feedback, and assistance throughout the project lifecycle.

7. Quality Assurance:

- Conduct thorough testing of the application to identify and rectify any bugs, errors, or inconsistencies.
- Perform usability testing to ensure that the application meets user expectations and usability standards.

8. Academic Integrity:

- Ensure that all code and content included in the project are original and properly cited if referenced from external sources.
- Avoid plagiarism and adhere to the academic integrity policies of your institution.


9. Have fun and learn:

- Embrace the challenges and opportunities presented by this project as a valuable learning experience in software development and project management.
- Enjoy the process of creating something innovative and impactful in the field of technology.

INDEX

S. NO	<u>TOPICS</u>	<u>DATE</u>	<u>PAGE . N</u> <u>0</u>	<u>SIGNATURE</u>
1	INDEX.HTML, INDEX.CSS, INDEX.JS FOR FIRST LOOK OF WEB SITE	3-3- 2024	7-22	
2	DELIVER.HTML, DELIVER.CSS, DELIVER.JS FOR DELIVERY SECTION		23-25	
3	SIGN.HTM, SIGN.CSS, SIGN.JS FOR SIGN IN PAGE		26-28	
4	RETUEN.HTM, RETURN.CSS, RETURN.JS FOR RETURN PURPOSES		28-30	
5	CART.HTML, CART.CSS, CART.JS FOR FUNTINALITY OF CART		31-33	
6	PAYMENT.HTML, PAYMENT.CSS, PAYMENT.JS FOR PAYMENT SECTION		34-36	
7	RESITER.HTML, REGISTER.CSS, REGISTER.JS FOR RESTER SECTION		37-39	
8	CUSTOMER.HTML, CUTOSSMER.CSS, CUTOMER.JS FOR CUSTOMER SECTION	20-4- 2024	40-42	

HOME PAGE




[Deliver to](#)


All ▼ Here! Search Books...

Q

[Hello, sign in
Account & List](#)[Returns
Order](#)


 [cart](#)

[All](#)[Today's Deals](#)[Customer Service](#)[Registry](#)[Novel](#)[Sell](#)[Shop deal of books](#)




You are on Bookstore.com: You can also shop on Books store India for millions of products with fast local delivery. [Click here to go to booksStore.com](#)

BOOKS




347★☆☆☆☆

BOOKS



967★☆☆☆☆

BOOKS




367★☆☆☆☆

BOOKS




888★☆☆☆☆

BOOKS




BOOKS




BOOKS




BOOKS







269★☆☆☆☆



499★☆☆☆☆




399★☆☆☆☆




479★☆☆☆☆

BOOKS




999★☆☆☆☆

BOOKS




789★☆☆☆☆

BOOKS



799★☆☆☆☆

BOOKS



569★☆☆☆☆

6

INDEX.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>OnlineBookStore</title>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css" integrity="sha512-
iecdLmaskl7CVkqkXNQ/ZH/XLlvWZOJyj7Yy7tcenmpD1ypASozpmT/E0iPtmFIB46ZmdtAc9eNBvH
0H/ZpiBw==" crossorigin="anonymous" referrerpolicy="no-referrer" />
  <link rel="stylesheet" href="index1.css">
</head>
<body>

  <div class="navbar">
    <div class="nav-logo">
      <div class="logo"></div>
    </div>

    <div class="nav-address ">
      <a href="deliver.html" class="border">Deliver to</a>
      <div class="add-icon">
        <i class="fa-solid fa-location-dot"></i>
        <p class="address-2" href="India">India</p>
      </div>
    </div>

    <div class="nav-search" >
      <select class="search-select">
        <option >All</option>
      </select>
      <input placeholder="Here! Search Books... " class="search-input">
      <div class="search-icon" onclick="performSearch(BOOKS)">
        <i class="fa-solid fa-magnifying-glass"></i>
        <script src="SEARCH.JS"></script>
      </div>
    </div>
    <div class="nav-signin border">
      <p><a href="sign.html">Hellow, sign in</a></p>
      <a href="sign.html" class="nav-1" >Acount & List</a>
    </div>

    <div class="nav-return border">
      <p><a href="return.html">Returns</a></p>
      <a href="return.html" class="nav-1">Order</p>
```

```

</div>
<div class="nav cart border">
  <i class="fa-solid fa-cart-shopping" ></i>
  <a href="cart.html" >cart</a>
</div>
</div>
<div class="panel">
  <div class="panel-all">
    <i class="fa-solid fa-bars"></i>
    All
  </div>
  <div class="panel-ops">
    <a href="deal.html">Today's Deals</a>
    <a href="customer.html">Customer Service</a>
    <a href="registry.html">Registry</a>
    <a href="Noval">Noval</a>
    <a href="Sell">Sell</a>
  </div>
  <div class="panel-deals">
    Shop deal of books
  </div>
</div>
<div class="hero-section">
  <div class="hero-msg">
    <p>You are on Bookstore.com.You can also shop on Books store India
for millions of products with fast local delivery.<a href="index.html">Click
here to go to booksStore.com</a></p>
  </div>
</div>

  <div class="shop-section">
    <div class="box1 box">
      <div class="box-content">
        <h2>BOOKS</h2>
        <div class="box1-img" style="background-image:
url('box30.jpeg');"></div>
        <a href="payment.html">347₹</a>
        <i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
<i class="fa-solid fa-star-half-stroke"></i>
      </div>
      <div class="box2 box"> <div class="box-content">
        <h2>BOOKS</h2>
        <div class="box1-img" style="background-image: url('bo21.jpeg');"></div>

```



```

        <a href="payment.html">987₹
    </a>
    <i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
    <div class="box3 box"> <div class="box-content">
        <h2>BOOKS</h2>
        <div class="box1-img" style="background-image: url('box22.jpeg');"></div>
        <a href="payment.html">367₹
    </a>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star-half-stroke"></i>
    <i class="fa-solid fa-star-half-stroke"></i>
    </div></div>
    <div class="box4 box"> <div class="box-content">
        <h2>BOOKS</h2>
        <div class="box1-img" style="background-image: url('box18.jpeg');"></div>
        <a href="payment.html">888₹
    </a>
    <i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
    </div></div>
    <div class="box1 box">
        <div class="box-content">
            <h2>BOOKS</h2>
            <div class="box1-img" style="background-image:
url('box15.jpeg');"></div>
            <a href="payment.html">789₹
        </a>
        <i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
        </div>
    </div>
    <div class="box2 box"> <div class="box-content">
        <h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box14.jpeg');"></div>

```

```

<a href="payment.html">669₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
  <div class="box3 box"> <div class="box-content">
    <h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('IMG.jpg');"></div>
<a href="payment.html">929₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
  <div class="box4 box"> <div class="box-content">
    <h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box25.jpeg');"></div>
<a href="payment.html">389₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box1 box">
  <div class="box-content">
    <h2>BOOKS</h2>
    <div class="box1-img" style="background-image: url('box24.jpeg');"></div>
    <a href="payment.html">549₹
    </a>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star-half-stroke"></i>
  </div>
</div>
<div class="box2 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('bo6 copy.jpeg');"></div>
<a href="payment.html">449₹

```

```

</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box3 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box11.jpeg');"></div>
<a href="payment.html">569₹</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box4 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box31.jpg');"></div>
<a href="payment.html">899₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box1 box">
  <div class="box-content">
    <h2>BOOKS</h2>
    <div class="box1-img" style="background-image: url('box8.jpeg');"></div>
    <a href="payment.html">269₹
    </a>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star-half-stroke"></i>
    <i class="fa-solid fa-star-half-stroke"></i>
    </div>
  </div>
<div class="box2 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box7.jpeg');"></div>
<a href="payment.html">499₹
</a>
<i class="fa-solid fa-star"></i>

```

```

<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box3 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box6.jpeg');"></div>
<a href="payment.html">399₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box4 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box5.jpeg');"></div>
<a href="payment.html">479₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box1 box">
  <div class="box-content">
    <h2>BOOKS</h2>
    <div class="box1-img" style="background-image: url('box4.jpeg');"></div>
    <a href="payment.html">999₹
    </a>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star"></i>
    <i class="fa-solid fa-star-half-stroke"></i>
  </div>
</div>
<div class="box2 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box3.jpg');"></div>
<a href="payment.html">789₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>

```

```

<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box3 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box2.jpg');"></div>
<a href="payment.html">799₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div></div>
<div class="box4 box"> <div class="box-content">
<h2>BOOKS</h2>
<div class="box1-img" style="background-image: url('box1.jpg');"></div>
<a href="payment.html">560₹
</a>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star"></i>
<i class="fa-solid fa-star-half-stroke"></i>
</div>
</div>
</div>
<div>
<div class="foot-panel1">
Back to Top
</div>

<div class="foot-panel2">
<ul>
<ul>Get to Kows Us</ul>
<a href="Careers">Careers</a>
<a href="Blog">Blog</a>
<a href="Abouts Books Stores">Abouts Books Stores</a>
<a href="Investor Relation">Investor Relation</a>
<a href="Online Books">Online Books</a>
<a href="History of Bokks">History of Bokks</a>
</ul>
<ul>
<ul>Contect with us</ul>
<a href="CONTECT US.htm">Twitter</a>

```

```

        <a href="CONTECT US.html">Instagram</a>
        <a href="CONTECT US.html">Facebook</a>

    </ul>
    <ul>
        <ul>Make money with us</ul>
        <a href="Sell on BooksStore">Sell on BooksStore</a>
        <a href="Protect and built your Brand">Protect and built your
Brand</a>

        <a href="Globally salling">Globally salling</a>
        <a href="Become an Affiliate">Become an Affiliate
        </a>
        <a href="Advertise Your Products">Advertise Your Products
        </a>
        <a href="BooksStore Pay on Merchants">BooksStore Pay on
Merchants

        </a>
        <a href="Fulfilment by Amazon">Fulfilment by Amazon
        </a>
    </ul>
    <ul>
        <ul>Your Account</ul>
        <a href="Returns Centre">Returns Centre</a>
        <a href="100% Purchase Protection">100% Purchase Protection</a>
        <a href=" Download App"> Download App</a>
        <a href="href">Help</a>

    </ul>
</div>
<div class="foot-panel3">
    <div class="logo-footer"></div>
</div>

<div class="foot-panel4">
    <div class="pages">
        <p>Conditions of USE</p>
        <p>Privact Notice</p>
        <p> your Ads Privacy Chalange</p>
    </div>
    <div class="Copyright">
        @ 1996-2024, Booksstore.com, Inc. Or its affiliates
    </div>
</div>
</footer>
<script src="index1.js"></script>
</body>
</html>

```

INDEX.CSS

```
* {
  margin: 0;
  font-family: Arial;
  border: border-box;
}
.navbar
{
  height: 150px;
  background-color:paleturquoise;
  color:black;
  display: flex;
  align-items: center;
  justify-content: space-evenly;
}
.nav-logo{
  height: 140px;
  width: 100px;
}

.logo{
  background-image: url("bbook2.jpeg");
  background-size: cover;
  height: 140px;
  width:170%;
  border-radius: 80%;
  align-items: start;
  margin-right: 50px;
}
.border{
  border: 1.5px solid transparent;
}

.border:hover{
  border: 1.5px solid white;
  background-color: transparent;
}

/**box2**/
a {
  color:grey;
```

```

    font-size:1rem ;
    margin-left: 50px;
}

.address-2 {
    font-size:1rem ;
    margin-left: 3px;
}

.add-icon{
    display: flex;
    align-items: center;
}
/** box3**/
.nav-search{
    display: flex;
    justify-content:space-evenly;
    background-color:pink;
    width: 620px;
    height: 40px;
    border-radius: 4px;
}

.nav-search.hover{
    border:white;
}

.search-select{
    background-color: #f3f3ff;
    width: 50px;
    text-align: center;
    border-top-left-radius: 4px;
    border-bottom-left-radius: 4px ;
    border: none;
}

.search-input{
    width: 100%;
    font-size: 1rem;
    border: none;
}

.search-icon{
    width: 45px;

```



```

display: flex;
justify-content: center;
align-items: center;
background-color: palevioletred;
border-top-right-radius: 4px;
border-bottom-right-radius: 4px ;
border: none;
color: #0f1111;
}

/** box**/
span{
    font-size: 0.85rem;
}
.nav-1{
    font-size: 1rem;
    font-weight: 1;
}
/** box6 **/
.nav-cart i{
    font-size: 0.85rem;
    font-weight: 700;
}

/**panel**/
.panel{
    height: 40px;
    background-color: #222f3d;
    display: flex;
    color: white;
    align-items: center;
    justify-content: space-evenly;
}

.panel-ops p{
    display: inline;
    margin: 15px;
}

.panel-ops{
    width: 70%;
    font-size: 0.85rem;
    color: white;
}

```

```

}

.panel-deals{
    font-size: 0.9rem;

    font-weight: 700;
}

/** hero section **/

.hero-section{
    background-image: url("BOOKPIC.avif");
    background-size:cover ;
    height: 350px;
    display: flex;
    justify-content: center;
    align-items: flex-end;
}

.hero-msg{
    background-color: #cccccc;
    color: #0f1111;
    height: 40px;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 0.85rem;
    width: 90%;
    margin-block-end: 25px;
}

.hero-msg a{
    color: #007185;
}

/** shop section**/
.shop-section{
    display:flex ;
    flex-wrap: wrap;
    justify-content: space-evenly;
    background-color: #e2e7e6;
}

.box {
    height: 400px;
    width: 22%;

```

```

        background-color: #f3f3f3;
        padding: 20px 0px 15px;
        margin-top: 15px;
    }

    .box1-img{
        height: 300px;
        background-size: cover;
        margin-top: 1rem;
        margin-bottom: 1rem;
    }

    .box-content{
        margin-left: 1rem ;
        margin-right: 1rem;
    }

    .box-content p{
        color: #007185;
    }

    /**footer**/
    footer {
        margin-top: 15px;
    }

    .foot-panel1{
        background-color:cadetblue;
        color: #f3f3f3;
        height: 50px;
        display: flex;
        justify-content: center;
        align-items: center;
        font-size: 0.8rem;
    }

    .foot-panel2{
        background-color:grey;
        color: white;
        height: 300px;
        display: flex;
        justify-content: space-evenly;
    }

    ul{

```

```

    margin-top: 20px;
}

ul a{
    display: block;
    font-size: 0.85rem;
    margin-top: 10px;
    color: #dddddd;
}

.foot-panel3 {
    background-color:#e2e7e6;
    color: white;
    border-top:0.5px solid white;
    height: 70px;
    display: flex;
    justify-content: center;
    align-items: center;
}

.logo-footer{
    background-image: url("bbk1.png");
    background-size: cover;
    height: 70px;
    width:70px;
}

.foot-panel4 {
    background-color: #0f1111;
    color: white;
    height: 80px;
    font-size: 0.7rem;
    text-align: center;
    border: 20%;
}

.pages{
    padding-top: 25px;
}

.copyright {
    padding-top: 5px;
}

.nav-loader-container {
    display: none;
    justify-content: center;
    align-items: center;
}

```

```

    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background-color: rgba(255, 255, 255, 0.7);
    z-index: 9999;
}

.nav-loader {
    border: 4px solid #f3f3f3;
    border-top: 4px solid #3498db;
    border-radius: 50%;
    width: 30px;
    height: 30px;
    animation: spin 2s linear infinite;
}

@keyframes spin {
    0% { transform: rotate(0deg); }
    100% { transform: rotate(360deg); }
}

```

INDEX.JS

```

// script.js

function showHome() {
    document.getElementById('main-content').innerHTML = `<section><h2>Welcome
to our Online Bookstore!</h2><p>Explore our collection of books and find your
next favorite read.</p></section>`;
}

function showBooks() {
    document.getElementById('main-content').innerHTML = `<section><h2>Featured
Books</h2><div class="book">Book 1</div><div class="book">Book 2</div><div
class="book">Book 3</div></section>`;
}

function showAbout() {
    document.getElementById('main-content').innerHTML = `<section><h2>About
Us</h2><p>We are passionate about books and aim to provide a convenient

```

```

platform for book lovers to discover and purchase their favorite
titles.</p></section>`;
}

function showContact() {
    document.getElementById('main-content').innerHTML = `

<h2>Contact
Us</h2><p>Have a question or feedback? Feel free to reach out to us at
contact@onlinebookstore.com</p></section>`;
}

// Show home page by default
showHome();
window.addEventListener('load', function() {
    showNavLoader(); // Show the Loader when the page Loads

    // Simulating a delay of 2 seconds before hiding the Loader
    setTimeout(function() {
        hideNavLoader();
    }, 2000);
});

function showNavLoader() {
    const navLoader = document.getElementById('navLoader');
    if (navLoader) {
        navLoader.style.display = 'flex';
    }
}

function hideNavLoader() {
    const navLoader = document.getElementById('navLoader');
    if (navLoader) {
        navLoader.style.display = 'none';
    }
}


```

DELIVER.HTML

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Delivery Form</title>
  <link rel="stylesheet" href="deliver.css">
</head>
<body>
  <div class="container">
    <h1>Delivery Details</h1>
    <form id="delivery-form">
      <div class="form-group">
        <label for="name">Name</label>
        <input type="text" id="name" placeholder="Enter your name">
      </div>
      <div class="form-group">
        <label for="address">Address</label>
        <textarea id="address" placeholder="Enter your
address"></textarea>
      </div>
      <div class="form-group">
        <label for="pincode">Pincode</label>
        <input type="text" id="pincode" placeholder="Enter your
pincode">
      </div>
      <button type="button"
onclick="submitDeliveryDetails()">Submit</button>
    </form>
  </div>
  <script src="deliver.js"></script>
</body>
</html>

```

DELIVER.CSS

```
body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  background-image: url("BOOKIMAGE.avif");
  background-size: cover;
}

.container {
  width: 400px;
  margin: 50px auto;
  padding: 20px;
  background-color: #158bcf;
  border-radius: 5px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

h1 {
  text-align: center;
  margin-bottom: 20px;
}

.form-group {
  margin-bottom: 20px;
  margin-right: 9px;
}

label {
  display: block;
  margin-bottom: 5px;
}

input[type="text"],
textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 3px;
}

button {
  display: block;
  width: 100%;
  padding: 10px;
  background-color: #007bff;
  color: #fff;
  border: none;
```



```
border-radius: 3px;
cursor: pointer;
}

button:hover {
  background-color: #0056b3;
}
```

DELIVER.JS

```
function submitDeliveryDetails() {
  const nameInput = document.getElementById('name');
  const addressInput = document.getElementById('address');
  const pincodeInput = document.getElementById('pincode');

  const name = nameInput.value.trim();
  const address = addressInput.value.trim();
  const pincode = pincodeInput.value.trim();

  if (!name || !address || !pincode) {
    alert("Please fill in all fields.");
    return;
  }

  // Here you can implement the delivery processing logic
  alert(`Delivery details submitted successfully!\nName: ${name}\nAddress:
${address}\nPincode: ${pincode}`);
  // Reset form fields after successful submission
  nameInput.value = '';
  addressInput.value = '';
  pincodeInput.value = '';
}
```

SIGN.HTML

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Sign In</title>
  <link rel="stylesheet" href="sign.css">
</head>
<body>
  <div class="container">
    <h1>Sign In</h1>
    <div id="sign-in-form">
      <form>
        <div class="form-group">
          <label for="email">Email:</label>
          <input type="email" id="email" placeholder="Enter your
email">
        </div>
        <div class="form-group">
          <label for="password">Password:</label>
          <input type="password" id="password" placeholder="Enter
your password">
        </div>
        <button type="button" onclick="signIn()">Sign In</button>
      </form>
      <p>Don't have an account? <a href="#">Sign Up</a></p>
    </div>
  </div>
  <script src="sign.js"></script>
</body>
</html>

```

SIGN.CSS

```

body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  background-image: url("BOOKIMAGE.avif");
  background-size: cover;
}

.container {
  width: 400px;
  margin: 50px auto;
}

```

```

h1 {
  text-align: center;
}

#sign-in-form {
  background-color: #0da0d6;
  border-radius: 5px;
  padding: 20px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

.form-group {
  margin-bottom: 20px;
}

label {
  display: block;
  margin-bottom: 5px;
}

input[type="email"],
input[type="password"] {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 3px;
}

button {
  display: block;
  width: 100%;
  padding: 10px;
  background-color: #007bff;
  color: #fff;
  border: none;
  border-radius: 3px;
  cursor: pointer;
}

button:hover {
  background-color: #0056b3;
}

```

SIGN.JS

```
function signIn() {
```

```

const email = document.getElementById('email').value.trim();
const password = document.getElementById('password').value.trim();

if (!email || !password) {
    alert("Please fill in all fields.");
    return;
}

// Here you can implement the sign-in logic
alert("Sign in successful!");
// Reset form fields after successful sign-in
document.getElementById('email').value = '';
document.getElementById('password').value = '';
}

```

RETURN.HTML

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Return Order</title>
    <link rel="stylesheet" href="return.css">
</head>
<body>
    <div class="container">
        <h1>Return Order</h1>
        <div id="return-form">
            <h2>Return Order Form</h2>
            <form id="order-return-form">
                <div class="form-group">
                    <label for="order-id">Order ID:</label>
                    <input type="text" id="order-id" placeholder="Enter your
order ID">
                </div>
                <div class="form-group">
                    <label for="reason">Reason for return:</label>
                    <textarea id="reason" placeholder="Enter reason for
return"></textarea>
                </div>
                <button type="button" onclick="submitReturn()">Submit
Return</button>
            </form>

```

```

    </div>
    <div id="return-policy">
      <h2>Return Policy</h2>
      <p>We have a 30-day return policy, which means you have 30 days
after receiving your item to request a return.</p>
      <p>To be eligible for a return, your item must be in the same
condition that you received it, unworn or unused, with tags, and in its
original packaging. You'll also need the receipt or proof of purchase.</p>
      <p>To start a return, you can contact us at <a
href="mailto:returns@example.com">returns@example.com</a>. If your return is
accepted, we'll send you a return shipping label, as well as instructions on
how and where to send your package.</p>
    </div>
  </div>
  <script src="return.js"></script>
</body>
</html>

```

RETURN.CSS

```

body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  background-image: url("BOOKIMAGE.avif");
  background-size: cover;
}

.container {
  width: 800px;
  margin: 50px auto;
}

h1 {
  text-align: center;
}

#return-form, #return-policy {
  background-color: #17ace7;
  border-radius: 5px;
  padding: 20px;
  margin-bottom: 20px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

.form-group {
  margin-bottom: 20px;
}

```

```

}

label {
  display: block;
  margin-bottom: 5px;
}

input[type="text"], textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 3px;
}

button {
  display: block;
  width: 100%;
  padding: 10px;
  background-color: #007bff;
  color: #fff;
  border: none;
  border-radius: 3px;
  cursor: pointer;
}

button:hover {
  background-color: #0056b3;
}

```

RETURN.JS

```

function submitReturn() {
  const orderId = document.getElementById('order-id').value.trim();
  const reason = document.getElementById('reason').value.trim();

  if (!orderId || !reason) {
    alert("Please fill in all fields.");
    return;
  }

  // Here you can implement the return submission logic
  alert("Return order submitted successfully!");
}

```

```
// Reset form fields after successful submission
document.getElementById('order-id').value = '';
document.getElementById('reason').value = '';
}
```

CART.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Shopping Cart</title>
  <link rel="stylesheet" href="cart.css">
</head>
<body>
  <div class="container">
    <h1>Shopping Cart</h1>
    <div id="cart">
      <ul id="cart-items">
        <!-- Cart items will be added dynamically here -->
      </ul>
      <p>Total: ₹<span id="total">0.00</span></p>
      <button onclick="checkout()">Checkout</button>
    </div>
  </div>
  <script src="cart.js"></script>
</body>
</html>
```

CART.CSS

```
body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  background-image: url("BOOKIMAGE.avif");
  background-size: cover;
}

.container {
```

```
    width: 800px;
    margin: 50px auto;
}

h1 {
    text-align: center;
}

#cart {
    background-color: #fff;
    border-radius: 5px;
    padding: 20px;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

#cart-items {
    list-style-type: none;
    padding: 0;
}

#cart-items li {
    margin-bottom: 10px;
}

#cart-items li span {
    margin-left: 10px;
}

button {
    display: block;
    width: 100%;
    padding: 10px;
    background-color: #007bff;
    color: #fff;
    border: none;
    border-radius: 3px;
    cursor: pointer;
}

button:hover {
    background-color: #0056b3;
}
```

CART.JS

```
const cart = [];
```



```

function addToCart(item) {
  cart.push(item);
  updateCart();
}

function updateCart() {
  const cartItems = document.getElementById('cart-items');
  const totalElement = document.getElementById('total');
  let total = 0;
  cartItems.innerHTML = '';
  cart.forEach(item => {
    const li = document.createElement('li');
    li.textContent = `${item.name} - ₹${item.price}`;
    const removeButton = document.createElement('button');
    removeButton.textContent = 'Remove';
    removeButton.addEventListener('click', () => removeFromCart(item));
    li.appendChild(removeButton);
    cartItems.appendChild(li);
    total += item.price;
  });
  totalElement.textContent = total.toFixed(2);
}

function removeFromCart(item) {
  const index = cart.indexOf(item);
  if (index !== -1) {
    cart.splice(index, 1);
    updateCart();
  }
}

function checkout() {
  alert('Checkout functionality will be implemented in the future!');
}

```

PAYMENT.HTML

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Payment Form</title>
  <link rel="stylesheet" href="payment.css">
</head>
<body>
  <div class="container">
    <h1>BOOKS STORES</h1>
    <h2> Payment Details</h2>
    <form id="payment-form">
      <div class="form-group">
        <label for="amount">Enter Amount (INR)</label>
        <input type="number" id="amount" min="200" max="1000"
placeholder="Enter amount">
      </div>
      <div class="form-group">
        <label for="card-number">Card Number</label>
        <input type="text" id="card-number" placeholder="Enter card
number">
      </div>
      <div class="form-group">
        <label for="expiry">Expiry Date</label>
        <input type="text" id="expiry" placeholder="MM/YY">
      </div>
      <div class="form-group">
        <label for="cvv">CVV</label>
        <input type="text" id="cvv" placeholder="CVV">
      </div>
      <button type="button" onclick="processPayment()">Pay Now</button>
    </form>
  </div>
  <script src="payment.js"></script>
</body>
</html>

```

PAYMENT.CSS

```
body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  background-image: url("BOOKIMAGE.avif");
  background-size: cover;
}

.container {
  width: 400px;
  margin: 50px auto;
  padding: 20px;
  background-color: #0d7ed4;
  border-radius: 5px;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

h1 {
  text-align: center;
  margin-bottom: 20px;
}

.form-group {
  margin-bottom: 20px;
}

label {
  display: block;
  margin-bottom: 5px;
}

input[type="text"],
input[type="number"] {
  width: 100%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 3px;
}

button {
  display: block;
  width: 100%;
  padding: 10px;
  background-color: #007bff;
  color: #fff;
  border: none;
  border-radius: 3px;
  cursor: pointer;
}
```

```

}

button:hover {
    background-color: #0056b3;
}

```

PAYMENT.JS

```

function processPayment() {
    const amountInput = document.getElementById('amount');
    const cardNumberInput = document.getElementById('card-number');
    const expiryInput = document.getElementById('expiry');
    const cvvInput = document.getElementById('cvv');

    const amount = parseInt(amountInput.value);
    const cardNumber = cardNumberInput.value.trim();
    const expiry = expiryInput.value.trim();
    const cvv = cvvInput.value.trim();

    if (isNaN(amount) || amount < 200 || amount > 1000) {
        alert("Please enter a valid amount between 200 and 1000 INR.");
        return;
    }

    if (!cardNumber || !expiry || !cvv) {
        alert("Please fill in all fields.");
        return;
    }

    // Here you can implement the actual payment processing logic
    alert(`Payment processed successfully! Amount: ₹${amount}`);
    // Reset form fields after successful payment
    amountInput.value = '';
    cardNumberInput.value = '';
    expiryInput.value = '';
    cvvInput.value = '';
}

```

REGISTER.HTML

```

<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>User Registration</title>
  <link rel="stylesheet" href="register.css">
</head>
<body>
  <div class="container">
    <h1>User Registration</h1>
    <form id="registration-form">
      <div class="form-group">
        <label for="username">Username:</label>
        <input type="text" id="username" name="username" required>
      </div>
      <div class="form-group">
        <label for="email">Email:</label>
        <input type="email" id="email" name="email" required>
      </div>
      <div class="form-group">
        <label for="password">Password:</label>
        <input type="password" id="password" name="password" required>
      </div>
      <button type="submit">Register</button>
    </form>
  </div>
  <script src="register.js"></script>
</body>
</html>

```

REGISTER.CSS

```

body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  color: #333;
  background-image: url("BOOKIMAGE.avif");
  background-size: cover;
}

.container {
  width: 400px;
  margin: 50px auto;
}

h1 {
  text-align: center;
}

```

```

        color: #007bff;
    }

    form {
        background-color: #0db6dc;
        padding: 20px;
        border-radius: 5px;
        box-shadow: 0 0 5px rgba(0, 0, 0, 0.1);
    }

    .form-group {
        margin-bottom: 20px;
    }

    label {
        display: block;
        margin-bottom: 5px;
    }

    input[type="text"],
    input[type="email"],
    input[type="password"] {
        width: 100%;
        padding: 10px;
        border: 1px solid #ccc;
        border-radius: 3px;
    }

    button {
        display: block;
        width: 100%;
        padding: 10px;
        background-color: #007bff;
        color: #fff;
        border: none;
        border-radius: 3px;
        cursor: pointer;
    }

    button:hover {
        background-color: #0056b3;
    }

```

REGISTER.JS

```

document.addEventListener("DOMContentLoaded", function() {
    const registrationForm = document.getElementById('registration-form');

```

```

registrationForm.addEventListener('submit', function(event) {
    event.preventDefault();

    const formData = new FormData(this);
    const username = formData.get('username');
    const email = formData.get('email');
    const password = formData.get('password');

    // You can perform validation here before sending the data to the
server
    // For demonstration, let's just log the form data
    console.log('Username:', username);
    console.log('Email:', email);
    console.log('Password:', password);

    // You can also send the form data to the server using fetch or other
methods
    // fetch('your-api-endpoint', {
    //     method: 'POST',
    //     body: JSON.stringify({ username, email, password }),
    //     headers: {
    //         'Content-Type': 'application/json'
    //     }
    // })
    // .then(response => response.json())
    // .then(data => {
    //     // Handle response from server
    // })
    // .catch(error => {
    //     console.error('Error:', error);
    // });
});
});

```

CUSTOMER.HTML

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Book Details - Customer Service</title>

```

```

    <link rel="stylesheet" href="customer.css">
</head>
<body>
  <div class="container">
    <h1>Book Details - Customer Service</h1>
    <div id="book-details">
      
    </div>
  </div>
  <script src="customer.js"></script>
</body>
</html>

```

CUSTOMER.CSS

```

body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f4;
  color: #333;
  background-image: url("BOOKIMAGE.avif");
  background-size: cover;
}

.container {
  width: 800px;
  margin: 50px auto;
}

h1 {
  text-align: center;
  color: #007bff;
}

#book-details {
  margin-top: 20px;
  padding: 20px;
  background-color: #10c9b6;
  border: 1px solid #ccc;
  border-radius: 5px;
  box-shadow: 0 0 5px rgba(0, 0, 0, 0.1);
}

#book-details h2 {
  margin-bottom: 10px;
}

```



```

#book-details p {
  margin-bottom: 5px;
}

#book-details img {
  display: block;
  margin: 0 auto 20px;
  max-width: 100%;
  height: auto;
}

#book-details .label {
  font-weight: bold;
}

#book-details .btn-container {
  text-align: center;
}

.button {
  padding: 10px 20px;
  background-color: #007bff;
  color: #fff;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  transition: background-color 0.3s;
}

.button:hover {
  background-color: #0056b3;
}

```

CUSTOMER.JS

```

document.addEventListener("DOMContentLoaded", function() {
  const bookDetails = document.getElementById('book-details');

  // Dummy book data
  const book = {
    title: "The Customer Service Book",
    author: "John Doe",

```

```

        price: "$19.99",
        description: "Lorem ipsum dolor sit amet, consectetur adipiscing elit.
Nullam accumsan nisi vitae nunc fermentum, auctor varius tortor auctor. Morbi
nec mauris rhoncus, tempor odio ut, commodo turpis. Vestibulum non purus nec
sapien laoreet luctus. Nam eu felis arcu.",
        imageUrl: "https://via.placeholder.com/300x400"
    };

    // Create HTML elements for book details
    const bookDiv = document.createElement('div');
    bookDiv.innerHTML = `
        
        <h2>${book.title}</h2>
        <p class="label">Author:</p>
        <p>${book.author}</p>
        <p class="label">Price:</p>
        <p>${book.price}</p>
        <p class="label">Description:</p>
        <p>${book.description}</p>
        <div class="btn-container">
            <button class="button">Add to Cart</button>
        </div>
    `;

    // Append book details to the container
    bookDetails.appendChild(bookDiv);
});

```