

LOYAL ENTERPRISE

81, Parishram Indl. Cottage, Nr. Janata Nagar,
Ramol, Ahmedabad, Gujarat, 382449. Mob.9825311634 / 9727003952

GSTIN No.: 24AMJPP1820G1ZA

PAN No.: AMJPP1820G

Debit Memo

TAX INVOICE

Original

M/s. : EMS Infra Project LLP.

Survey No.109/1, Nr.Sonipura,
Vill.-Garod,Tal.-Kapadvanj, Dist.Kheda.
Garod - 387411

Place of Supply : 24-Gujarat

GSTIN No. : 24AAKFE2252Q1Z5

Invoice No. : LE/564

Date : 20/02/2026

Challan No. : LE/564

Date : 20/02/2026

P.O. No. :

Date : / /

Transport : By Road


Vehicle No : GJ27 TD 2196

E-Way No. : 632063462460

Ack No : 162623683601266

Ack Date : 20/02/2026 08:45:00 PM

IRN NO : c5e9c581d8d02d71e28bc2e7ba98faab5a104cdfc00a54dca3da32aae2469d90



Sr.	Product Name	HSN/SAC Code	Qty	Rate	Dis%	Taxable Amount	GST %	Amount		Net Amount
								Central	SGST	
1	3.15mm Aluminium EC-Grade Wire 8 Bunddle	76051100	505.86	354.00		179074.44	18.0	16116.70	16116.70	211307.84
2	Nippon Zinc Chromate Yellow IS-104 20 Drum	32089090	400.00	148.00		59200.00	18.0	5328.00	5328.00	69856.00
3	Stud Holder	73181500	3.00	790.00		2370.00	18.0	213.30	213.30	2796.60
4	Yifa Ferrule Holder 22mm / 25mm	85159000	1.00	600.00		600.00	18.0	54.00	54.00	708.00
5	Yifa Stud Both side Thread	73181500	2.00	250.00		500.00	18.0	45.00	45.00	590.00
6	Koike F006 Cathode	85159000	20.00	1690.00		33800.00	18.0	3042.00	3042.00	39884.00
7	Koike F2012L Nozzle	85159000	5.00	1537.00		7685.00	18.0	691.65	691.65	9068.30
8	Koike F2014L Nozzle	85159000	5.00	1537.00		7685.00	18.0	691.65	691.65	9068.30
9	Yifa Brass Nut for Stud Gun	73181600	6.00	90.00		540.00	18.0	48.60	48.60	637.20
10	30m x 135m CSK Bolt with Nut & Washer With Nut & S.Washer	73181500	160.00	300.00		48000.00	18.0	4320.00	4320.00	56640.00
Total						339454.44		30550.90	30550.90	400556.24

Total GST : Sixty One Thousand One Hundred One And Eighty Paise Only

Bill Amount : Four Lakh Five Hundred Fifty Six Only

Round Off -0.24

Grand Total 4,00,556.00

Bank Name : ICICI Bank Ltd.

Bank A/c. No. : 777705130982

RTGS/IFSC Code : ICIC0003466

Note :

Rate Wise Summary :

Per %	Taxable Value	CGST Amount	SGST Amount
18.00%	339454.44	30550.90	30550.90

Terms & Condition :

1. Goods once sold will not be taken back.
2. Interest @18% p.a. will be charged if payment is not made within due date.
3. Our risk and responsibility ceases as soon as the goods leave our premises.
4. "Subject to 'Ahmedabad' Jurisdiction only. E.&O.E"

For, LOYAL ENTERPRISE


(Authorised Signatory)

WORK TEST CERTIFICATE

DESCRIPTION: ZINC CHROMATE PRIMER SPEC NO. IS: 104/1962

TC NO:NPVB-1889/2026	INVOICE NO. S12506021504	DATE: 31.01.2026
BATCH NO: B0000LO245	MFG. DATE: 24.01.2026	
CUSTOMER: LOYAL ENTERPRISES.,		

S No.	Parameter	Value Specified	Observation	TEST METHOD
(1)	Consistency	Smooth and Uniform and suitable for application by Brushing without applicable drag on the brush	Smooth and Uniform	IS:101-89 (part 1/ Sec.5)
(2)	Drying time Hard dry	Not more than 18 hours	Less than 18 hours	IS: 101-86 (part 3/sec. 1)
(3)	Finish	Smooth and matt to egg shell flat	Smooth and matt	IS: 101-87 (part 3/ sec.4)
(4)	Wet opacity	Between -10 percent and +20 percent of the approved sample	198.2 m ² /10 litres	IS: 101
(5)	Colour	That of zinc chrome	Zinc chrome	IS: 101-89 (part 4/ sec.2)
(6)	Water content	0.5 (max)	Nil	(Part 2/Sec 1)
(7)	Scratch hardness after 48 hours air-drying	No scratch as to show the bare metal	Passes the test	IS: 101-88 (part 5/sec.2)
(8)	Mass in kg/10 Litres, Min.	14.0	14.1	IS: 101-87 (part1/sec.7)
(9)	Flash point	30°C (min)	Above 30°C	(part 1/sec.6)
(10)	Flexibility and adhesion after 48 hours air-drying	No visible damage or detachment of the film	Passes the test	IS: 101-88 (part 5/sec.2)



(11)	Protection against corrosion Under condition of condensation	No sign of corrosion	Passes the test	IS: 101-87 (part1/sec.6)
(12)	Pigment content	60 ± 4%	60.2	IS: Appendix -A
(13)	Zinc chrome content	Not less than 40%	41.2	Appendix - A
(14)	Chromic anhydride content	17.2% (min)	17.6	Appendix - A
(15)	Zinc oxide content	14.6 – 16.0 %	15.4	Appendix - A
(16)	Resistance to salt spray (4 days)	No signs of corrosion	No signs of corrosion	Appendix - B

REMARKS: THE PAINT CONFORMS TO THE REQUIREMENTS OF THE ABOVE NOTED SPECIFICATION

for NIPPON PAINT (INDIA) PRIVATE LIMITED

