Lab7: create dashboard with accordion using Bootstrap. Each accordion contains different bootstrap components.

Code:

```
<!DOCTYPE html>

<html lang="en">


<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"

        rel="stylesheet"

        integrity="sha384-
sRIl4kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB"

        crossorigin="anonymous">

    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"

        integrity="sha384-
FKyoEForCGlyvwx9Hj09JcYn3nv7wiPVlz7YYwJrWVcXK/BmnVDxM+D2scQbITxI"

        crossorigin="anonymous"></script>

</head>


<body>
```

```
<div class="accordion" id="accordionExample">
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-bs-toggle="collapse"
                data-bs-target="#collapseOne" aria-expanded="true" aria-
controls="collapseOne">
                card
            </button>
        </h2>

        <div id="collapseOne" class="accordion-collapse collapse show" data-bs-
parent="#accordionExample">
            <div class="accordion-body">
                <div class="card" style="width: 18rem;">
                    <img src="" class="card-img-top" alt="...">
                    <div class="card-body">
                        <h5 class="card-title">Card title</h5>
                        <p class="card-text">Some quick example text to build on the card
title and make up the bulk
                            of the card’s content.</p>

                        <a href="#" class="btn btn-primary">Go somewhere</a>
                    </div>
                </div>
            </div>
        </div>

    <div class="accordion-item">
```

```
        <h2 class="accordion-header">
            <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse"
                data-bs-target="#collapseTwo" aria-expanded="false" aria-controls="collapseTwo">
                alert
            </button>
        </h2>

        <div id="collapseTwo" class="accordion-collapse collapse" data-bs-parent="#accordionExample">
            <div class="accordion-body">
                <div class="alert alert-primary" role="alert">
                    A simple primary alert—check it out!
                </div>
                <div class="alert alert-secondary" role="alert">
                    A simple secondary alert—check it out!
                </div>
                <div class="alert alert-success" role="alert">
                    A simple success alert—check it out!
                </div>
                <div class="alert alert-danger" role="alert">
                    A simple danger alert—check it out!
                </div>
                <div class="alert alert-warning" role="alert">
                    A simple warning alert—check it out!
                </div>
                <div class="alert alert-info" role="alert">
                    A simple info alert—check it out!
```

```
            </div>
            <div class="alert alert-light" role="alert">
               A simple light alert—check it out!
            </div>
            <div class="alert alert-dark" role="alert">
               A simple dark alert—check it out!
            </div>
         </div>
      </div>
   </div>

   <div class="accordion-item">
      <h2 class="accordion-header">
         <button class="accordion-button collapsed" type="button" data-bs-toggle="collapse"
            data-bs-target="#collapseThree" aria-expanded="false" aria-controls="collapseThree">
            Button
         </button>
      </h2>

      <div id="collapseThree" class="accordion-collapse collapse" data-bs-parent="#accordionExample">
         <div class="accordion-body">
            <button type="button" class="btn btn-primary">Primary</button>
            <button type="button" class="btn btn-secondary">Secondary</button>
            <button type="button" class="btn btn-success">Success</button>
            <button type="button" class="btn btn-danger">Danger</button>
            <button type="button" class="btn btn-warning">Warning</button>
```

```
                <button type="button" class="btn btn-info">Info</button>
                <button type="button" class="btn btn-light">Light</button>
                <button type="button" class="btn btn-dark">Dark</button>
                <button type="button" class="btn btn-link">Link</button>
            </div>
        </div>
    </div>
</div>

<div class="accordion" id="accordionExample2">
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-bs-toggle="collapse"
                data-bs-target="#collapseFour" aria-expanded="true" aria-
controls="collapseFour">
                Table
            </button>
        </h2>


        <div id="collapseFour" class="accordion-collapse collapse show" data-bs-
parent="#accordionExample2">
            <div class="accordion-body">
                <table class="table">
                    <thead>
                        <tr>
                            <th scope="col">#</th>
                            <th scope="col">First</th>
                            <th scope="col">Last</th>
                            <th scope="col">Handle</th>
```


```
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <th scope="row">1</th>
                        <td>Kumkum</td>
                        <td>Chauhan</td>
                        <td>@mdo</td>
                    </tr>
                    <tr>
                        <th scope="row">2</th>
                        <td>Het</td>
                        <td>Khandariya</td>
                        <td>@fat</td>
                    </tr>
                    <tr>
                        <th scope="row">3</th>
                        <td>Parlee</td>
                        <td>Doe</td>
                        <td>@social</td>
                    </tr>
                </tbody>
            </table>
        </div>
    </div>
</div>
</div>
```

Chauhankumkum(92500120199)

</body>

</html>


card
Card title
Some quick example text to build on the card title and make up the bulk of the card's content.
Go somewhere
alert
Button
Table
First Last Handle
1 Kumkum Chauhan @mdo
2 Het Khandariya @fat
3 Parlee Doe @social



Chauhankumkum(92500120199)