SNOWFLAKE ASSIGNMENT - MEGHA SINGH - TAS206

```sql
CREATE ROLE Admin;
CREATE ROLE PII;
CREATE ROLE Developer;

GRANT ROLE Admin TO ROLE Accountadmin;
GRANT ROLE PII TO ROLE Accountadmin;
GRANT ROLE Developer TO ROLE admin;

-- 2. Create an M-sized warehouse using the accountadmin role, name -> assignment_wh and
use it for all the queries
CREATE WAREHOUSE IF NOT EXISTS assignment_wh
    WAREHOUSE_SIZE = 'Medium';

GRANT CREATE DATABASE ON ACCOUNT TO ROLE admin;
GRANT CREATE WAREHOUSE ON ACCOUNT TO ROLE admin;
GRANT CREATE WAREHOUSE ON ACCOUNT TO ROLE pii;
GRANT CREATE WAREHOUSE ON ACCOUNT TO ROLE developer;
GRANT USAGE ON WAREHOUSE assignment_wh TO ROLE admin;
GRANT USAGE ON WAREHOUSE assignment_wh TO ROLE PII;
GRANT USAGE ON WAREHOUSE assignment_wh TO ROLE DEVELOPER;

-- 3 .Switch to the admin role (
USE ROLE admin;

-- 4 Create a database assignment_db
CREATE DATABASE assignment_db;
-- 5 Create a schema my_schema
CREATE SCHEMA my_schema;
use database ASSIGNMENT_DB;
use SCHEMA MY_SCHEMA;

-- 6. Create a table Preferably search for a sample employee dataset so that you have PII
related columns e
CREATE TABLE assignment_db.my_schema.employee (
    employee_id INT,
    first_name VARCHAR(50),
    last_name VARCHAR(50),
    email VARCHAR(100),
    phone_number VARCHAR(20),
    hire_date DATE,
```

```sql
    salary DECIMAL(10,2),
    inserted_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP(), -- Automatically records
insertion timestamp
    elt_by VARCHAR(50) DEFAULT 'SnowSQL CLI', -- Default application name
    file_name VARCHAR(255) -- File name used to insert data
);

-- 8. Load the file into an external and internal stage

-- 8.1 Internal Staged file here :
-- Internal Staging commands only work in CLI

-- CREATE OR REPLACE STAGE mystage;
-- USE ROLE ACCOUNTADMIN;
-- GRANT USAGE ON STAGE mystage TO ROLE admin;
-- GRANT CREATE ON STAGE mystage TO ROLE admin;
-- GRANT READ ON STAGE ASSIGNMENT_DB.MY_SCHEMA.mystage TO ROLE ADMIN;
-- GRANT WRITE ON STAGE ASSIGNMENT_DB.MY_SCHEMA.mystage TO ROLE ADMIN;
-- USE ROLE ADMIN;
-- PUT file:///users/meghasingh/Desktop/EMPP.csv @mystage;


 COPY INTO EMPLOYEE  FROM @mystage/EMPP.csv FILE_FORMAT = (TYPE = CSV
SKIP_HEADER = 1);

 select * from employee;


 CREATE TABLE assignment_db.my_schema.employee_variant (
    employee_data VARIANT
);

INSERT INTO assignment_db.my_schema.employee_variant (employee_data)
SELECT OBJECT_CONSTRUCT(
    'employee_id', employee_id,
    'first_name', first_name,
    'last_name', last_name,
    'email', email,
    'phone_number', phone_number,
    'hire_date', hire_date,
    'salary', salary,
    'inserted_at', inserted_at,
    'elt_by', elt_by,
    'file_name', file_name
```

```
) AS employee_data
FROM assignment_db.my_schema.employee;

select *from employee_variant;


create file format my_csv_format
type = csv
field_delimiter = ','
skip_header = 1
null_if = ('NULL', 'null')
empty_field_as_null = true;

use role accountadmin;

create or replace storage integration s3_int2
type=external_stage storage_provider=s3 enabled=true
storage_aws_role_arn='arn:aws:iam::891377307930:role/megharole'
storage_allowed_locations=('s3://meghabucket/');

create or replace stage mystage2 STORAGE_INTEGRATION=s3_int2
url='s3://meghabucket/EMPP.csv' file_format=my_csv_format;

desc integration s3_int2;


-- STORAGE_AWS_EXTERNAL_ID:
HF91638_SFCRole=2_8FxNG2/u8O+oeAKFyKBXzWCpLzU=
-- STORAGE_AWS_IAM_USER_ARN: arn:aws:iam::975049976879:user/qb7l0000-s

CREATE TABLE assignment_db.my_schema.employeeExternal (
    employee_id INT,
    first_name VARCHAR(50),
    last_name VARCHAR(50),
    email VARCHAR(100),
    phone_number VARCHAR(20),
    hire_date DATE,
    salary DECIMAL(10,2),
    inserted_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP(), -- Automatically records
insertion timestamp
    elt_by VARCHAR(50) DEFAULT 'SnowSQL CLI', -- Default application name
    file_name VARCHAR(255) -- File name used to insert data
);
```

```sql
show stages;

copy into employeeExternal from @mystage2;


select * from employeeexternal;

use role admin;

-- 10. parquet file staging and infering schema without uploading it to snowflake.

-- INTERNAL STAGE PARQUET FILE FIRST
-- create or replace stage mystage3;
-- PUT file:///users/meghasingh/Desktop/titanic.parquet @mystage3;

-- after internal  staging

CREATE OR REPLACE FILE FORMAT my_parquet_format TYPE = parquet;

SELECT *
    FROM TABLE(
        INFER_SCHEMA(
        LOCATION=>'@mystage3/titanic.parquet' ,FILE_FORMAT=>'my_parquet_format')
            );

-- 11. Run a select query on the staged parquet file without loading it to a snowflake table
SELECT t.* FROM @mystage3 (file_format => 'my_parquet_format') t;



-- 12. Add masking policy to the PII columns such that fields like email,
--     phone number, etc. show as **masked** to a user with the developer role.
--     If the role is PII the value of these columns should be visible

-- Masking Policy
CREATE OR REPLACE MASKING POLICY pii_masking_policy AS (val STRING) RETURNS
STRING ->
 CASE
   WHEN current_role() IN ('PII','ADMIN','ACCOUNTADMIN') THEN VAL
   ELSE '**masked**'
 END;


-- add masking policy to specified columns
ALTER TABLE employee
```

```
MODIFY COLUMN email set masking policy pii_masking_policy ;
ALTER TABLE employee
MODIFY COLUMN phone_number set masking policy pii_masking_policy ;

GRANT USAGE ON DATABASE ASSIGNMENT_DB TO ROLE PII;
GRANT USAGE ON DATABASE ASSIGNMENT_DB TO ROLE DEVELOPER;
GRANT USAGE ON SCHEMA assignment_db.my_schema  TO ROLE PII;
GRANT USAGE ON SCHEMA assignment_db.my_schema  TO ROLE DEVELOPER;
GRANT SELECT ON ALL TABLES IN SCHEMA assignment_db.my_schema TO ROLE PII;
GRANT SELECT ON ALL TABLES IN SCHEMA assignment_db.my_schema TO ROLE
DEVELOPER;

USE ROLE PII;

SELECT * FROM ASSIGNMENT_DB.MY_SCHEMA.EMPLOYEE;

USE ROLE DEVELOPER;
SELECT * FROM ASSIGNMENT_DB.MY_SCHEMA.EMPLOYEE;
```