

SQL Statements (DDL & DML)

1. Apply Membership & View membership application status

```
1 CREATE TABLE `tb_member` (  
2   `employeeID` int(4) NOT NULL,  
3   `memberName` varchar(255) NOT NULL,  
4   `email` varchar(255) DEFAULT NULL COMMENT 'Email address',  
5   `ic` varchar(20) NOT NULL,  
6   `maritalStatus` varchar(20) NOT NULL,  
7   `sex` varchar(10) DEFAULT NULL,  
8   `religion` varchar(50) DEFAULT NULL,  
9   `nation` varchar(50) DEFAULT NULL,  
10  `no_pf` varchar(50) DEFAULT NULL,  
11  `position` varchar(100) DEFAULT NULL COMMENT 'Job position',  
12  `phoneNumber` varchar(20) DEFAULT NULL COMMENT 'Primary contact number',  
13  `phoneHome` varchar(20) DEFAULT NULL COMMENT 'Home contact number',  
14  `monthlySalary` decimal(10,2) DEFAULT NULL COMMENT 'Monthly salary amount',  
15  `created_at` timestamp NOT NULL DEFAULT current_timestamp(),  
16  `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE  
17  current_timestamp()  
18 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;  
19  
20 INSERT INTO `tb_member` (`employeeID`, `memberName`, `email`, `ic`, `maritalStatus`, `sex`,  
21  `religion`, `nation`, `no_pf`, `position`, `phoneNumber`, `phoneHome`, `monthlySalary`, `created_at`,  
22  `updated_at`) VALUES  
23  (322, 'Cheryl Cheong Kah Voon', 'cheryl@gmail.com', '040322040352', 'Bujang', 'Perempuan',  
24  'Buddha', 'Cina', '322', '322', '1121192282', '035331234', 2000.00, '2025-01-14 11:18:24', '2025-01-14  
25  11:19:10') ;  
26  
27 ALTER TABLE `tb_member`  
28   ADD PRIMARY KEY (`employeeID`);  
29  
30 CREATE TABLE `tb_memberregistration_familymemberinfo` (  
31   `employeeID` int(4) NOT NULL,  
32   `relationship` varchar(50) NOT NULL,  
33   `name` varchar(100) NOT NULL,  
34   `icFamilyMember` varchar(20) NOT NULL  
35 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;  
36  
37 INSERT INTO `tb_memberregistration_familymemberinfo` (`employeeID`, `relationship`, `name`,  
38  `icFamilyMember`) VALUES  
39  (322, 'Anak', 'mini cheryl', '252222-22-2222') ;  
40  
41 ALTER TABLE `tb_memberregistration_familymemberinfo`  
42   ADD PRIMARY KEY (`employeeID`, `icFamilyMember`);  
43  
44 ALTER TABLE `tb_memberregistration_familymemberinfo`  
45   ADD CONSTRAINT `tb_memberregistration_familymemberinfo_ibfk_1` FOREIGN KEY  
46  (`employeeID`) REFERENCES `tb_member` (`employeeID`);
```

```

47
48
49 CREATE TABLE `tb_memberregistration_feesandcontribution` (
50   `employeeID` int(4) NOT NULL,
51   `entryFee` int(11) NOT NULL DEFAULT 0,
52   `modalShare` int(11) NOT NULL DEFAULT 0,
53   `feeCapital` int(11) NOT NULL DEFAULT 0,
54   `deposit` int(11) NOT NULL DEFAULT 0,
55   `contribution` int(11) NOT NULL DEFAULT 0,
56   `fixedDeposit` int(11) NOT NULL DEFAULT 0,
57   `others` int(11) NOT NULL DEFAULT 0
58 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci
59
60 INSERT INTO `tb_memberregistration_feesandcontribution` (`employeeID`, `entryFee`,
61 `modalShare`, `feeCapital`, `deposit`, `contribution`, `fixedDeposit`, `others`) VALUES
62 (322, 100, 1000, 0, 0, 600, 1200, 0) ;
63
64 ALTER TABLE `tb_memberregistration_feesandcontribution`
65   ADD PRIMARY KEY (`employeeID`);
66
67 ALTER TABLE `tb_memberregistration_feesandcontribution`
68   ADD CONSTRAINT `fk_member_fees` FOREIGN KEY (`employeeID`) REFERENCES
69   `tb_member` (`employeeID`) ON DELETE CASCADE ON UPDATE CASCADE;
70
71 CREATE TABLE `tb_member_homeaddress` (
72   `employeeID` int(4) NOT NULL,
73   `homeAddress` varchar(255) NOT NULL,
74   `homePostcode` varchar(10) NOT NULL,
75   `homeState` varchar(20) NOT NULL
76 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
77
78 INSERT INTO `tb_member_homeaddress` (`employeeID`, `homeAddress`, `homePostcode`,
79 `homeState`) VALUES
80 (322, 'M19', '82000', 'Melaka') ;
81
82 ALTER TABLE `tb_member_homeaddress`
83   ADD PRIMARY KEY (`employeeID`);
84
85 ALTER TABLE `tb_member_homeaddress`
86   ADD CONSTRAINT `tb_member_homeaddress_ibfk_1` FOREIGN KEY (`employeeID`)
87   REFERENCES `tb_member` (`employeeID`);
88
89 CREATE TABLE `tb_member_officeaddress` (
90   `employeeID` int(4) NOT NULL,
91   `officeAddress` varchar(255) NOT NULL,
92   `officePostcode` varchar(10) NOT NULL,
93   `officeState` varchar(20) NOT NULL
94 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
95
96 INSERT INTO `tb_member_officeaddress` (`employeeID`, `officeAddress`, `officePostcode`,
97 `officeState`) VALUES
98 (322, 'KTDI', '81310', 'Melaka'),
99

```

```

100
101 ALTER TABLE `tb_member_officeaddress`
102     ADD PRIMARY KEY (`employeeID`);
103
104 ALTER TABLE `tb_member_officeaddress`
105     ADD CONSTRAINT `tb_member_officeaddress_ibfk_1` FOREIGN KEY (`employeeID`)
106 REFERENCES `tb_member` (`employeeID`);
107 COMMIT;
108
109 SELECT employeeID FROM tb_member WHERE employeeID = ?;
110
111 INSERT INTO tb_member (
112     employeeID,
113     memberName,
114     email,
115     ic,
116     maritalStatus,
117     sex,
118     religion,
119     nation,
120     no_pf,
121     position,
122     phoneNumber,
123     phoneHome,
124     monthlySalary
125 ) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?);
126
127
128 INSERT INTO tb_member_homeaddress (employeeID, homeAddress, homePostcode, homeState)
129 VALUES (?, ?, ?, ?);
130
131 INSERT INTO tb_member_officeaddress (employeeID, officeAddress, officePostcode, officeState)
132 VALUES (?, ?, ?, ?);
133
134
135 INSERT INTO tb_memberregistration_feesandcontribution
136 (employeeID, entryFee, modalShare, feeCapital, deposit, contribution, fixedDeposit)
137 VALUES (?, ?, ?, ?, ?, ?, ?)
138 ON DUPLICATE KEY UPDATE
139 entryFee = VALUES(entryFee),
140 modalShare = VALUES(modalShare),
141 feeCapital = VALUES(feeCapital),
142 deposit = VALUES(deposit),
143 contribution = VALUES(contribution),
144 fixedDeposit = VALUES(fixedDeposit);
145
146
147 DELETE FROM tb_memberregistration_familymemberinfo WHERE employeeID = ?;
148
149 INSERT INTO tb_memberregistration_familymemberinfo
150 (employeeID, relationship, name, icFamilyMember)
151 VALUES (?, ?, ?, ?);
152

```

```

153 SELECT
154     CASE
155         WHEN mr.memberRegistrationID IS NOT NULL AND mr.regisStatus = 'Diluluskan' THEN
156     'Diluluskan'
157         WHEN mr.memberRegistrationID IS NOT NULL AND mr.regisStatus = 'Ditolak' THEN
158     'Ditolak'
159         WHEN mr.memberRegistrationID IS NOT NULL THEN 'Belum Selesai'
160         ELSE 'Tiada Rekod'
161     END as regisStatus,
162     CASE
163         WHEN mr.regisDate IS NOT NULL THEN DATE(mr.regisDate)
164         WHEN m.created_at IS NOT NULL THEN DATE(m.created_at)
165         ELSE CURRENT_DATE()
166     END as regisDate
167 FROM tb_member m
168 LEFT JOIN tb_memberregistration_memberapplicationdetails mr
169 ON m.employeeID = mr.memberRegistrationID
170 WHERE m.employeeID = ?;
171
172
173

```

2. Apply for loan & View loan application status

```

1  CREATE TABLE `tb_bank` (
2  `bankID` int(11) NOT NULL,
3  `loanApplicationID` int(11) NOT NULL,
4  `employeeID` int(4) NOT NULL,
5  `bankName` varchar(100) NOT NULL,
6  `accountNo` varchar(50) NOT NULL
7  ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
8
9  INSERT INTO `tb_bank` (`bankID`, `loanApplicationID`, `employeeID`, `bankName`,
10 `accountNo`) VALUES
11 (28, 36, 322, 'Affin Bank', '1234'),
12
13 ALTER TABLE `tb_bank`
14   ADD PRIMARY KEY (`bankID`),
15   ADD KEY `loanApplicationID` (`loanApplicationID`);
16
17 ALTER TABLE `tb_bank`
18   MODIFY `bankID` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=35;
19
20 ALTER TABLE `tb_bank`
21   ADD CONSTRAINT `tb_bank_ibfk_1` FOREIGN KEY (`loanApplicationID`) REFERENCES
22 `tb_loanapplication` (`loanApplicationID`);
23
24

```

```

25 CREATE TABLE `tb_guarantor` (
26   `guarantorID` int(11) NOT NULL,
27   `loanApplicationID` int(11) DEFAULT NULL,
28   `employeeID` int(11) DEFAULT NULL,
29   `guarantorName` varchar(255) NOT NULL,
30   `guarantorIC` varchar(20) NOT NULL,
31   `guarantorPhone` varchar(20) NOT NULL,
32   `guarantorPFNo` varchar(20) NOT NULL,
33   `guarantorMemberNo` varchar(20) NOT NULL
34 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
35
36
37 INSERT INTO `tb_guarantor` (`guarantorID`, `loanApplicationID`, `employeeID`,
38 `guarantorName`, `guarantorIC`, `guarantorPhone`, `guarantorPFNo`, `guarantorMemberNo`)
39 VALUES
40 (5, 36, 322, 'CHERYL', '111111111111', '1111111111', '111', '1111'),
41
42 ALTER TABLE `tb_guarantor`
43   ADD PRIMARY KEY (`guarantorID`);
44
45 ALTER TABLE `tb_guarantor`
46   MODIFY `guarantorID` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=17;
47
48
49
50 CREATE TABLE `tb_loan` (
51   `loanType` varchar(30) NOT NULL,
52   `loanID` int(11) NOT NULL,
53   `loanApplicationID` int(11) NOT NULL,
54   `employeeID` int(4) NOT NULL,
55   `amountRequested` decimal(10,2) NOT NULL COMMENT 'amount that want to pinjam',
56   `financingPeriod` int(11) NOT NULL,
57   `monthlyInstallments` decimal(10,2) NOT NULL,
58   `employerName` varchar(100) NOT NULL,
59   `employerIC` varchar(14) NOT NULL,
60   `basicSalary` decimal(10,2) NOT NULL,
61   `netSalary` decimal(10,2) NOT NULL,
62   `basicSalaryFile` varchar(255) NOT NULL,
63   `netSalaryFile` varchar(255) NOT NULL,
64   `balance` decimal(10,2) DEFAULT NULL,
65   `created_at` timestamp NOT NULL DEFAULT current_timestamp(),
66   `updated_at` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE
67   current_timestamp()
68 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
69
70 INSERT INTO `tb_loan` (`loanType`, `loanID`, `loanApplicationID`, `employeeID`,
71 `amountRequested`, `financingPeriod`, `monthlyInstallments`, `employerName`, `employerIC`,
72 `basicSalary`, `netSalary`, `basicSalaryFile`, `netSalaryFile`, `balance`, `created_at`, `updated_at`)
73 VALUES
74 ('AL-BAI', 20, 36, 322, 3000.00, 12, 250.00, 'NAMA MAJIKAN', '222222222222', 2000.00,
75 1500.00, 'uploads/6786a2674a8b4_MAFEST \'25 UNIT HADIAH (2).pdf',
76 'uploads/6786a2674aa3b_OPERA \'25 UNIT HADIAH (2).pdf', NULL, '2025-01-18 16:46:10',
77 '2025-01-18 16:47:01'),

```

```

78
79 ALTER TABLE `tb_loan`
80   ADD PRIMARY KEY (`loanID`),
81   ADD KEY `loanApplicationID` (`loanApplicationID`);
82
83 ALTER TABLE `tb_loan`
84   MODIFY `loanID` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=26;
85
86 ALTER TABLE `tb_loan`
87   ADD CONSTRAINT `tb_loan_ibfk_1` FOREIGN KEY (`loanApplicationID`) REFERENCES
88 `tb_loanapplication` (`loanApplicationID`);
89
90 ALTER TABLE `tb_loan`
100  DROP `basicSalaryFile`;
101
102
103
104 CREATE TABLE `tb_loanapplication` (
105   `loanApplicationID` int(11) NOT NULL,
106   `employeeID` int(4) NOT NULL,
107   `loanApplicationDate` date NOT NULL,
108   `loanStatus` varchar(20) DEFAULT 'Pending',
109   `amountRequested` decimal(10,2) NOT NULL,
110   `financingPeriod` int(11) NOT NULL,
111   `monthlyInstallments` decimal(10,2) NOT NULL
112 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
113
114
115 INSERT INTO `tb_loanapplication` (`loanApplicationID`, `employeeID`, `loanApplicationDate`,
116 `loanStatus`, `amountRequested`, `financingPeriod`, `monthlyInstallments`) VALUES
117 (36, 322, '2025-01-15', 'Diluluskan', 3000.00, 12, 250.00),
118
119 ALTER TABLE `tb_loanapplication`
120   ADD PRIMARY KEY (`loanApplicationID`);
121
122 ALTER TABLE `tb_loanapplication`
123   MODIFY `loanApplicationID` int(11) NOT NULL AUTO_INCREMENT,
124   AUTO_INCREMENT=43;
125
126
127 -- Check duplicate loan applications
128 SELECT COUNT(*)
129 FROM tb_loanapplication
130 WHERE employeeID = ?
131 AND loanStatus IN ('Dalam Proses', 'Diluluskan')
132 AND loanType = ?
133
134
135 -- Check registration status
136 SELECT COALESCE(mr.regisStatus, 'Belum Selesai') as regisStatus
137 FROM tb_member m
138 LEFT JOIN tb_memberregistration_memberapplicationdetails mr
139 ON m.employeeID = mr.memberRegistrationID

```

```

140 WHERE m.employeeID = ?
141
142
143 -- Get member details
144 SELECT m.*, h.homeAddress, h.homePostcode, h.homeState,
145        o.officeAddress, o.officePostcode, o.officeState
146 FROM tb_member m
147 LEFT JOIN tb_member_homeaddress h ON m.employeeID = h.employeeID
148 LEFT JOIN tb_member_officeaddress o ON m.employeeID = o.employeeID
149 WHERE m.employeeID = ?
150
151
152 -- Get latest loan application
153 SELECT loanApplicationID FROM tb_loanapplication
154 WHERE employeeID = ?
155 ORDER BY created_at DESC LIMIT 1
156
157
158 -- Update loan status
159 UPDATE tb_loanapplication
160 SET loanStatus = 'Dalam Proses'
161 WHERE loanApplicationID = ?
162
163
164 -- Update loan balance
165 UPDATE tb_loan
166 SET balance = amountRequested
167 WHERE loanApplicationID = ?
168
169
170 SELECT memberName
171 FROM tb_member
172 WHERE employeeID = ?
173 SELECT
174     la.loanApplicationID,
175     la.loanApplicationDate,
176     la.loanStatus,
177     la.amountRequested,
178     l.loanType,
179     l.financingPeriod,
180     l.monthlyInstallments,
181     l.balance
182 FROM tb_loanapplication la
183 LEFT JOIN tb_loan l ON l.loanApplicationID = la.loanApplicationID
184 WHERE la.employeeID = ?
185 ORDER BY la.loanApplicationID DESC
186
187
188

```

3. Approve member registration

```
1  SELECT
2    m.employeeID as memberRegistrationID,
3    m.memberName,
4    m.ic,
5    m.created_at as regisDate,
6    COALESCE(
7      (SELECT regisStatus
8       FROM tb_memberregistration_memberapplicationdetails
9       WHERE memberRegistrationID = m.employeeID
10      ORDER BY regisDate DESC
11      LIMIT 1),
12      'Belum Selesai'
13    ) as regisStatus
14  FROM
15    tb_member m
16  LEFT JOIN tb_memberregistration_memberapplicationdetails md
17    ON m.employeeID = md.memberRegistrationID
18  GROUP BY
19    m.employeeID, m.memberName, m.ic, m.created_at;
20
21
22  SELECT memberRegistrationID
23  FROM tb_memberregistration_memberapplicationdetails
24  WHERE memberRegistrationID = ?
25
26
27  UPDATE tb_memberregistration_memberapplicationdetails
28  SET regisStatus = ?, regisDate = ?
29  WHERE memberRegistrationID = ?
30
31
32  INSERT INTO tb_memberregistration_memberapplicationdetails
33  (memberRegistrationID, regisDate, regisStatus)
34  VALUES (?, ?, ?)
35
36
37  SELECT
38    m.*,
39    COALESCE(mha.homeAddress, "") as homeAddress,
40    COALESCE(mha.homePostcode, "") as homePostcode,
41    COALESCE(mha.homeState, "") as homeState,
42    COALESCE(moa.officeAddress, "") as officeAddress,
43    COALESCE(moa.officePostcode, "") as officePostcode,
44    COALESCE(moa.officeState, "") as officeState,
45    COALESCE(mfc.entryFee, 0) as entryFee,
46    COALESCE(mfc.modalShare, 0) as modalShare,
47    COALESCE(mfc.feeCapital, 0) as feeCapital,
48    COALESCE(mfc.deposit, 0) as deposit,
49    COALESCE(mfc.contribution, 0) as contribution,
50    COALESCE(mfc.fixedDeposit, 0) as fixedDeposit,
```



```

51 COALESCE(mfc.others, 0) as others
52 FROM tb_member m
53 LEFT JOIN tb_member_homeaddress mha ON m.employeeID = mha.employeeID
54 LEFT JOIN tb_member_officeaddress moa ON m.employeeID = moa.employeeID
55 LEFT JOIN tb_memberregistration_feesandcontribution mfc ON m.employeeID = mfc.employeeID
56 WHERE m.employeeID = ?
57
58
59 SELECT *
60 FROM tb_memberregistration_familymemberinfo
61 WHERE employeeID = ?
62

```

4. Approve loan application

```

1 SELECT
2     la.loanApplicationID,
3     m.memberName,
4     m.ic,
5     la.loanApplicationDate as applicationDate,
6     COALESCE(la.loanStatus, 'Belum Selesai') as loanStatus
7 FROM
8     tb_loanapplication la
9 JOIN
10    tb_member m ON la.employeeID = m.employeeID
11 ORDER BY
12     la.loanApplicationDate DESC;
13
14
15 UPDATE tb_loanapplication
16 SET loanStatus = ?,
17     loanApplicationDate = CASE
18         WHEN loanStatus != ? THEN CURRENT_DATE
19         ELSE loanApplicationDate
20     END
21 WHERE loanApplicationID = ?
22
23
24 SELECT
25     la.loanApplicationID,
26     la.amountRequested,
27     la.financingPeriod,
28     la.monthlyInstallments,
29     l.loanType,
30     l.employerName,
31     l.employerIC,
32     l.basicSalary,
33     l.netSalary,

```

34	m.memberName,
35	m.ic,
36	m.maritalStatus,
37	m.sex,
38	m.religion,
39	m.nation,
40	m.no_pf,
41	m.phoneNumber,
42	mha.homeAddress,
43	mha.homePostcode,
44	mha.homeState,
45	moa.officeAddress,
46	moa.officePostcode,
47	moa.officeState,
48	b.bankName,
49	b.accountNo,
50	l.basicSalaryFile,
51	l.netSalaryFile
52	FROM tb_loanapplication la
53	LEFT JOIN tb_loan l ON l.loanApplicationID = la.loanApplicationID
54	LEFT JOIN tb_member m ON la.employeeID = m.employeeID
55	LEFT JOIN tb_member_homeaddress mha ON m.employeeID = mha.employeeID
56	LEFT JOIN tb_member_officeaddress moa ON m.employeeID = moa.employeeID
57	LEFT JOIN tb_bank b ON b.loanApplicationID = la.loanApplicationID
58	WHERE la.loanApplicationID = ?
59	
60	
61	SELECT basicSalary, netSalary FROM tb_loan WHERE loanApplicationID = ?
62	
63	
64	SELECT * FROM tb_guarantor WHERE loanApplicationID = ?
65	