
Task 1: Create the Jira Project

1. Sign up for a free Jira Cloud site at atlassian.com if you do not have one.
2. Click **Create project** and choose the **Scrum** template.
3. Name it **ShopEasy QA** with the key **SEQ**.
4. Open **Project settings** and confirm the issue types Epic, Story, Task, Bug and Subtask are available.
5. Add a custom issue type named **Test** (skip this if you use Xray or Zephyr).

Output: A working project with a Backlog and a Sprint board.




Task 2: Write Epics and User Stories


What to do: Read all requirements and write the epics and stories yourself. Nothing is given to you here, because turning requirements into work items is a core QA skill.

- Create **at least 3 Epics**. Each epic is a large feature area (for example, one per module).
- Under each epic write **4 to 5 User Stories**, in the form: *As a [user], I want [goal], so that [benefit].*
- Every story needs at least **two acceptance criteria**, written as: *Given [situation], when [action], then [result].*
- Put the requirement ID (for example REQ-A2) in the story description and add it as a **label**, so every requirement is traceable.
- Every requirement REQ-A1 to REQ-C6 must be covered by at least one story.


1st Epic:




2nd Epic :





3rd Epic :





User Stories



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-1 / SEQ-4
User Registration with Input Validation
Description
As a new user, I want to register with my full name, email, and password so that I can create an account in ShopEasy.
Requirement ID: REQ-A1
Acceptance Criteria:
1. Given a user enters a valid full name, unique email, and password meeting the required rules, when they submit the registration form, then the account is created successfully.
2. Given a user enters an invalid or already registered email, or a password that does not meet the required rules, when they submit the form, then the registration must not succeed.
Subtasks
Add subtask
Linked work items
Add linked work item
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A1
Due date
Add due date
Start date
Add date
Priority
Medium
Parent
SEQ-1 Account and Login
Development
More fields Story Points, Original estimate, Time tracking, Com...



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-1 / SEQ-5
User Login with Credential Validation
Description
As a registered user, I want to log in using my email and password so that I can access the ShopEasy home page.
Requirement ID: REQ-A2
Acceptance Criteria
1. Given a registered user enters a valid email and password, when they submit the login form, then they are redirected to the home page.
2. Given a user enters invalid login credentials, when they submit the login form, then the message "Invalid email or password" is displayed.
Subtasks
Add subtask
Linked work items
Add linked work item
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A2
Due date
Add due date
Start date
Add date
Priority
Medium
Parent
SEQ-1 Account and Login
Development
More fields Story Points, Original estimate, Time tracking, Com...



Jira
Search
Create
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-1 / SEQ-6
Lock Account After Five Failed Login Attempts
Description
As a registered user, I want my account to be locked after five consecutive failed login attempts so that unauthorized access is restricted.
Requirement ID: REQ-A3
Acceptance Criteria
1. Given a registered user has an unlocked account, when they enter an incorrect password five consecutive times, then the account is locked.
2. Given the account has been locked after five consecutive failed login attempts, when the user attempts to log in during the next 15 minutes, then the account remains locked.
Subtasks
Add subtask
Linked work items
Add linked work item
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A3
Due date
Add due date
Start date
Add date
Priority
High
Parent
SEQ-1 Account and Login
Development
More fields Story Points, Original estimate, Time tracking, Com...


Jira
Search
Create
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-1 / SEQ-7
Reset Password Using Email Link
Description
Writing
User Story
As a registered user, I want to reset my password using an email link so that I can regain access to my account if I forget my password.
Requirement ID: REQ-A4
Acceptance Criteria
1. Given a registered user requests a password reset, when the request is submitted, then a password reset link is emailed to the user.
2. Given a user receives a password reset link, when they open it within 30 minutes and use it for the first time, then they can reset their password successfully.
Subtasks
Add subtask
1
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A4
Due date
Add due date
Start date
Add date
Priority
Medium
Parent
SEQ-1 Account and Login
Development
More fields
Story Points, Original estimate, Time tracking, Com...



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-1 / SEQ-8
Logout and Prevent Access to Account Pages
Description
As a logged-in user, I want to log out securely so that my account pages cannot be accessed after my session ends.
Requirement ID: REQ-A5
Acceptance Criteria
1. Given a user is logged in, when they click Logout, then their session ends.
2. Given a user has logged out, when they press the browser Back button, then account pages are not displayed.
Subtasks
Add subtask
Linked work items
Add linked work item
Confluence content
Product requirements
Try template
1
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A5
Due date
Add due date
Start date
Add date
Priority
Medium
Parent
SEQ-1 Account and Login
Development
More fields
Story Points, Original estimate, Time tracking, Com...



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-2 / SEQ-9
Display Products with Pagination
Description
As a customer, I want to browse products in a paginated list so that I can view product information easily.
Requirement ID: REQ-B1
Acceptance Criteria
1. Given the customer opens the product listing page, when the products are displayed, then 12 products are shown per page.
2. Given more products are available than fit on one page, when the customer navigates using pagination, then the next page of products is displayed.
3. Given a product is displayed in the list, then its card shows an image, name, and price.
Subtasks
Add subtask
Linked work items
Add linked work item
1
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B1
Due date
Add due date
Start date
Add date
Priority
High
Parent
SEQ-2 Browse and Search
Development
More fields
Story Points, Original estimate, Time tracking, Com...








Atlassian uses cookies to improve your browsing experience, perform analytics and research, and conduct advertising. Accept all cookies to indicate that you agree to our use of cookies on your device. Atlassian cookies and tracking notice
Preferences
Only necessary
Accept all






Jira
Search
Create
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-2 / SEQ-13
View Product Details and Stock Availability
Description
As a customer, I want to view complete product details and stock availability so that I can decide whether to purchase a product.
Requirement ID: REQ-B5
Acceptance Criteria
1. Given the customer opens a product's details page, when the page loads, then it displays the product's images, name, price, description, and stock status.
2. Given a product is in stock, when the customer views its details, then the Add to Cart button is enabled.
3. Given a product is out of stock, when the customer views its details, then the Add to Cart button is disabled.
Subtasks
Add subtask
Linked work items
Add linked work item
1
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B5
Due date
Add due date
Start date
Add date
Priority
High
Parent
SEQ-2 Browse and Search
Development
More fields Story Points, Original estimate, Time tracking, Com...



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-3 / SEQ-14
Display Total Item Count in Cart
Description
As a customer, I want the cart icon to display the total number of items in my cart so that I can easily track the products I have added.
Requirement ID: REQ-C1
Acceptance Criteria
1. Given the customer adds a product to the cart, when the cart is updated, then the cart icon displays the total number of items in the cart.
2. Given the customer adds multiple items to the cart, when the cart is updated, then the displayed item count reflects the total quantity of items.
Subtasks
Add subtask
Linked work items
Add linked work item
1
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C1
Due date
Add due date
Start date
Add date
Priority
High
Parent
SEQ-3 Cart and Checkout
Development
More fields Story Points, Original estimate, Time tracking, Com...


Jira
Search
Create
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-3 / SEQ-15
Manage Product Quantity and Update Line Total
Description
As a customer, I want to change the quantity of each item in my cart so that I can purchase the required number of products and see the updated cost.
Requirement ID: REQ-C2
Acceptance Criteria
1. Given a product is in the cart, when the customer sets its quantity to a value between 1 and 10, then the selected quantity is accepted.
2. Given the customer changes an item's quantity, when the cart is updated, then the line total reflects the selected quantity and product price.
3. Given the customer attempts to set the quantity to 11, then the quantity must not be accepted.
Subtasks
Add subtask
Linked work items
1
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C2
Due date
Add due date
Start date
Add date
Priority
High
Parent
SEQ-3 Cart and Checkout
Development
More fields Story Points, Original estimate, Time tracking, Com...


Jira
Search
Create
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-3 / SEQ-16
Remove Items from Cart and Update Cart Total
Description
As a customer, I want to remove items from my cart so that I can update my order before checkout.
Requirement ID: REQ-C3
Acceptance Criteria
1. Given the cart contains one or more items, when the customer removes an item, then the item is removed and the cart total updates immediately.
2. Given the customer removes the last item from the cart, when the cart becomes empty, then an empty cart message is displayed.
Subtasks
Add subtask
Linked work items
Add linked work item
Activity
1
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C3
Due date
Add due date
Start date
Add date
Priority
Medium
Parent
SEQ-3 Cart and Checkout
Development
More fields
Story Points, Original estimate, Time tracking, Com...


Jira
Search
Create
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Filters
Dashboards
Assets
Teams
Spaces / ShopEasy QA / SEQ-3 / SEQ-17
Apply SAVE10 Coupon with Minimum Cart Value
Description
As a customer, I want to apply the SAVE10 coupon to eligible orders so that I can receive a 10% discount on my purchase.
Requirement ID: REQ-C4
Acceptance Criteria
1. Given the cart value is Rs. 1,000 or more, when the customer applies the SAVE10 coupon, then a 10% discount is applied.
2. Given the cart value is less than Rs. 1,000, when the customer applies the SAVE10 coupon, then the discount is not applied.
3. Given a coupon has already been applied to an order, when the customer attempts to apply another coupon, then the system does not allow more than one coupon per order.
Subtasks
Add subtask
Linked work items
1
To Do
Improve Story
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C4
Due date
Add due date
Start date
Add date
Priority
High
Parent
SEQ-3 Cart and Checkout
Development
More fields
Story Points, Original estimate, Time tracking, Com...






Task 3: Plan and Run Two Sprints


1. Give every story **story points** (use 1, 2, 3, 5, 8). Points show relative effort, not hours.
2. Create **Sprint 1** and **Sprint 2**, each one week long (or shorter if your trainer says so).
3. Divide the stories between the sprints. Put the most important and risky stories first.
4. Start Sprint 1 and move cards across the board as you finish writing and running tests for them.
5. Complete Sprint 1, then start and complete Sprint 2.

Output: Two completed sprints with story points, so the Burndown chart has real data.


BACKLOGS




Created 2 sprints :




Assgined user stories to Sprint 1 :




Assgined user stories to Sprint 2 :



Allocated dates for Sprint 1 :



Sprint started :




Task 4: Write Test Cases


What to do: Write at least **25 test cases** as Jira issues of type Test. Each one must have:


- **Summary:** a short title, such as *Verify login fails with a wrong password*
- **Preconditions:** what must be true before you start
- **Steps:** numbered actions, and **test data** (use the sample products where needed)
- **Expected result:** taken from the requirement, never guessed
- **Priority and labels:** for example High, and positive, negative or edge
- **Link:** connect to the user story it covers, using the link type *tests* or *relates to*


Creating the test cases :





Test Cases :






Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-21
Verify registration rejects a password without a special character
Description
Test Case ID: TC-REG-002
Requirement ID: REQ-A1
Preconditions:
1. The registration page is accessible.
2. The email address used for testing is not already registered.
Test Data:
• Full Name: Test User
• Email: chpoornasai@example.com
• Password: Poorna123
Test Steps:
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A1
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-22
Verify registration rejects an already registered email
Description
Test Case ID: TC-REG-003
Requirement ID: REQ-A1
Preconditions:
1. A user account already exists with the email address used for testing.
2. The registration page is accessible.
Test Data:
• Full Name: Test User
• Email: chpoornasai@gmail.com (already registered)
• Password: Poorna@123
Test Steps:
1. Open the ShopEasy registration page.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A1
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-23
Verify registration rejects a password shorter than 8 characters
Description
Test Case ID: TC-REG-004
Requirement ID: REQ-A1
Preconditions:
1. The registration page is accessible.
2. The email address used for testing is not already registered.
Test Data:
• Full Name: Test User
• Email: chpoornasai03@example.com
• Password: Abc@123
Test Steps:
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A1
boundary
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-24
Verify registration accepts a password with exactly 8 characters
Description
Test Case ID: TC-REG-005
Requirement ID: REQ-A1
Preconditions:
1. The registration page is accessible.
2. The email address used for testing is not already registered.
Test Data:
• Full Name: Test User
• Email: chpoornasai@gmail.com
• Password: Poorna@123
Test Steps:
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A1
boundary
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Atlassian uses cookies to improve your browsing experience, perform analytics and research, and conduct advertising. Accept all cookies to indicate that you agree to our use of cookies on your device. Atlassian cookies and tracking notice
Preferences
Only necessary
Accept all
Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-25
Verify login succeeds with valid credentials
Description
Test Case ID: TC-LOGIN-001
Requirement ID: REQ-A2
Preconditions:
1. A registered user account exists.
2. The account is not locked.
3. The login page is accessible.
Test Data:
• Email: registered test account email
• Password: valid password for that account
Test Steps:
1. Open the ShopEasy login page
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A2
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-26
Verify login fails with an incorrect password
Description
Test Case ID: TC-LOGIN-002
Requirement ID: REQ-A2
Preconditions:
1. A registered user account exists and is not locked.
2. The login page is accessible.
Test Data:
• Email: chpoorna@gmail.com
• Password: 98cksilv008
Test Steps:
1. Open the ShopEasy login page.
2. Enter the registered user's email address.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A2
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
+ Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-27
Verify login fails with an invalid email address
Description
Test Case ID: TC-LOGIN-003
Requirement ID: REQ-A2
Preconditions:
1. The login page is accessible.
2. The user has a valid account registered with a different email address.
Test Data:
• Email: isbvovnivbri@gmail.com
• Password: Pass@123
Test Steps:
1. Open the ShopEasy login page.
2. Enter invalid-email in the email field.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A2
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
+ Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-28
Verify account locks after five consecutive failed login attempts
Description
Test Case ID: TC-LOGIN-004
Requirement ID: REQ-A3
Preconditions:
1. A registered user account exists.
2. The account is not locked.
3. The login page is accessible.
Test Data:
• Email: chpoornasai@gmail.com
• Password: Incorrect@123
Test Steps:
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A3
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
+ Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-29
Verify account remains locked during the 15-minute lock period
Description
Test Case ID: TC-LOGIN-005
Requirement ID: REQ-A3
Preconditions:
1. A registered user account exists.
2. The account has been locked after five consecutive failed login attempts.
Test Data:
• Email: registered test account email
• Password: correct password for the account
Test Steps:
1. Trigger account locking by making five consecutive failed login attempts.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A3
boundary
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-30
Verify password reset link is sent by email
Description
Test Case ID: TC-RESET-001
Requirement ID: REQ-A4
Preconditions:
1. A registered user account exists.
2. The user can access the forgot-password page and the registered email inbox.
Test Data:
• Email: registered test account email
Test Steps:
1. Open the ShopEasy login page.
2. Select the Forgot Password option.
3. Enter the registered email address.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A4
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Dashboards
Spaces / ShopEasy QA / Add parent / SEQ-31
Verify password reset link is valid within 30 minutes
Description
Test Case ID: TC-RESET-002
Requirement ID: REQ-A4
Preconditions:
1. A registered user account exists.
2. The user can access the registered email inbox.
3. A password reset link has been requested.
Test Data:
• Email: chpoornasai@gmail.com
• New Password: NewPassword@111
Test Steps:
1. Open the ShopEasy login page.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A4
boundary
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-32
Verify password reset link is rejected after 30 minutes
Description
Test Case ID: TC-RESET-003
Requirement ID: REQ-A4
Preconditions:
1. A registered user account exists.
2. The user can access the registered email inbox.
3. A password reset link has been generated.
Test Data:
• Email: registered test account email
• New Password: pass@1234
Test Steps:
1. Request a password reset using the registered email address.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A4
boundary
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-33
Verify password reset link cannot be used more than once
Description
Test Case ID: TC-RESET-004
Requirement ID: REQ-A4
Preconditions:
1. A registered user account exists.
2. A password reset link has been generated and is still valid.
Test Data:
• Email: registered test account email
• New Password: NewPass@1234
Test Steps:
1. Request a password reset using the registered email address.
2. Open the reset link received by email.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A4
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-34
Verify logout successfully terminates the user session
Description
Test Case ID: TC-LOGOUT-001
Requirement ID: REQ-A5
Preconditions:
1. A registered user account exists.
2. The user is successfully logged in.
3. The home page is accessible.
Test Data:
• Email: registered test account email
• Password: valid account password
Test Steps:
1. Log in to the ShopEasy application using valid credentials.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A5
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-35
Verify account pages are not accessible using browser Back button after logout
Description
Test Case ID: TC-LOGOUT-002
Requirement ID: REQ-A5
Preconditions:
1. A registered user account exists.
2. The user is successfully logged in.
3. The user has accessed an account page.
Test Data:
• Registered test account credentials.
Test Steps:
1. Log in to the ShopEasy application.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-A5
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-36
Verify product listing displays 12 products per page
Description
Test Case ID: TC-PRODUCT-001
Requirement ID: REQ-B1
Preconditions:
1. The ShopEasy application is accessible.
2. Products are available in the product catalogue.
Test Data:
• Product catalogue containing more than 12 products.
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
3. Count the number of products displayed on the first page.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B1
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-37
Verify product search returns matching products
Description
Test Case ID: TC-SEARCH-001
Requirement ID: REQ-B2
Preconditions:
1. The ShopEasy application is accessible.
2. The product catalogue contains a product named Cotton Shirt.
Test Data:
• Search keyword: shirt
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
3. Enter shirt in the search field.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B2
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-38
Verify product search is case-insensitive
Description
Test Case ID: TC-SEARCH-002
Requirement ID: REQ-B2
Preconditions:
1. The ShopEasy application is accessible.
2. The product catalogue contains a product named Cotton Shirt.
Test Data:
• Search keyword: SHIRT
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
3. Enter SHIRT in the search field.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B2
edge
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-39
Verify search displays No products found for an unmatched keyword
Description
Test Case ID: TC-SEARCH-003
Requirement ID: REQ-B2
Preconditions:
1. ShopEasy application is accessible.
2. Product catalogue is available.
Test Data:
Search keyword: jvfiuvbeve
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
3. Enter "jvfiuvbeve" in the search field.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B2
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-40
Verify products are filtered correctly by selected category
Description
Test Case ID: TC-FILTER-001
Requirement ID: REQ-B3
Preconditions:
1. ShopEasy application is accessible.
2. Product catalogue contains products from multiple categories.
Test Data:
Category: Clothing
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
3. Select the Clothing category filter.
4. Apply the filter.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B3
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
https://chavalapoornasai90.atlassian.net/jira/for-you
Spaces / ShopEasy QA / Add parent / SEQ-41
Verify products are filtered correctly within the selected price range
Description
Test Case ID: TC-FILTER-002
Requirement ID: REQ-B3
Preconditions:
1. ShopEasy application is accessible.
2. Product catalogue contains products with different prices.
Test Data:
Minimum Price: Rs. 400
Maximum Price: Rs. 1,000
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
1
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B3
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-42
Verify category and price filters work together
Description
Test Case ID: TC-FILTER-003
Requirement ID: REQ-B3
Preconditions:
1. ShopEasy application is accessible.
2. Product catalogue contains products from multiple categories with different prices.
Test Data:
Category: Accessories
Minimum Price: Rs. 400
Maximum Price: Rs. 1,000
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B3
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-43
Verify products are sorted by price from low to high
Description
Test Case ID: TC-SORT-001
Requirement ID: REQ-B4
Preconditions:
1. ShopEasy application is accessible.
2. Product catalogue contains products with different prices.
Test Data:
Sorting option: Price - Low to High
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
3. Open the sorting dropdown.
4. Select Price - Low to High.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B4
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-44
Verify products are sorted by price from high to low
Description
Test Case ID: TC-SORT-002
Requirement ID: REQ-B4
Preconditions:
1. ShopEasy application is accessible.
2. Product catalogue contains products with different prices.
Test Data:
Sorting option: Price - High to Low
Test Steps:
1. Open the ShopEasy application.
2. Navigate to the product listing page.
3. Open the sorting dropdown.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-B4
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development








Atlassian uses cookies to improve your browsing experience, perform analytics and research, and conduct advertising. Accept all cookies to indicate that you agree to our use of cookies on your device. Atlassian cookies and tracking notice
Preferences
Only necessary
Accept all






Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-48
Verify changing product quantity updates the line total
Description
Test Case ID: TC-CART-002
Requirement ID: REQ-C2
Preconditions:
1. ShopEasy application is accessible.
2. A product is available and can be added to the cart.
Test Data:
Product: Cotton Shirt
Unit Price: Rs. 1,200
Initial Quantity: 1
Updated Quantity: 2
Test Steps:
1. Open the ShopEasy application.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C2
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-49
Verify the cart rejects product quantities greater than 10
Description
Test Case ID: TC-CART-003
Requirement ID: REQ-C2
Preconditions:
1. ShopEasy application is accessible.
2. A product is available and can be added to the cart.
Test Data:
Product: Cotton Shirt
Unit Price: Rs. 1,200
Maximum Allowed Quantity: 10
Attempted Quantity: 11
Test Steps:
1. Open the ShopEasy application.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C2
boundary
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-50
Verify removing a product updates the cart total immediately
Description
Test Case ID: TC-CART-004
Requirement ID: REQ-C3
Preconditions:
1. ShopEasy application is accessible.
2. Products are available and can be added to the cart.
Test Data:
Product 1: Cotton Shirt — Rs. 1,200
Product 2: Water Bottle — Rs. 450
Test Steps:
1. Open the ShopEasy application.
2. Add one Cotton Shirt and one Water Bottle to the cart.
3. Navigate to the cart page.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C3
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-51
Verify empty cart message is displayed after removing all products
Description
Test Case ID: TC-CART-005
Requirement ID: REQ-C3
Preconditions:
1. ShopEasy application is accessible.
2. At least one product is available in the cart.
Test Data:
Product: Cotton Shirt
Quantity: 1
Test Steps:
1. Open the ShopEasy application.
2. Add one Cotton Shirt to the cart.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C3
edge
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-52
Verify SAVE10 coupon applies a 10 percent discount when cart value is at least Rs. 1,000
Description
Test Case ID: TC-COUPON-001
Requirement ID: REQ-C4
Preconditions:
1. ShopEasy application is accessible.
2. User has added products to the cart.
3. SAVE10 coupon is available.
Test Data:
Product: Cotton Shirt
Unit Price: Rs. 1,200
Coupon Code: SAVE10
Test Steps:
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C4
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-53
Verify SAVE10 coupon is rejected when cart value is below Rs. 1,000
Description
Test Case ID: TC-COUPON-002
Requirement ID: REQ-C4
Preconditions:
1. ShopEasy application is accessible.
2. User has added products to the cart.
3. SAVE10 coupon is available.
Test Data:
Product: Notebook
Unit Price: Rs. 150
Quantity: 2
Cart Value: Rs. 300
Coupon Code: SAVE10
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C4
boundary
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-54
Verify unauthenticated users are required to log in before checkout
Description
Test Case ID: TC-CHECKOUT-001
Requirement ID: REQ-C5
Preconditions:
1. ShopEasy application is accessible.
2. User is not logged in.
3. At least one product is available.
Test Data:
User Status: Not Logged In
Product: Cotton Shirt
Test Steps:
1. Open the ShopEasy application.
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C5
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-55
Verify checkout requires all mandatory shipping details
Description
Test Case ID: TC-CHECKOUT-002
Requirement ID: REQ-C5
Preconditions:
1. ShopEasy application is accessible.
2. User is logged in.
3. At least one product is available in the cart.
Test Data:
Shipping Name: Empty
Phone Number: Empty
Address: Empty
City: Empty
PIN Code: Empty
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C5
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
ShopEasy QA
SEQ board
NORMAL
ROBO TEAM
More spaces
Create a roadmap
Filters
Spaces / ShopEasy QA / Add parent / SEQ-56
Verify checkout rejects phone numbers that are not 10 digits
Description
Test Case ID: TC-CHECKOUT-003
Requirement ID: REQ-C5
Preconditions:
1. ShopEasy application is accessible.
2. User is logged in.
3. At least one product is available in the cart.
Test Data:
Shipping Name: Rahul
Phone Number: 987654321
Address: 12 Main Road
City: Vijayawada
PIN Code: 520001
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C5
boundary
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-57
Verify checkout rejects PIN codes that are not 6 digits
Description
Test Case ID: TC-CHECKOUT-004
Requirement ID: REQ-C5
Preconditions:
1. ShopEasy application is accessible.
2. User is logged in.
3. At least one product is available in the cart.
Test Data:
Shipping Name: Rahul
Phone Number: 9876543210
Address: 12 Main Road
City: Vijayawada
PIN Code: 52001
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C5
boundary
negative
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-58
Verify order placement using Card payment
Description
Test Case ID: TC-PAYMENT-001
Requirement ID: REQ-C6
Preconditions:
1. ShopEasy application is accessible.
2. User is logged in.
3. A product is available in the cart.
4. Valid shipping details are available.
Test Data:
Payment Method: Card
Shipping Name: Rahul
Phone Number: 9876543210
City: Vijayawada
PIN Code: 520001
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C6
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-59
Verify order placement using UPI payment
Description
Test Case ID: TC-PAYMENT-002
Requirement ID: REQ-C6
Preconditions:
1. ShopEasy application is accessible.
2. User is logged in.
3. A product is available in the cart.
4. Valid shipping details are available.
Test Data:
Payment Method: UPI
Shipping Name: Rahul
Phone Number: 9876543210
City: Vijayawada
PIN Code: 520001
To Do
Improve Test
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
REQ-C6
positive
Due date
Add due date
Start date
Add date
Priority
Medium
Development




Task 5: Create a Test Plan and Execute Tests


1. **With Xray or Zephyr:** create a *Test Plan* and a *Test Execution*, add all your tests, and set Pass or Fail.
2. **Without a plugin:** add a custom field *Execution Status* (Not Run, Pass, Fail, Blocked) to the Test issue type. Create a Task named *Test Plan - ShopEasy 1.0* that lists scope, approach, environment, schedule and risks.
3. Run your tests using the **Test Observations in Section 4**. Compare each observation with the requirement.
4. If the observed result matches the requirement, the related test is a **Pass**. If it does not, the test is a **Fail**.
5. All tests that do not relate to any observation are treated as **Pass**.
6. For every failed test, log a bug (Task 6) and link it to the failed test.

Output: All your tests with a status, and a test plan issue.


Created the Test Plan :



Added the test cases to the test plan :




Created Test Execution :





Task 6: Log Defects


What to do: Log a bug for each observation that does not match the requirements. You must log **at least 5 bugs**. A good bug report lets a developer reproduce the problem without asking questions.


Failed test cases :









Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Filters
Dashboards
Assets
Spaces
ShopEasy QA
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Testing Board
More 2
Projects / ShopEasy QA / Test Plans / SEQ-61 / Test Executions / SEQ-62 / Test: SEQ-32
Test 13 of 41
Verify password reset link is rejected after 30 minutes
Execute with Exploratory App
Dataset
Import Execution Results
Keyboard shortcuts
By pressing SHIFT + → you can move to the next Test.
By pressing SHIFT + ← you can go back to the previous Test.
Execution Status
FAILED
Timer
00:00:00
Started On
30/Oct/2026 02:35 PM
Assignee
Unassigned
Versions
-


Jira
Search
Create
See plans
ShopEasy QA
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Testing Board
More 2
Projects / ShopEasy QA / Test Plans / SEQ-61 / Test Executions / SEQ-62 / Test: SEQ-38
Test 19 of 41
Verify product search is case-insensitive
Execute with Exploratory App
Dataset
Import Execution Results
Keyboard shortcuts
By pressing SHIFT + → you can move to the next Test.
By pressing SHIFT + ← you can go back to the previous Test.
Execution Status
FAILED
Timer
00:00:00
No time logged
Started On
30/Oct/2026 02:37 PM
Finished On
30/Oct/2026 02:37 PM
Assignee
Unassigned
Executed By
Chavala poornasai
Versions
-
Revision
-



Jira
Search
Create
See plans
ShopEasy QA
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Testing Board
More 2
Projects / ShopEasy QA / Test Plans / SEQ-61 / Test Executions / SEQ-62 / Test: SEQ-44
Test 25 of 41
Verify products are sorted by price from high to low
Execute with Exploratory App
Dataset
Import Execution Results
Keyboard shortcuts
By pressing SHIFT + → you can move to the next Test.
By pressing SHIFT + ← you can go back to the previous Test.
Execution Status
FAILED
Timer
00:00:00
No time logged
Started On
30/Oct/2026 02:37 PM
Finished On
30/Oct/2026 02:37 PM
Assignee
Unassigned
Executed By
Chavala poornasai
Versions
-
Revision
-



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Filters
Dashboards
Assets
Spaces
ShopEasy QA
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Testing Board
More 2
Projects / ShopEasy QA / Test Plans / SEQ-61 / Test Executions / SEQ-62 / Test: SEQ-49
Test 30 of 41
Verify the cart rejects product quantities greater than 10
Execute with Exploratory App
Dataset
Import Execution Results
Keyboard shortcuts
By pressing SHIFT + → you can move to the next Test.
By pressing SHIFT + ← you can go back to the previous Test.
Execution Status
FAILED
Timer
00:00:00
Started On
30/Oct/2026 02:39 PM
Assignee
Unassigned
Versions



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Filters
Dashboards
Assets
Spaces
ShopEasy QA
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Testing Board
More 2
Projects / ShopEasy QA / Test Plans / SEQ-61 / Test Executions / SEQ-62 / Test: SEQ-53
Test 34 of 41
Verify SAVE10 coupon is rejected when cart value is below Rs. 1,000
Execute with Exploratory App
Dataset
Import Execution Results
Keyboard shortcuts
By pressing SHIFT + → you can move to the next Test.
By pressing SHIFT + ← you can go back to the previous Test.
Execution Status
FAILED
Timer
00:00:00
Started On
30/Oct/2026 02:40 PM
Assignee
Unassigned
Versions



Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Filters
Dashboards
Assets
Spaces
ShopEasy QA
Summary
Timeline
Active sprints
Backlog
Calendar
List
Forms
Development
Testing Board
More 2
Projects / ShopEasy QA / Test Plans / SEQ-61 / Test Executions / SEQ-62 / Test: SEQ-59
Test 40 of 41
Verify order placement using UPI payment
Execute with Exploratory App
Dataset
Import Execution Results
Keyboard shortcuts
By pressing SHIFT + → you can move to the next Test.
By pressing SHIFT + ← you can go back to the previous Test.
Execution Status
FAILED
Timer
00:00:00
No time logged
Started On
30/Oct/2026 02:41 PM
Finished On
30/Oct/2026 02:41 PM
Assignee
Unassigned
Executed By
Chavala poornasai
Versions
Revision


Creating Bugs :









Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-65
Password reset link remains valid after 30 minutes
Key details
Description
Bug ID: BUG-03
Related Requirement: REQ-A4
Related Test Case: TC-RESET-003
Environment:
Application: ShopEasy
Build: 1.0.3
Environment: Staging Server
Browser: Google Chrome - Latest
Operating System: Windows 11
Preconditions:
1. User has a registered account.
2. User has requested a password reset link.
1
To Do
Improve Bug
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
PasswordReset
REQ-A4
Validation
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-66
Product search does not support case-insensitive matching
Key details
Description
Bug ID: BUG-04
Related Requirement: REQ-B2
Related Test Case: TC-SEARCH-002
Environment:
Application: ShopEasy
Build: 1.0.3
Environment: Staging Server
Browser: Google Chrome - Latest
Operating System: Windows 11
Preconditions:
1. ShopEasy application is accessible.
2. Product catalogue contains Cotton Shirt.
1
To Do
Improve Bug
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
ProductSearch
REQ-B2
Validation
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-67
Products are not sorted correctly by price from high to low
Key details
Description
Bug ID: BUG-05
Related Requirement: REQ-B4
Related Test Case: TC-SORT-002
Environment:
Application: ShopEasy
Build: 1.0.3
Environment: Staging Server
Browser: Google Chrome - Latest
Operating System: Windows 11
Preconditions:
1. ShopEasy application is accessible.
2. Product catalogue contains products with different prices.
1
To Do
Improve Bug
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
ProductSorting
REQ-B4
Validation
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
68
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-68
Cart accepts product quantity greater than the allowed maximum of 10
Key details
Description
Bug ID: BUG-06
Related Requirement: REQ-C2
Related Test Case: TC-CART-003
Environment:
Application: ShopEasy
Build: 1.0.3
Environment: Staging Server
Browser: Google Chrome - Latest
Operating System: Windows 11
Preconditions:
1. ShopEasy application is accessible.
1
To Do
Improve Bug
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
Cart
QuantityValidation
REQ-C2
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
68
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-69
SAVE10 coupon is applied when cart value is below Rs. 1,000
Key details
Description
Bug ID: BUG-07
Related Requirement: REQ-C4
Related Test Case: TC-COUPON-002
Environment:
Application: ShopEasy
Build: 1.0.3
Environment: Staging Server
Browser: Google Chrome - Latest
Operating System: Windows 11
Preconditions:
1. ShopEasy application is accessible.
2. SAVE10 coupon is available.
1
To Do
Improve Bug
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
Coupon
REQ-C4
Validation
Due date
Add due date
Start date
Add date
Priority
Medium
Development


Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Recent
ShopEasy QA
Recent
SEQ board
NORMAL
ROBO TEAM
More spaces
Recommended
Create a roadmap
Try
Filters
Spaces / ShopEasy QA / Add parent / SEQ-70
UPI order confirmation page does not display unique Order ID
Key details
Description
Bug ID: BUG-08
Related Requirement: REQ-C6
Related Test Case: TC-PAYMENT-002
Environment:
Application: ShopEasy
Build: 1.0.3
Environment: Staging Server
Browser: Google Chrome - Latest
Operating System: Windows 11
Preconditions:
1. ShopEasy application is accessible.
1
To Do
Improve Bug
Details
Assignee
Unassigned
Assign to me
Reporter
Chavala poornasai
Labels
OrderConfirmation
Payment
REQ-C6
Due date
Add due date
Start date
Add date
Priority
Medium
Development

Task 7: Customise the Bug Workflow


A workflow is the set of statuses an issue moves through. Change the Bug workflow to this QA lifecycle:


Status	Meaning	Who moves it here
Open	Bug is reported	Tester
In Progress	Developer is fixing it	Developer
Fixed	Developer says the fix is done	Developer
Retest	Tester is verifying the fix	Tester
Closed	Fix verified, bug is gone	Tester

Open **Project settings > Workflows** (or edit the board columns in a team-managed project), add the statuses Fixed and Retest, and connect the transitions. Then move your bugs through the cycle yourself, playing both tester and developer. Send at least one bug back from Retest to In Progress with a comment explaining why the fix failed.

Output: A workflow screenshot, and bugs whose history shows every status.


Creating the workflow :






Assgined the work flow to bugs :

Name of the Workflow **: ShopEasy Bug Workflow**




Work Flow of the bugs :


Start : open




Open -> In progress




In progress -> Fixed




Fixed -> Retest




Retest -> In progress




Added the comment :



Another Bug to show the flow of bugs :



Comments :




Task 8: Build the Dashboard

Create a dashboard named **ShopEasy QA Dashboard** with these gadgets:


Gadget	What it shows	Configure with
Sprint Burndown	Work remaining over time	Your project board and Sprint 1 or 2
Pie Chart	Defects by status or priority	Filter: issuetype = Bug
Created vs Resolved	Bugs found against bugs fixed	Filter: issuetype = Bug
Filter Results	List of open critical bugs	Filter from Task 9
Test execution results	Pass / Fail / Not Run count	Pie chart on Execution Status, or the Xray / Zephyr gadget

Output: A dashboard with at least 4 working gadgets, shared with view access.


Creating the Dashboard :




Name : ShopEasy QA Dashboard




Adding the gadgets :




Giving the req value to the filters




Pie chart Representation :




Created vs . Resolved Chart : ShopEasy QA




Giving the req values to the filter results :



Results of filter results :



Activity Stream :




Task 9: Create Saved Filters with JQL


JQL (Jira Query Language) lets you search issues precisely. Save at least **5 filters**. Examples (replace SEQ with your project key):


Filter name	JQL
All open bugs	project = SEQ AND issuetype = Bug AND statusCategory != Done
Open high-priority bugs	project = SEQ AND issuetype = Bug AND priority in (Highest, High) AND status != Closed
Bugs by assignee	project = SEQ AND issuetype = Bug ORDER BY assignee
Failed tests	project = SEQ AND issuetype = Test AND "Execution Status" = Fail
Stories in Sprint 1	project = SEQ AND issuetype = Story AND sprint = "SEQ Sprint 1"


Sprint names depend on your project, so check the exact name in your board.


Creating the filters :





Jira
Search
Create
See plans
Search work items
Starred
ShopEasy QA - Open Bugs
ShopEasy QA - Recently Create...
ShopEasy QA - Bugs Assigned t...
ShopEasy QA - High Priority Bugs
ShopEasy QA - Bugs
Default filters
My open work items
Reported by me
All work items
Open work items
Done work items
Viewed recently
Created recently
Resolved recently
ShopEasy QA - High Priority Bugs
Filter details
Search all apps
Apps
Ask AI
Basic
JQL
project = SEQ AND issuetype = Bug AND priority in (Highest, High) ORDER BY created DESC
Go back to filter
Save filter
Work
Assignee
Reporter
Priority
Status
There are no work items here yet
You either don't have any work items or your existing ones don't match your current filters.


Jira
Search
Create
See plans
Search work items
Starred
ShopEasy QA - Open Bugs
ShopEasy QA - Recently Create...
ShopEasy QA - Bugs Assign...
ShopEasy QA - High Priority Bugs
ShopEasy QA - Bugs
Default filters
My open work items
Reported by me
All work items
Resolved recently
"ShopEasy QA - Bugs Assigned to Me" filter saved
We've saved this filter successfully.
Copy link
ShopEasy QA - Bugs Assigned to Me
Filter details
Search all apps
Apps
Ask AI
Basic
JQL
project = SEQ AND issuetype = Bug AND assignee = currentUser() ORDER BY created DESC
Clear filters
Copy filter
Work
Assignee
Reporter
Priority
Status
There are no work items here yet
You either don't have any work items or your existing ones don't match your current filters.


Jira
Search
Create
See plans
Search work items
Starred
ShopEasy QA - Open Bugs
ShopEasy QA - Recently Create...
ShopEasy QA - Bugs Assigned t...
ShopEasy QA - High Priority Bugs
ShopEasy QA - Bugs
Default filters
My open work items
Reported by me
All work items
Resolved recently
"ShopEasy QA - Recently Created Bugs" filter saved
We've saved this filter successfully.
Copy link
ShopEasy QA - Recently Created Bugs
Filter details
Search all apps
Apps
Ask AI
Basic
JQL
project = SEQ AND issuetype = Bug AND created >= -7d ORDER BY created DESC
Clear filters
Copy filter
Work
Assignee
Reporter
Priority
Status
SEQ-70 UPI order confirmation page does not display uni... Unassigned Chavala poorna... Medium Open
SEQ-69 SAVE10 coupon is applied when cart value is belo... Unassigned Chavala poorna... Medium Open
SEQ-68 Cart accepts product quantity greater than the all... Unassigned Chavala poorna... Medium Open
SEQ-67 Products are not sorted correctly by price from hi... Unassigned Chavala poorna... Medium Open
Product search does not support case-insensitive... Unassigned Chavala poorna... Medium Open
Password reset link remains valid after 30 minutes Unassigned Chavala poorna... Medium Open
Account unlocks after 5 minutes instead of 15 min... Unassigned Chavala poorna... Medium Closed
8 of 8



Test Execution Results :





Task 10: Prepare the Test Summary Report

Write a 1 to 2 page report (PDF or Word) that tells a manager whether ShopEasy 1.0 is ready to release. Include:

- Project overview, scope, environment and duration
- Number of epics, stories, sprints and test cases
- Execution summary table (Total, Passed, Failed, Blocked, Not Run)
- Defect summary by severity and by status
- Key metrics (formulas below)
- Dashboard screenshot
- Risks, observations and a final recommendation (Go or No-Go) with reasons

SHOPEASY 1.0 | TEST SUMMARY REPORT

ShopEasy QA (SEQ) • Reporting date: 31 October 2026 • Build 1.0.3

1. Executive summary

Release decision: **NO-GO — ShopEasy 1.0 is not ready for release.** The Xray dashboard records 41 executed tests: 33 passed and 8 failed. Failures affect security controls, search and sorting, cart quantity, coupon validation and order traceability. Only 1 of the 8 logged defects is shown as Closed. Releasing with these known requirement violations is not justified.

2. Project overview and scope

Item	Project details
Objective	Assess ShopEasy 1.0 against supplied business requirements; record outcomes and defects in Jira/Xray.
Scope	3 modules: Account & Login; Browse & Search; Cart & Checkout. Requirements REQ-A1 to REQ-C6.
Project structure	3 epics • 16 user stories • 2 one-week sprints planned • 41 Xray test cases.
Duration	Assignment duration: 1–2 weeks. Jira activity/screenshots cover 26–31 October 2026; two one-week sprints were created.
Environment	ShopEasy build 1.0.3 • Staging server • Chrome (latest) • Windows 11.

3. Test execution results

Total	Passed	Failed	Blocked	Not Run	Pass rate
41	33	8	0	0	80.49%

Executed tests = Passed + Failed = 33 + 8 = 41. Xray shows 0 To Do and 0 Executing; Blocked and Not Run are therefore 0 in this snapshot.

4. Defect summary

Measure	Result
Total defects	8 (SEQ-63 to SEQ-70)
By status	Open: 6 • In Progress: 1 • Closed: 1
By priority	All 8 are displayed as Medium in the captured Jira issue list.
By severity	Not available in the supplied screenshots; verify severity values in Jira bug records.

The eight defects are: password without special character accepted; account unlocks after 5 rather than 15 minutes; reset link works after 30 minutes; case-sensitive search; incorrect descending price sort; quantity 11 accepted; SAVE10 applied below Rs. 1,000; and UPI confirmation missing a unique Order ID.

Data-quality note: SEQ-64 appears as Closed while Resolution is Unresolved. Reconcile this mismatch before submission.


5. Key quality metrics

Metric	Calculation	Result
Pass percentage	33 / 41 × 100	80.49%
Fail percentage	8 / 41 × 100	19.51%
Defect density	8 defects / 16 stories	0.50 defects per story
Requirement coverage	16 requirements with ≥1 linked test / 16 × 100	100%*
Defect closure rate	1 closed bug / 8 total bugs × 100	12.50%

*Requirement coverage measures whether each requirement has at least one test; it does not mean every requirement passed.

6. Dashboard evidence

Figure 1. Captured Xray test-result chart, Created vs. Resolved chart and saved-filter defect list.



FINAL RECOMMENDATION: NO-GO. Fix all eight defects, rerun the failed tests, complete regression testing, and reconcile Jira status/resolution fields before release approval.

This report summarizes the assignment's supplied observations and captured Jira/Xray evidence; it does not claim an independent live-system test run.