

My API

/v3/api-docs

Servers

http://localhost:8085 - Generated server uri

Authorize

resource-controller

DELETE /resources/{id}

GET /resources/{id}

Parameters

Try it out

Name Description

id * required

integer(int64)
(path)

id

Responses

Code Description

Links

200

OK

No links

Media type

*/

Controls Accept header.

Example Value | Schema

```
{
  "version": 0,
  "createdOn": "2025-09-16T22:06:51.520Z",
  "createdBy": 0,
  "updatedOn": "2025-09-16T22:06:51.520Z",
  "updatedBy": 0,
  "isActive": "string",
  "resourceId": 0,
  "name": "string",
  "type": "string",
  "description": "string",
  "capacity": 0,
  "active": true
}
```

GET /resources

Parameters

Try it out

Name Description

pageable * required

object
(query)

```
{
  "page": 0,
  "size": 1,
  "sort": [
    "string"
  ]
}
```

Responses

Code Description

Links

200

OK

No links

Media type

*/

Controls Accept header.

Example Value | Schema

```
{
  "totalPages": 0,
  "totalElements": 0,
  "size": 0,
  "content": [
    {
      "version": 0,
      "createdOn": "2025-09-16T22:06:51.524Z",
      "createdBy": 0,
      "updatedOn": "2025-09-16T22:06:51.524Z",
      "updatedBy": 0,
      "isActive": "string",
      "resourceId": 0,
      "name": "string",
      "type": "string",
      "description": "string",
      "capacity": 0,
      "active": true
    }
  ]
}
```

```
    "capacity": 0,
    "active": true
  },
  "number": 0,
  "sort": {
    "empty": true,
    "sorted": true,
    "unsorted": true
  },
  "first": true,
  "last": true,
  "numberOfElements": 0,
  "possible"
}
```

POST /resources

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "resourceId": 0,
  "name": "string",
  "type": "string",
  "description": "string",
  "capacity": 0,
  "active": true
}
```

Responses

Code	Description	Links
200	OK <div>Media type<div>*/</div><div>Controls Accept header</div></div> <div>Example Value Schema<div><pre>{ "resourceId": 0, "name": "string", "type": "string", "description": "string", "capacity": 0, "active": true }</pre></div></div>	No links

PUT /resources/{id}

Parameters

Try it out

Name	Description
id <small>* required</small>	id

integer(\$int64)
(path)

Request body required

application/json

Example Value | Schema

```
{
  "resourceId": 0,
  "name": "string",
  "type": "string",
  "description": "string",
  "capacity": 0,
  "active": true
}
```

Responses

Code	Description	Links
200	OK <div>Media type<div>*/</div><div>Controls Accept header</div></div> <div>Example Value Schema<div><pre>{ "resourceId": 0, "name": "string", "type": "string", "description": "string", "capacity": 0, "active": true }</pre></div></div>	No links

reservation-controller

DELETE /reservations/{id}

GET /reservations/{id}

Parameters

Try it out

Name	Description
------	-------------

id ★ required
integer(int64)
(path)

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "reservationId": 0,
  "resourceId": 0,
  "userId": 0,
  "status": "PENDING",
  "price": 0,
  "startTime": "2025-09-16T22:06:51.534Z",
  "endTime": "2025-09-16T22:06:51.534Z",
  "createdAt": "2025-09-16T22:06:51.534Z",
  "updatedAt": "2025-09-16T22:06:51.534Z"
}
```

GET /reservations

Parameters

Cancel

Name	Description
sort	createdOn
array[string] (query)	desc
	Add string item
pageable ★ required	{ "page": 0, "size": 1, "sort": { "" } }
object (query)	
status	PENDING
string (query)	
minPrice	500
number (query)	
maxPrice	5000
number (query)	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8085/reservations?sort=*&size=1&status=PENDING&minPrice=500&maxPrice=5000' \
  -H 'accept: */*'
```

Request URL

http://localhost:8085/reservations?sort=*&size=1&status=PENDING&minPrice=500&maxPrice=5000

Server response

Code Details

401 Error: response status is 401

Undocumented

Response body

```
{
  "error": "Unauthorized",
  "message": "Full authentication is required to access this resource"
}
```

Copy

Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 95
content-type: application/json;charset=ISO-8859-1
date: Tue, 16 Sep 2025 22:06:27 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-xss-protection: 0
```

Responses

Code	Description	Links
------	-------------	-------

200OK

Media type
/
Controls Accept header.

Example Value | Schema

```
{
  "totalPages": 0,
  "totalElements": 0,
  "size": 0,
  "content": [
    {
      "reservationId": 0,
      "resourceId": 0,
      "userId": 0,
      "status": "PENDING",
      "price": 0,
      "startTime": "2025-09-16T22:06:51.540Z",
      "endTime": "2025-09-16T22:06:51.540Z",
      "createdAt": "2025-09-16T22:06:51.540Z",
      "updatedAt": "2025-09-16T22:06:51.540Z"
    }
  ],
  "number": 0,
  "sort": {
    "empty": true,
    "sorted": true,
    "unsorted": true
  },
  "first": true,
  "last": true,
  "numberOfElements": 0,
  "pageable": {
    "offset": 0,
    "sort": {
      "empty": true
    }
  }
}
```

POST/reservations

ParametersTry it out

No parameters

Request body requiredapplication/json

Example Value | Schema

```
{
  "resourceId": 0,
  "price": 0,
  "startTime": "2025-09-16T22:06:51.544Z",
  "endTime": "2025-09-16T22:06:51.544Z"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "reservationId": 0, "resourceId": 0, "userId": 0, "status": "PENDING", "price": 0, "startTime": "2025-09-16T22:06:51.545Z", "endTime": "2025-09-16T22:06:51.545Z", "createdAt": "2025-09-16T22:06:51.545Z", "updatedAt": "2025-09-16T22:06:51.545Z" }</pre>	No links

PUT/reservations/{id}

ParametersTry it out

Name	Description
id * required integer(\$int64) (path)	id

Request body requiredapplication/json

Example Value | Schema

```
{
  "resourceId": 0,
  "price": 0,
  "startTime": "2025-09-16T22:06:51.548Z",
  "endTime": "2025-09-16T22:06:51.548Z"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "reservationId": 0, "resourceId": 0, "userId": 0, "status": "PENDING", "price": 0, "startTime": "2025-09-16T22:06:51.548Z", "endTime": "2025-09-16T22:06:51.548Z", "createdAt": "2025-09-16T22:06:51.548Z", "updatedAt": "2025-09-16T22:06:51.548Z" }</pre>	No links

```
    "status": "PENDING",
    "price": 0,
    "startTime": "2025-09-16T22:06:51.549Z",
    "endTime": "2025-09-16T22:06:51.549Z",
    "createdBy": "2025-09-16T22:06:51.549Z",
    "updatedAt": "2025-09-16T22:06:51.549Z"
  }
}
```

user-controller

GET /forUser

GET /forAdmin

POST /registerNewUser

role-controller

POST /createNewRole

jwt-controller

POST /auth/login

Parameters

Try it out

No parameters

Request body *required*

application/json

Example Value | Schema

```
{
  "userName": "string",
  "password": "string"
}
```

Responses

Code Description

Links

200 OK

No links

Media type

application/json

Controls Accept header

Example Value | Schema

```
{
  "user": {
    "version": 0,
    "createdOn": "2025-09-16T22:06:51.554Z",
    "createdBy": 0,
    "updatedOn": "2025-09-16T22:06:51.554Z",
    "updatedBy": 0,
    "isActive": "string",
    "userId": 0,
    "userName": "string",
    "firstName": "string",
    "lastName": "string",
    "password": "string",
    "role": [
      {
        "version": 0,
        "createdOn": "2025-09-16T22:06:51.554Z",
        "createdBy": 0,
        "updatedOn": "2025-09-16T22:06:51.554Z",
        "updatedBy": 0,
        "isActive": "string",
        "roleId": 0,
        "roleName": "string",
        "roleDescription": "string"
      }
    ],
    "roles": "ROLE_USER"
  },
  "jwtToken": "string"
}
```

Schemas

ResourceDTO >

CreateReservationRequest >

ReservationDTO >

Role >

User >

JwtRequest >

JwtResponse >

Pageable >

PageResource >

PageableObject >

Resource >

SortObject >

PageReservationDTO >