

JS Advanced - Retake Exam

Exam problems for the [“JavaScript Advanced” course @ SoftUni](#). Submit your solutions in the SoftUni Judge system at <https://judge.softuni.bg/Contests/Practice/Index/1624#3>.

Problem 4. Freelance Offers


Use the given **resources** to solve this problem. You have **NO permission** to directly change the given HTML code (`index.html` file).

Your task

You have been tasked to create a simple Front-End application, which looks like a **freelance offers platform**. You should create an interface that allows the user to **login**, **see notifications**, **create offers** and **logout**.

The web page should look like this:

- When the user is **logged out**:



- When the user is **logged in**:

The application contains **4 main functionalities**:

- Login**
- Show notifications**
- Create offers**
- Logout**

Login

The application should provide functionality to **login** with **username**. The username should have the following **validations**:

- The username length should be **between 4 and 10** symbols.

When the user is successfully logged in:

- The **form for creating offers** should be set to **visible**.
- The **username** should be displayed on the **input field** in following format: "**Hello, {username}!**".
 - To achieve the white background visual effect add "**border-0 bg-light**" class to the username field.
 - The **username input field** must be **disabled** after successful login.
- The **button text** and **functionality** should be changed to [**Logout**].

Example

Freelance Offers

Peter

Login

Freelance Offers

Hello, Peter!

Logout

```
<form class="form-inline my-2 my-lg-0" id="usernameContainer">
  <input class="form-control mr-sm-2 border-0 bg-light" type="search" placeholder="Username"
    value="Hello, Peter!" aria-label="Search" id="username" disabled="disabled">
  <button class="btn btn-outline-dark my-2 my-sm-0" type="submit" id="loginBtn">Logout
</button>
</form>
```

Notifications

If the username does **NOT** match the validations, append the following text to the container with `id="notification"`:

"The username length should be between 4 and 10 characters."

Freelance Offers

NO

Login

The username length should be between 4 and 10 characters.

```
<body>
  <nav class="navbar navbar-expand-lg navbar-light bg-light">...</nav>
  <div class="row">
    <div id="notification" class="col-md-12 col-md-offset-5 text-center text-danger">The username length should
      be between 4 and 10 characters.</div>
  </div>
```

Create offers

The application should provide functionality to **create offers** for **logged users**. If the user is **logged in** he must be able to see the **form** for **creating offers**.

Freelance Offers

Hello, mr00LL!

Logout

Create offer:

Offer name:

Example: WordPress Website

Company name:

Example: SoftUni

Description:

Create

Active offers:

The form should have input fields for **offer name**, **company name** and offer **description**. All the input fields are **required** so if one of them is empty the offer should **NOT** be created.

Example

Create offer:

Offer name:

Example: WordPress Website

Company name:

Example: SoftUni

Description:

We need super JS Ninja to create retake exam for JS Advanced course at Software University.

Create

Freelance Offers

Hello, tomasz!

Logout

Create offer:

Offer name:

Example: WordPress Website

Company name:

Example: SoftUni

Description:

Create

Active offers:

WordPress Website

Software University

We're seeking a Front-End Developer to create our Blog. The website should be created with WordPress. The theme is "The 7".

Logo Design

SBTech

We're seeking a creative designer that wants to create our new logo. The logo should be similar to the current one.

Landing page

KS Software

We're seeking a Front-end Developer to create a simple landing page for our new platform. The developer will work with a complete design.

Exam Creation

SoftUni

We need super JS Ninja to create retake exam for JS Advanced course at Software University.

```
<div class="col-3"> == $0
  <div class="card text-white bg-dark mb-3 pb-3" style="max-width: 18rem;">
    <div class="card-header">Exam Creation</div>
    <div class="card-body">
      <div class="card-title">SoftUni</div>
      <p class="card-text">
        "We need super JS Ninja to create retake exam for JS Advanced course at Software University."
      </p>
    </div>
  </div>
</div>
```

Logout

The application should provide functionality to **logout**.

When user click the **[Logout]** button he should be able to see the **default page (Login functionality)** again.

