

Day 2 (Navigation methods)

1) Conditional statements — $\begin{cases} \rightarrow \text{if} \\ \rightarrow \text{else if} \\ \rightarrow \text{else if ladder} \end{cases}$

2) Loops (while)

in selenium Loops used to check

1. multiple products
2. multiple links
3. multiple buttons.

3) Selenium Browser commands:

→ These commands are used to control the Browser

1. Maximize()

→ Browser full screen

`driver.manage().window().maximize();`

2. Minimize()

→ Browser minimize

`driver.manage().window().minimize();`

3. get()

→ It opens the website.

`driver.get("https://www.google.com");`

4. getTitle()

→ page title return chestundi

`System.out.println(driver.getTitle());`

5. getCurrentUrl()

→ It returns the current url

`System.out.println(driver.getCurrentUrl());`

6. getPageSource()

→ It returns the entire HTML source.

`System.out.println(driver.getPageSource());`

4) Selenium Navigation commands:

1. navigate().to()

→ open another URL

`driver.navigate().to("https://www.amazon.in");`

2. back()

→ It navigates the current page to previous page.
driver.navigate().back();

3. forward()

→ It navigates the current page to next page.
driver.navigate().forward();

4. refresh()

→ page refresh. Chestundhi
driver.navigate().refresh();

5. close()

→ It closes only current tab
driver.close();

6. quit()

→ It is used to close entire browser.
driver.quit();

Task

write a program to open Google, youtube and Amazon using navigation method, and every time print page title and current URL and use maximize() and minimize() in that program.

Program

```
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
public class NavigationTask
{
    public static void main(String[] args) throws InterruptedException
    {
        WebDriver driver = new ChromeDriver();
        //maximize browser.
        driver.manage().window().maximize();
        //open Google
        driver.get("https://www.google.com");
        System.out.println("Google title:" + driver.getTitle());
        System.out.println("URL:" + driver.getCurrentUrl());
        Thread.sleep(2000);
    }
}
```


// Navigate to youtube

```
driver.navigate().to("https://www.youtube.com");  
s.o.pln("Title: " + driver.getTitle());  
s.o.pln("driver.getCurrentURL()");  
Thread.sleep(2000);
```

// Navigate to Amazon

```
driver.navigate().to("https://www.amazon.in");  
s.o.pln(driver.getTitle());  
s.o.pln(driver.getCurrentURL());  
Thread.sleep(2000);
```

// Go Back

```
driver.navigate().back();  
Thread.sleep(2000);
```

// Go forward

```
driver.get  
driver.navigate().forward();  
Thread.sleep(2000);
```

// Refresh page

```
driver.navigate().refresh();  
Thread.sleep(2000);
```

// minimize browser

```
driver.manage().window().minimize();  
Thread.sleep(2000);
```

// close browser

```
driver.quit();  
}
```

gpt opens google in full window

↓ after 2s

opens youtube.

↓ after 2s

opens amazon.

↓ after 2s

opens youtube (Go Back)

↓ after 2s

opens amazon (Go forward)

↓ after 2s

Refreshes the amazon page

↓

after 2 seconds the entire browser will close

o/p:

Google Title: Google

Google URL: <https://www.google.com/>

YouTube Title: YouTube

YouTube URL: <https://www.youtube.com/>

-Amazon Title: -Amazon

-Amazon URL: <https://www.amazon.in/>

process finished with exit code 0