```
(base) mac@Chais-MacBook-Air ~ % docker ps -a
CONTAINER ID   IMAGE          COMMAND       CREATED          STATUS                       PORTS     NAMES
bac4b884357e   ubuntu:22.04   "/bin/bash"   42 seconds ago   Exited (127) 36 seconds ago            my-ubuntu
f6f05cc5eeda   hello-world    "/hello"      31 minutes ago   Exited (0) 31 minutes ago              nostalgic_payne
(base) mac@Chais-MacBook-Air ~ % docker start -ai my-ubuntu
root@bac4b884357e:/# exit
exit
```

```
root@bac4b884357e:/# cat /etc/os-release
PRETTY_NAME="Ubuntu 22.04.5 LTS"
NAME="Ubuntu"
VERSION_ID="22.04"
VERSION="22.04.5 LTS (Jammy Jellyfish)"
VERSION_CODENAME=jammy
ID=ubuntu
ID_LIKE=debian
HOME_URL="https://www.ubuntu.com/"
SUPPORT_URL="https://help.ubuntu.com/"
BUG_REPORT_URL="https://bugs.launchpad.net/ubuntu/"
PRIVACY_POLICY_URL="https://www.ubuntu.com/legal/terms-and-policies/privacy-policy"
UBUNTU_CODENAME=jammy
root@bac4b884357e:/#
```

```
(base) mac@Chais-MacBook-Air ~ % docker run hello-world

Hello from Docker!
This message shows that your installation appears to be working correctly.

To generate this message, Docker took the following steps:
 1. The Docker client contacted the Docker daemon.
 2. The Docker daemon pulled the "hello-world" image from the Docker Hub.
    (amd64)
 3. The Docker daemon created a new container from that image which runs the
    executable that produces the output you are currently reading.
 4. The Docker daemon streamed that output to the Docker client, which sent it
    to your terminal.

To try something more ambitious, you can run an Ubuntu container with:
 $ docker run -it ubuntu bash

Share images, automate workflows, and more with a free Docker ID:
 https://hub.docker.com/

For more examples and ideas, visit:
 https://docs.docker.com/get-started/

(base) mac@Chais-MacBook-Air ~ %
```

```
(base) mac@Chais-MacBook-Air ~ % docker rm my-ubuntu
my-ubuntu
```

```
(base) mac@Chais-MacBook-Air ~ % docker --version
Docker version 24.0.6, build ed223bc
(base) mac@Chais-MacBook-Air ~ %
```