

config firewall addrgrp

Configure IPv4 address groups.

```
config firewall addrgrp
  Description: Configure IPv4 address groups.
  edit <name>
    set allow-routing [enable|disable]
    set category [default|ztna-ems-tag|...]
    set color {integer}
    set comment {var-string}
    set exclude [enable|disable]
    set exclude-member <name1>, <name2>, ...
    set fabric-object [enable|disable]
    set member <name1>, <name2>, ...
    config tagging
      Description: Config object tagging.
      edit <name>
        set category {string}
        set tags <name1>, <name2>, ...
      next
    end
    set type [default|folder]
    set uuid {uuid}
  next
end
```

config firewall addrgrp

Parameter	Description	Type	Size	Default
allow-routing	Enable/disable use of this group in the static route configuration.	option	-	disable
	Option	Description		
	<i>enable</i>	Enable use of this group in the static route configuration.		
	<i>disable</i>	Disable use of this group in the static route configuration.		
category	Address group category.	option	-	default
	Option	Description		
	<i>default</i>	Default address group category (cannot be used as ztna-ems-tag/ztna-geo-tag in policy).		
	<i>ztna-ems-tag</i>	Members must be ztna-ems-tag group or ems-tag address, can be used as ztna-ems-tag in policy.		
	<i>ztna-geo-tag</i>	Members must be ztna-geo-tag group or geographic address, can be used as ztna-geo-tag in policy.		

Parameter	Description	Type	Size	Default						
color	Color of icon on the GUI.	integer	Minimum value: 0 Maximum value: 32	0						
comment	Comment.	var-string	Maximum length: 255							
exclude	Enable/disable address exclusion.	option	-	disable						
	<table><tr><th>Option</th><th>Description</th></tr><tr><td><i>enable</i></td><td>Enable address exclusion.</td></tr><tr><td><i>disable</i></td><td>Disable address exclusion.</td></tr></table>				Option	Description	<i>enable</i>	Enable address exclusion.	<i>disable</i>	Disable address exclusion.
Option	Description									
<i>enable</i>	Enable address exclusion.									
<i>disable</i>	Disable address exclusion.									
exclude-member <name>	Address exclusion member. Address name.	string	Maximum length: 79							
fabric-object	Security Fabric global object setting.	option	-	disable						
	<table><tr><th>Option</th><th>Description</th></tr><tr><td><i>enable</i></td><td>Object is set as a security fabric-wide global object.</td></tr><tr><td><i>disable</i></td><td>Object is local to this security fabric member.</td></tr></table>				Option	Description	<i>enable</i>	Object is set as a security fabric-wide global object.	<i>disable</i>	Object is local to this security fabric member.
Option	Description									
<i>enable</i>	Object is set as a security fabric-wide global object.									
<i>disable</i>	Object is local to this security fabric member.									
member <name>	Address objects contained within the group. Address name.	string	Maximum length: 79							
name	Address group name.	string	Maximum length: 79							
type	Address group type.	option	-	default						
	<table><tr><th>Option</th><th>Description</th></tr><tr><td><i>default</i></td><td>Default address group type (address may belong to multiple groups).</td></tr><tr><td><i>folder</i></td><td>Address folder group (members may not belong to any other group).</td></tr></table>				Option	Description	<i>default</i>	Default address group type (address may belong to multiple groups).	<i>folder</i>	Address folder group (members may not belong to any other group).
Option	Description									
<i>default</i>	Default address group type (address may belong to multiple groups).									
<i>folder</i>	Address folder group (members may not belong to any other group).									
uuid	Universally Unique Identifier (UUID; automatically assigned but can be manually reset).	uuid	Not Specified	00000000-0000-0000-0000-000000000000						

config tagging

Parameter	Description	Type	Size	Default
category	Tag category.	string	Maximum length: 63	

Parameter	Description	Type	Size	Default
name	Tagging entry name.	string	Maximum length: 63	
tags <name>	Tags. Tag name.	string	Maximum length: 79	

config firewall addrgrp6

Configure IPv6 address groups.

```
config firewall addrgrp6
  Description: Configure IPv6 address groups.
  edit <name>
    set color {integer}
    set comment {var-string}
    set exclude [enable|disable]
    set exclude-member <name1>, <name2>, ...
    set fabric-object [enable|disable]
    set member <name1>, <name2>, ...
    config tagging
      Description: Config object tagging.
      edit <name>
        set category {string}
        set tags <name1>, <name2>, ...
      next
    end
  end
  set uuid {uuid}
next
end
```

config firewall addrgrp6

Parameter	Description	Type	Size	Default						
color	Integer value to determine the color of the icon in the GUI.	integer	Minimum value: 0 Maximum value: 32	0						
comment	Comment.	var-string	Maximum length: 255							
exclude	Enable/disable address6 exclusion.	option	-	disable						
	<table><tr><th>Option</th><th>Description</th></tr><tr><td><i>enable</i></td><td>Enable address6 exclusion.</td></tr><tr><td><i>disable</i></td><td>Disable address6 exclusion.</td></tr></table>				Option	Description	<i>enable</i>	Enable address6 exclusion.	<i>disable</i>	Disable address6 exclusion.
Option	Description									
<i>enable</i>	Enable address6 exclusion.									
<i>disable</i>	Disable address6 exclusion.									