

1DESIGN AND ANALYSIS OF FRACTAL MICROSTRIP ANTENNA

A report on major project work

Submitted in the partial fulfillment of the requirements for
the award of the degree of

BACHELOR OF TECHNOLOGY

in

ELECTRONICS AND COMMUNICATION ENGINEERING

by

S ANANYA

B15EC075

Under the guidance of

Sri B.KOMURIAH

Asst prof, Department of ECE.



**DEPARTMENT OF ELECTRONICS & COMMUNICATION ENGINEERING
KAKATIYA INSTITUTE OF TECHNOLOGY & SCIENCE, WARANGAL**
(An Autonomous Institute under Kakatiya University, Warangal)
WARANGAL – 506015
2018-2019

KAKATIYA INSTITUTE OF TECHNOLOGY AND SCIENCE, WARANGAL
DEPARTMENT OF ELECTRONICS & COMMUNICATION ENGINEERING



CERTIFICATE

This is to certify that the project work entitled “**DESIGN AND ANALYSIS OF FRACTAL MICROSTRIP ANTENNA**” is the bonafide project work carried out by **S Ananya** bearing Roll Nos. **B15EC075** in partial fulfillment of the requirements for the award of degree of the Bachelor of Technology from Kakatiya Institute of Technology and Science, Warangal during the academic year 2018-2019.

Project Guide

Sri B.KOMURIAH,
Assistant Prof,
Dept. of ECE,
KITS, Warangal.

Head of the Department

Dr. G. RAGHOTHAM REDDY
Professor & Head,
Dept. of ECE,
KITS, Warangal.

DECLARATION

We declare that the work presented in this project report is original and has been carried out in the Department of Electronics & Communication Engineering, Kakatiya Institute of Technology and Science, Warangal, Telangana, and to best of our knowledge it has been not submitted elsewhere for any degree.

S ANANYA

Roll No. B15EC075

ACKNOWLEDGEMENT

We express our deepest sense of gratitude and indebtedness to our project guide **Sri B.Komuraiah**, Assistant professor, Dept. of ECE, KITS, Warangal for having been a source of consistent inspiration, precious guidance and generous assistance during project work. We deem it as a privilege to have worked under his able guidance. Without his close monitoring and valuable suggestions this work wouldn't have taken this shape. We feel that this help is not substitutable and unforgettable.

We are thankful to B. Tech Project work Convener, **Smt. S. P. Girija**, Associate Professor, Dept. of ECE, KITSW, Project work Coordinators **Syed Zaheeruddin**, Assistant Professor, **B. Narsimha**, Assistant Professor and **P. Chiranjeevi**, Assistant Professor, Dept. of ECE, KITSW for timely conduction of seminars.

We are profoundly thankful to **Dr. G. Raghotham Reddy**, Professor & Head, Dept. of ECE for his constant support and encouragement.

We express our sincere thanks to **Dr. K. Ashoka Reddy**, Principal, KITS, Warangal, for his kind gesture and support.

We are indebted to the Management of Kakatiya Institute of Technology and Science, Warangal, for providing the necessary infrastructure and good academic environment in an Endeavour to complete the project and special thanks for providing Department Library of ECE and Digital Library to access IEEE papers.

S ANANYA

ABSTRACT

Antenna is a transducer designed to transmit or receive electromagnetic waves. Microstrip antenna usually means an antenna fabricated using microstrip techniques on a printed circuit board (PCB). It consists of a conducting patch of any planar or non planar geometry on one side of a dielectric substrate with a ground plane on other side. It is a popular printed resonant antenna for narrow-band microwave wireless links that require semi-hemispherical coverage. Due to its planar configuration and ease of integration with microstrip technology, the microstrip patch antenna has been heavily studied and often used as elements for an array.

For the same patch antenna a new geometry of a rectangular microstrip patch antenna that improves the performance of a conventional microstrip patch antenna. This antenna is designed to operate at 5.38 GHz with enhanced bandwidth of 11.15%. For the desired result, a triangular notch is inserted into the patch antenna. The proposed geometry provides improvement in other radiation parameters like gain, efficiency and impedance behavior, when it is compared with conventional antenna.

Software Requirements:

ANSYS HFSS (High Frequency Structure Simulator).

TABLE OF CONTENTS

| Chapter | Content | Page.No. |
|----------------|---|-----------------|
| | Title Page | i |
| | Certificate | ii |
| | Declaration | iii |
| | Acknowledgement | iv |
| | Abstract | v |
| | Table of Contents | vi |
| | List of figures | vii |
| | List of Tables | ix |
| Chapter 1 | Introduction | 1 |
| Chapter 2 | Objective of the project & Literature Review | 2 |
| Chapter 3 | Antennas | 3 |
| | 3.1 ANSYS HFSS | 3 |
| Chapter 4 | Microstrip Antennas | 4 |
| | 4.1 Basic characteristics | 4 |
| | 4.2 Advantages,Disadvantages & Applications of Patch Antenna | 6 |
| Chapter 5 | Fractal Microstrip Antennas | 7 |
| | 5.1 History Of Fractals | 8 |
| | 5.2 Natural Fractals &It's Properties | 9 |
| | 5.3 Advantages And Applications Of Fractal Antenna | 12 |
| Chapter 6 | Design And Analysis Of Fractal Patch Antenna | 14 |
| | 6.1 Design Of Basic Rectangular Patch Antenna | 15 |
| | 6.2 Design Of Fractal Patch Antenna | 23 |
| | 6.2.1 1st ITERATION | 23 |
| | 6.2.1 2nd ITERATION | 27 |
| | 6.3 THE TRIANGLE PATCH ANTENNA | 31 |
| Chapter 7 | Conclusion | 34 |

LIST OF FIGURES

| S.No. | Figure Name | Page. No. |
|-------|---|-----------|
| 3.1 | ANSYS logo | 3 |
| 3.1 | ANSOFT logo (a corp. Under ANSYS deals with | |
| 4.1 | EM radiation fields | 3 |
| 4.2 | Microstrip antenna and coordinate system | |
| 5.1 | A Leaf Representing a Fractal structure which is iterated through its leaf vein | 10 |
| 5.2 | Depicts the dissection of the above leaf as iterative structure | 10 |
| 5.3 | Koch fractal triangle pattern | 11 |
| 5.4 | Sierpinski triangle | 11 |
| 6.1 | Modified rectangular patch | 14 |
| 6.2 | Selecting the solution type to terminal | 15 |
| 6.3 | Setting up the substrate (the pink shaded region) | 16 |
| 6.4 | Ground plane (the pink shaded region) | 17 |
| 6.5 | Patch with 14*20mm is designed with a microstrip feed line (the pink shaded region) | 17 |
| 6.6 | Create a source. | 18 |
| 6.7 | Create airbox. | 18 |
| 6.8 | Assign excitation. | 19 |
| 6.9 | Assign Radiation | 19 |
| 6.10 | Add solution setup. | 20 |
| 6.11 | Add sweep frequency. | 20 |

| | | |
|------|---|----|
| 6.12 | Insert far field setup. | 21 |
| 6.13 | Validation check | 21 |
| 6.14 | s(1,1) vs. frequency graph | 22 |
| 6.15 | Radiation pattern | 22 |
| 6.16 | the base , 1st iteration fractal antenna structure | 23 |
| 6.17 | Return loss vs. Frequency curve of the 1st iteration | 24 |
| 6.18 | fractal antenna | 24 |
| 6.19 | 2D radiation pattern graph | 25 |
| 6.20 | 3D radiation pattern of the 1st iteration fractal | 27 |
| 6.21 | the base , 2st iteration fractal antenna structure | 28 |
| 6.22 | Return loss vs Frequency curve of the 2nd iteration | 28 |
| 6.23 | fractal antenna | 29 |
| 6.24 | 2D radiation pattern graph | 31 |
| 6.25 | 3D radiation pattern of the 2nd iteration fractal | 32 |
| 6.26 | Triangular antenna structure | 32 |
| 6.27 | Return loss vs. Frequency curve of triangular antenna | 33 |
| | 2D radiation pattern graph | |
| | 3D radiation pattern of the triangular antenna | |

LIST OF TABLES

| S.No. | Table Name | Page. No. |
|-------|--|-----------|
| 6.1 | Comparison between rectangular patch and 1st iteration fractal patch antennas | 26 |
| 6.2 | Comparison between rectangular patch antenna and 2nd iteration fractal patch antenna | 30 |