

```
1  # -*- coding: utf-8 -*-
2  """
3  Spyder Editor
4
5  This is a temporary script file.
6  """
7
8  import mysql.connector
9  cnx = mysql.connector.connect(user='root', password='FuzzyOtters!',
10                               host='localhost', database='MoreLibraryTransactions')
11  cursor = cnx.cursor()
12
13  add_user = ("INSERT INTO LibraryUser"
14             "(UserID, Name, Email, Address, JoinDate, Balance)"
15             "VALUES (%s, %s, %s, %s, %s, %s)"
16             )
17
18  new_user = ("900", "Gerald G", "GeraldG@mail.com", "200 Park Place", "08/02/26", "0.00")
19
20  cursor.execute(add_user, new_user)
21
22  cnx.commit()
23
24  query1 = ("SELECT Title FROM Book")
25
26  query2 = ("SELECT Name FROM LibraryUser")
27
28  query3 = ("SELECT TypeID FROM BookType")
29
30  query4 = ("SELECT StartDate FROM Transaction")
31
32  cursor.execute(query1)
33  cursor.execute(query2)
34  cursor.execute(query3)
35  cursor.execute(query4)
36
37
38  cursor.close()
39  cnx.close()
40
```

Python 3.13.9 | packaged by Anaconda, Inc. | (main, Oct 21 2025, 19:11:29) [Clang 20.1.8]
Type "copyright", "credits" or "license" for more information.

IPython 9.7.0 -- An enhanced Interactive Python. Type '?' for help.

In [1]: %runfile /Users/crisfarrell/.spyder-py3/temp.py --wdir

MySQLInterfaceError Traceback (most recent call last)

File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/connection_cext.py:354, in CMySQLConnection._open_connection(self)

```
    353 try:
--> 354     self._cmysql.connect(**cnx_kwargs)
    355     self._cmysql.converter_str_fallback =
self._converter_str_fallback
```

MySQLInterfaceError: Unknown MySQL server host 'localhost:3306' (8)

The above exception was the direct cause of the following exception:

DatabaseError Traceback (most recent call last)

File ~/.spyder-py3/temp.py:9

```
2 """
3 Spyder Editor
4
5 This is a temporary script file.
6 """
7
8 import mysql.connector
--> 9 cnx = mysql.connector.connect(user='root', password='password',
10                               host='localhost:3306',
database='MoreLibraryTransactions')
12 cnx.close()
```

```
DatabaseError: 2005 (HY000): Unknown MySQL server host 'localhost:3306' (8)
```

```
In [2]: %runfile /Users/crisfarrell/.spyder-py3/temp.py --wdir
```

```
-----  
MySQLInterfaceError                                Traceback (most recent call  
last)
```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/  
connection_cext.py:354, in CMySQLConnection._open_connection(self)
```

```
    353 try:  
--> 354     self._cmysql.connect(**cnx_kwargs)  
    355     self._cmysql.converter_str_fallback =  
self._converter_str_fallback
```

```
MySQLInterfaceError: Access denied for user 'root'@'localhost' (using  
password: YES)
```

The above exception was the direct cause of the following exception:

```
ProgrammingError                                    Traceback (most recent call  
last)
```

```
File ~/.spyder-py3/temp.py:9
```

```
    2 """  
    3 Spyder Editor  
    4  
    5 This is a temporary script file.  
    6 """  
    7  
    8 import mysql.connector  
--> 9 cnx = mysql.connector.connect(user='root', password='password',  
   10                               host='localhost',  
database='MoreLibraryTransactions')  
   12 cnx.close()
```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/  
pooling.py:322, in connect(*args, **kwargs)
```

```
    319     raise ImportError(ERROR_NO_CEXT)  
    321 if CMySQLConnection and not use_pure:  
--> 322     return CMySQLConnection(*args, **kwargs)  
    323 return MySQLConnection(*args, **kwargs)
```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
pooling.py:322, in connect(*args, **kwargs)
    319     raise ImportError(ERROR_NO_CEXT)
    321 if CMySQLConnection and not use_pure:
--> 322     return CMySQLConnection(*args, **kwargs)
    323 return MySQLConnection(*args, **kwargs)

File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
connection_cext.py:142, in CMySQLConnection.__init__(self, **kwargs)
    140 if kwargs:
    141     try:
--> 142         self.connect(**kwargs)
    143     except Exception:
    144         self.close()

File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
abstracts.py:1604, in MySQLConnectionAbstract.connect(self, **kwargs)
    1601     self.config(**kwargs)
    1603 self.disconnect()
-> 1604 self._open_connection()
    1606 charset, collation = (
    1607     kwargs.pop("charset", None),
    1608     kwargs.pop("collation", None),
    1609 )
    1610 if charset or collation:

File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
connection_cext.py:360, in CMySQLConnection._open_connection(self)
    358 except MySQLInterfaceError as err:
    359     if hasattr(err, "errno"):
--> 360         raise get_mysql_exception(
    361             err.errno, msg=err.msg, sqlstate=err.sqlstate
    362         ) from err
    363     raise InterfaceError(str(err)) from err
    365 self._do_handshake()
```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
connection_cext.py:142, in CMySQLConnection.__init__(self, **kwargs)
    140 if kwargs:
    141     try:
-> 142         self.connect(**kwargs)
    143     except Exception:
    144         self.close()
```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
abstracts.py:1604, in MySQLConnectionAbstract.connect(self, **kwargs)
    1601     self.config(**kwargs)
    1603 self.disconnect()
-> 1604 self._open_connection()
    1606 charset, collation = (
    1607     kwargs.pop("charset", None),
    1608     kwargs.pop("collation", None),
    1609 )
    1610 if charset or collation:
```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
connection_cext.py:360, in CMySQLConnection._open_connection(self)
    358 except MySQLInterfaceError as err:
    359     if hasattr(err, "errno"):
-> 360         raise get_mysql_exception(
    361             err.errno, msg=err.msg, sqlstate=err.sqlstate
    362         ) from err
    363     raise InterfaceError(str(err)) from err
    365 self._do_handshake()
```

ProgrammingError: 1045 (28000): Access denied for user 'root'@'localhost (using password: YES)

In [3]: %runfile /Users/crisfarrell/.spyder-py3/temp.py --wdir

In [4]: %runfile /Users/crisfarrell/.spyder-py3/temp.py --wdir

In [5]: %runfile /Users/crisfarrell/.spyder-py3/temp.py --wdir

In [6]: %runfile /Users/crisfarrell/.spyder-py3/temp.py --wdir

```

File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
connection_cext.py:772, in CMySQLConnection.cmd_query(self, query, raw,
buffered, raw_as_string, **kwargs)
    770     self._local_infile_filenames = None
--> 772     self._cmysql.query(
    773         query,
    774         raw=raw,
    775         buffered=buffered,
    776         raw_as_string=raw_as_string,
    777         query_attrs=self.query_attrs,
    778     )
    779 except MySQLInterfaceError as err:

```

MySQLInterfaceError: Duplicate entry '900' for key 'libraryuser.PRIMARY'

The above exception was the direct cause of the following exception:

```

IntegrityError                                Traceback (most recent call
last)
File ~/./spyder-py3/temp.py:20
    13 add_user = ("INSERT INTO LibraryUser"
    14              "(UserID, Name, Email, Address, JoinDate, Balance)"
    15              "VALUES (%s, %s, %s, %s, %s, %s)"
    16              )
    18 new_user = ("900", "Gerald G", "GeraldG@mail.com", "200 Park
Place", "08/02/26", "0.00")
--> 20 cursor.execute(add_user, new_user)
    22 cnx.commit()
    24 cursor.close()

```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
cursor_cext.py:353, in CMYSQLCursor.execute(self, operation, params,
map_results)
```

```
    345 self._executed = (
    346     self._stmt_partition["single_stmts"].popleft()
    347     if map_results
    348     else self._stmt_partition["mappable_stmt"]
    349 )
    351 try:
    352     self._handle_result(
--> 353         self._connection.cmd_query(
    354             self._stmt_partition["mappable_stmt"],
    355             raw=self._raw,
    356             buffered=self._buffered,
    357             raw_as_string=self._raw_as_string,
    358         )
    359     )
    360 except MySQLInterfaceError as err:
    361     if hasattr(err, "errno"):
```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
opentelemetry/context_propagation.py:97, in
```

```
with_context_propagation.<locals>.wrapper(cnx, *args, **kwargs)
    95 # pylint: disable=possibly-used-before-assignment
    96 if not OTEL_ENABLED or not cnx.otel_context_propagation:
--> 97     return method(cnx, *args, **kwargs)
    99 current_span = trace.get_current_span()
   100 tp_header = None
```

```
File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
connection_cext.py:781, in CMySQLConnection.cmd_query(self, query, raw,
buffered, raw_as_string, **kwargs)
```

```
    779 except MySQLInterfaceError as err:
    780     if hasattr(err, "errno"):
--> 781         raise get_mysql_exception(
    782             err.errno, msg=err.msg, sqlstate=err.sqlstate
    783         ) from err
    784     raise InterfaceError(str(err)) from err
    785 except AttributeError as err:
```

```
IntegrityError: 1062 (23000): Duplicate entry '900' for key
'libraryuser.PRIMARY'
```

```
In [7]: query1 = ("SELECT Title FROM Book")
...:
...: query2 = ("SELECT Name FROM LibraryUser")
...:
...: query3 = ("SELECT TypeID FROM BookType")
...:
...: query4 = ("SELECT StartDate FROM Transaction")
...:
...: cursor.execute(query1)
...: cursor.execute(query2)
...: cursor.execute(query3)
...: cursor.execute(query4)
...:
```



```

InternalError                                Traceback (most recent call
last)
Cell In[7], line 10
      7 query4 = ("SELECT StartDate FROM Transaction")
      9 cursor.execute(query1)
--> 10 cursor.execute(query2)
     11 cursor.execute(query3)
     12 cursor.execute(query4)

File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
cursor_cext.py:315, in CMYSQLCursor.execute(self, operation, params,
map_results)
     312 except (ProgrammingError, ReferenceError) as err:
     313     raise ProgrammingError("Cursor is not connected", 2055) from
err
--> 315 self._connection.handle_unread_result()
     316 self.reset()
     318 stmt = b""

File /opt/anaconda3/lib/python3.13/site-packages/mysql/connector/
connection_cext.py:1121, in CMYSQLConnection.handle_unread_result(self,
prepared)
     1119     self.consume_results()
     1120 elif unread_result:
-> 1121     raise InternalError("Unread result found")

InternalError: Unread result found

In [8]:

```