# MINI PROJECT REPORT



## Submitted By:

Dharmpal Chaudhary(148604)

Panch Bahadur (12633)

Saurabh Yadav(148611)

### Guided By:

Prof. D.L. Gupta

Department Of CSE

KNIT, Sultanpur



Department of Computer Science & Engineering Kamla Nehru Institute Of Technology, Sultanpur Uttar Pradesh – 228118

# **Acknowledgements**

We would like to extend to express our immense pleasure while submitting this project on "My Diary" for partial completion of B.Tech program.

We are thankful to **Prof. D. L. Gupta**, and **Mr. Chandrajeet Yadav**, Department of Computer Science & Technology who guided us through out.

We are highly thankful to **Dr. Anil Kumar Malviya**, Professor & Head, Department of Computer Science & Engineering, KNIT Sultanpur, our Faulty Mentor for his encouragement, guidance and valuable suggestions, which I incorporated in my project.

We would also like to thank our friends for the constant follow up and boost provided by them through their encouragement during the course of carrying out the project.

Dharmpal Chaudhary Panch Bahadur Saurabh Yaday

# **Certificate**

We hereby declare that the project work entitled "My Diary" is authentic record of our own work carried out during the Sixth Semester of our B.Tech Program.

The project report has been submitted by our team for the partial completion of the B.Tech. Program.

Dharmpal Chaudhary Panch Bahadur Saurabh Yadav

# **Contents**

or. No.	Particulars	Page No
1	Acknowledgement	2
2	Certificate	3
3	Introduction	5
	Features	5
4	Implementation index.php signup_exec.php	6
5	User Interface	18

**4** | Page

# Introduction

### **Features**

- 1) We can save our memories by just creating an account and writing notes and saving it.
- 2) It has a great user friendly interface which helps everyone to easily use it.
- 3) Whenever you will sign-up, your password will be stored in encrypted form.
- 4) Cool look makes it more valuable and it contains more new technologies.
- 5) All contents like about us, Sign-up menu are in same page.
- 6) Password validation is very helpful and acknowledge to enter right length password.
- 7) Internet dependencies works very well with fast connection as well as slow connection.
- 8) Responsive design.

# **Implementation**

### Index.php

```
<!DOCTYPE html>
<html lang="en">
<head><link rel="icon" href="favicon.ico" type="image/ico" sizes="48x48">
<script>
function checkEmail()
var xmlhttp;
var k=document.getElementById("email").value;
var urls="checkname.php?email="+k;
if (window.XMLHttpRequest)
 xmlhttp=new XMLHttpRequest();
else
 xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
xmlhttp.onreadystatechange=function()
 if (xmlhttp.readyState==4)
    //document.getElementById("err").style.color="red";
   // document.getElementById("chec").innerHTML=xmlhttp.responseText;
        var ale=xmlhttp.responseText.toString();
        if(!ale==")
alert(xmlhttp.responseText);
xmlhttp.open("GET",urls,true);
xmlhttp.send();
function checkUsername()
var xmlhttp;
var k=document.getElementById("username").value;
var urls="checkusername.php?username="+k;
if (window.XMLHttpRequest)
```

```
xmlhttp=new XMLHttpRequest();
else
 xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
xmlhttp.onreadystatechange=function()
 if (xmlhttp.readyState==4)
    //document.getElementById("err").style.color="red";
    // document.getElementById("chec").innerHTML=xmlhttp.responseText;
        var ale=xmlhttp.responseText.toString();
        if(!ale==")
alert(xmlhttp.responseText);
xmlhttp.open("GET",urls,true);
xmlhttp.send();
</script>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="">
  <meta name="author" content="">
  <title>Online Diary</title>
  <!-- Bootstrap Core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
       k rel="stylesheet" href="css/bootstrap-theme.min.css">
<script src="js/jquery.min.js"></script>
  <!-- Custom CSS -->
  k href="css/grayscale.css" rel="stylesheet">
       <script src="js/bootstrap.min.js" type="text/javascript"></script>
  <!-- Custom Fonts -->
  k href="font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">
 k href="fonts/font2.css" rel="stylesheet" type="text/css">
  k href="fonts/font2.css" rel="stylesheet" type="text/css">
  <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries --
  <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
  <!--[if lt IE 9]>
    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
```

```
<script src="https://oss.m---axcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
  <![endif]-->
</head>
<br/><body id="page-top" data-spy="scroll" data-target=".navbar-fixed-top" >
  <!-- Navigation -->
  <nav class="navbar navbar-custom navbar-fixed-top" role="navigation">
    <div class="container">
      <div class="navbar-header">
         <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target=".navbar-main-collapse">
           <i class="fa fa-bars"></i>
         </button>
         <a class="navbar-brand page-scroll" href="#page-top">
           <img src="img/logo.jpg" height="160" width="160"></img>
         </a>
      </div>
      <!-- Collect the nav links, forms, and other content for toggling -->
      <div class="collapse navbar-collapse navbar-right navbar-main-collapse">
         <!-- Hidden li included to remove active class from about link when scrolled up
past about section -->
           cli class="hidden">
             <a href="#page-top"></a>
           >
             <a class="page-scroll" href="#about">About Us</a>
           >
             <a class="page-scroll" href="#download">Sign Up</a>
           >
                                        <a class="page-scroll" data-toggle="modal"
href="#signin">Sign In</a>
           <div class="modal fade" id="signin" tabindex="-1" role="dialog" aria-</pre>
labelledby="exampleModalLabel" aria-hidden="true">
 <div class="modal-dialog">
  <div class="modal-content">
   <div class="modal-header">
    <button type="button" class="close" data-dismiss="modal" aria-label="Close"><span</pre>
aria-hidden="true">×</span></button>
    <h4 class="modal-title" id="exampleModalLabel"><font color=black><center>Log
In</center></font></h4>
   </div>
   <div class="modal-body">
```

```
<form action="login exec.php" method="POST">
       <div class="form-group">
       <label for="email" class="control-label"><font</pre>
color=black><center>Email</center></font></label>
       <input type="text" name="email" class="form-control" id="message-text" required>
      </div>
     <div class="form-group">
       <label for="password" class="control-label"><font</pre>
color=black><center>Password</center></font></label>
       <input type="password" name="password"class="form-control" id="message-text"</pre>
required>
     </div>
   </div>
   <div class="modal-footer">
    <button type="button" class="btn btn-default" data-dismiss="modal">Close</button>
    <button type="submit" class="btn btn-primary">LogIn/button>
   </div></form>
  </div>
 </div>
</div>
</div>
       <!-- /.navbar-collapse -->
    </div>
    <!-- /.container -->
  </nav>
  <!-- Intro Header -->
  <header class="intro">
    <div class="intro-body">
       <div class="container">
         <div class="row">
           <div class="col-md-8 col-md-offset-2">
              <h1 class="brand-heading">My Diary</h1>
              <br>
              <a href="#about" class="btn btn-circle page-scroll">
                <i class="fa fa-angle-double-down animated"></i>
              </a>
           </div>
         </div>
       </div>
    </div>
  </header>
  <!-- About Section -->
  <section id="about" class="sect1 text-center">
    <div class="row">
       <div class="col-md-8 col-md-offset-2">
         <h2>About Us</h2>
```

```
<a href="bhalla.html">Dharampal Chaudhary</a>
                           Panch Bahadur
         Saurav Yadav
       </div>
    </div>
  </section>
  <!-- Download Section -->
  <section id="download" class="sect text-center">
    <div class="download-section">
       <div class="container">
                           <div class="row">
                                  <div class="col-md-8 col-md-offset-2">
                                         <h2>Registration Form</h2>
                                                <form method="post"
action="signup_exec.php">
<fort color="text">
<label for="full_name">Name: </label> <input type="text" name="name"</pre>
placeholder="Name" required/>
<br>><br>>
<label for="username">Username: </label> <input type="text" id="username"</pre>
onblur="checkEmail()" name="username" placeholder="Username" required/>
<br>><br>>
<label for="age">Age: </label> <input type="text" name="age" placeholder="Age" min="1"</pre>
max="150"required/>
<br>><br>>
<label for="gender">Gender: </label> <input type="text" name="gender"</pre>
placeholder="Gender" required/>
<br>><br>>
<label for="email">Email/label> <input type="text" id="email" name="email"</pre>
onblur="checkUsername()" placeholder="email" required/>
<br>><br>>
<label for="password">Password: </label> <input type="password" id="password"</pre>
placeholder="Password" name="password" minlength=8 required/>
<br>><br>>
<button type="submit" value="submit" onclick="checkfields()" class="btn btn-primary"</pre>
data-toggle="modal" href="#sign_in">Sign Up</button>
</font>
</form>
                                  </div>
         </div>
       </div>
    </div>
  </section>
```

```
<!-- Footer -->
  <footer>
    <div class="container text-center">
       © Online Diary 2016
    </div>
  </footer>
  <!-- jQuery -->
  <script src="js/jquery.js"></script>
  <!-- Bootstrap Core JavaScript -->
  <script src="js/bootstrap.min.js"></script>
  <!-- Plugin JavaScript -->
  <script src="js/jquery.easing.min.js"></script>
  <!-- Custom Theme JavaScript -->
  <script src="js/grayscale.js"></script>
</body>
</html>
```

### Signup\_exec.php

```
<?php
require_once('connection.php');
if($mysqli->connect_errno){
printf("failed to connect to the database");
exit();
//inserting members
$pas=$_POST['password'];
$pass=md5($pas);
$username=$_POST['username'];
$stmt1=$mysqli->prepare("INSERT INTO
MEMBERS(name, username, age, gender, email, password)
VALUES (?,?,?,?,?)");
$stmt1-
>bind_param('ssdsss',$_POST['name'],$username,$_POST['a
ge'],$_POST['gender'],$_POST['email'],$pass);
//inserting row in result
if($stmt1->execute()){
mkdir('./userdata/'.$username, 0700) or die (' folder already
exists');
/*session_start();
$_SESSION['team_name']=$_POST['team_name'];
echo '<script>
alert("Registration successful Now you can sign in");
</script>':
header('Location:index.php');
?>
```

## Login\_exec.php

```
<?php
//Start session</pre>
```

```
//Include database connection details
        require_once('connection.php');
        //Create query
        $result=$mysqli->query("SELECT email,password,username
FROM MEMBERS WHERE email='{$_POST['email']}'") or die ("databse
fetch problem");
while($row=mysqli_fetch_array($result)){
if($row['email']==$_POST['email']&&$row['password']==md5($_POST
['password'])){
 //set the user session
$username=$row['username'];
        session_start();
        $_SESSION['username']=$username;
        //redirect to home
        header('Location: home.php');}
else {echo '<script>alert("Login failed");
window.location = "/diary/index.php";
</script>';
}
               }
ś>
```

# Home.php

```
<!DOCTYPE html>
<html >
<$bhp
require('connection.php');
session_start();
$username=$_SESSION['username'];
if(!isset($_SESSION['username'])){
header('Location:index.php');
$>
 <head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1">
        <title>Home</title>
  <link rel="stylesheet" href="css/bootstrap.css">
```

```
<script>
function checktitle()
var xmlhttp;
var k=document.getElementByld("title").value;
var urls="checktitle.php?title="+k;
if (window.XMLHttpRequest)
 xmlhttp=new XMLHttpRequest();
else
 {
 xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");
xmlhttp.onreadystatechange=function()
 if (xmlhttp.readyState==4)
     //document.getElementById("err").style.color="red";
document.getElementById("chec").innerHTML=xmlhttp.responseText;
         var ale=xmlhttp.responseText.toString();
         if(!ale==")
alert(xmlhttp.responseText);
xmlhttp.open("GET",urls,true);
xmlhttp.send();
        </script>
</head>
<body >
<div class="navbar navbar-inverse navbar-fixed-top">
 <div class="navbar-header">
  <button type="button" class="navbar-toggle" data-</pre>
toggle="collapse" data-target=".navbar-inverse-collapse">
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
    <span class="icon-bar"></span>
  </button>
  <a class="navbar-brand" href="#">Online Diary</a>
 <div class="navbar-collapse collapse navbar-inverse-collapse">
  ul class="nav navbar-nav">
    <a href="home.php">Home <span class="glyphicon</pre>
glyphicon-home"></span></a>
    <li><a href="archive.php">Archives</a>
```

```
<a href="contact.php"><span class=" glyphicon"
glyphicon-phone "></span> Contact us</a>
        class=""><a href="logout.php">Logout <span</li>
class="glyphicon glyphicon-off"></span></a>
        style ="right:0px; width: 150px; position: absolute;"><a</pre>
href="">Welcome <?=$username?></a>
  </div>
</div>
<div class="container-fluid" style="padding-
top:80px;height:627px;background-color:"";">
<div class="row">
<div class="col-md-2">
<form action = "home.php" method = "post" enctype="multipart/form-
Title: <input type="text" name = "title" onblur="checktitle()id =
"title"><br>
Note:
<textarea name="notes" rows="18" cols="150" >
</texturea>
<input type="submit" value="Submit">
<input type="reset" value="Reset">
>
If you want to upload an image: <br>
<input type="file" name="datafile" size="40">
</form>
</div>
</div>
<br>
<br>
</div>
<div class="container-fluid" >
<div class="row" style="background-
color:#001A66;height:40px;padding-top:10px;">
<div class="col-md-4"></div>
<div class="col-md-4">Copyright &copy; Online Diary 2015.
</div>
```

```
<div class="col-md-4"></div>
</div>
</div>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>
</html>
<?php
if ($_SERVER["REQUEST_METHOD"] == "POST")
               $text = $_POST["notes"];
               $title = $ POST["title"];
          //mysqli_query($con,"INSERT INTO code
VALUES($id,$text)");
               $handle = fopen("./userdata/".$username."/".$title.
".txt", 'w');
       fwrite($handle,$text);
               fclose($handle);
               $filepath="./userdata/".$username."/".$title . ".txt";
//upload file
$target_dir = "./userdata/".$username."/";
\frac{1}{2}
\sup OddOk = 1;
$imageFileType = pathinfo($target_file,PATHINFO_EXTENSION);
// Check if image file is a actual image or fake image
// Check if file already exists
if (file_exists($target_file)) {
  echo "Sorry, file already exists.";
  \sup O(k = 0;
// Check file size
if ($_FILES["datafile"]["size"] > 500000) {
  echo "Sorry, your file is too large.";
  \sup O(k = 0;
// Check if $uploadOk is set to 0 by an error
if (\sup O = 0)
  echo "Sorry, your file was not uploaded.";
// if everything is ok, try to upload file
} else {
  if (move_uploaded_file($_FILES["datafile"]["tmp_name"],
$target file)) {
     echo "The file ". basename( $_FILES["datafile"]["name"]). " has
been uploaded.";
  } else {
     echo "Sorry, there was an error uploading your file.";
}
```


# Savenote.php


```
<$bhp
session_start();
$username=$_SESSION['username'];
$title=$_POST['title'];
$notes=$_POST['notes'];
//upload file
$target_dir = "./".$username."/";
$target_file = $target_dir . basename($_FILES["datafile"]["name"]);
\sup Odd = 1;
$imageFileType = pathinfo($target_file,PATHINFO_EXTENSION);
// Check if image file is a actual image or fake image
// Check if file already exists
if (file_exists($target_file)) {
  echo "Sorry, file already exists.";
  \sup O(k = 0;
// Check file size
if ($_FILES["datafile"]["size"] > 500000) {
  echo "Sorry, your file is too large.";
  \sup O(k = 0;
}
```

```
// Check if $uploadOk is set to 0 by an error
if ($uploadOk == 0) {
    echo "Sorry, your file was not uploaded.";
// if everything is ok, try to upload file
} else {
    if (move_uploaded_file($_FILES["datafile"]["tmp_name"],
$target_file)) {
        echo "The file ". basename( $_FILES["datafile"]["name"]). " has
been uploaded.";
    } else {
        echo "Sorry, there was an error uploading your file.";
    }
}
//upload file file
?>
```


# **User Interface**

### **HOME PAGE**






### **LOG IN PAGE**



### **HOME PAGE**



### **ARCHIVE PAGE**



### **EDIT NOTE**



