Windows 10 UWP - Hands on Lab

Lab 3:

Note: This demo app created for this lab uses the Visual Studio 2015 RTM and Windows Tools SDK ver 10240.

1. Open the \ViewModels\BBQRecipeViewModel.cs file and add the following lines of code to line 16.

```
public DelegateCommand SaveCommand { get; private set; }
public DelegateCommand DeleteCommand { get; private set;
```

2. Open the \ViewModels\BBQRecipeViewModel.cs file and add the following lines of code to line 54.

```
SaveCommand = new DelegateCommand(SaveBBQRecipe);
DeleteCommand = new DelegateCommand(DeleteBBQRecipe);
```

```
public BBQRecipeViewModel()
                   if (App.MainViewModel.SelectedBBQRecipe |= null)
                       CurrentBBQRecipe = App.MainViewModel.SelectedBBQRecipe;
                       CurrentBBQRecipe = new BBQRecipe();
                       CurrentBBQRecipe.Id = 0;
                   id = CurrentBBQRecipe.Id;
                   name = CurrentBBQRecipe.Name;
                   shortDesc = CurrentBBQRecipe.ShortDesc;
                   ingredients = CurrentBBQRecipe.Ingredients;
                   directions = CurrentBBQRecipe.Directions;
                   prepTime = CurrentBBQRecipe.PrepTime;
                   totalTime = CurrentBBQRecipe.TotalTime;
                   serves = CurrentBBQRecipe.Serves;
                   imageSource = CurrentBBQRecipe.ImageSource;
                  SaveCommand = new DelegateCommand(SaveBBQRecipe);
55 💡
                   DeleteCommand = new DelegateCommand(DeleteBBQRecipe);
               }
```

3. Open the \ViewModels\BBQRecipeViewModel.cs file and add the following lines of code to line 168.

```
public void SaveBBQRecipe()
       CurrentBBQRecipe.Id = id;
       CurrentBBQRecipe.Name = name;
       CurrentBBQRecipe.ShortDesc = shortDesc;
       CurrentBBQRecipe.Ingredients = ingredients;
       CurrentBBQRecipe.Directions = directions;
       CurrentBBQRecipe.PrepTime = prepTime;
       CurrentBBQRecipe.TotalTime = totalTime;
       CurrentBBQRecipe.Serves = serves;
       CurrentBBQRecipe.ImageSource = imageSource;
       if (id == 0)
       {
           App.MainViewModel.BBQRepo.Add(CurrentBBQRecipe);
           App.MainViewModel.IsDataLoaded = false;
       }
       else
       {
           App.MainViewModel.BBQRepo.Update(CurrentBBQRecipe);
       }
}
```

```
O references | Tom Wellor, 18 hours ago
public string ImageSource
168
161
161
164
165
                               return imageSource;
                               SetProperty(ref imageSource, value);
                     1 reference | 0 changes | 0 authors, 0 change
public wells SaveBBQRecipe()
                          CurrentBSQRecipe.Id = id;
                          CurrentBSQRecipe.Name = name;
                          CurrentBBQRecipe.ShortDesc = shortDesc;
                          CurrentBSQRecipe Ingredients = ingredients;
                          Current880Recipe Directions - directions;
                          CurrentBBQRecipe.PrepTime = prepTime;
CurrentBBQRecipe.TotalTime = totalTime;
                          CurrentBBQRecipe.Serves - serves;
178
179
188
181
182
183
                          CurrentBBQRecipe ImageSource = imageSource;
                               App. HainViewModel .BBQRepo .Add(CurrentBBQRecipe);
184
185
                               App MainViewModel IsDataLoaded = false;
188
189
                                App:MainViewModel.BBQRepo.Update(CurrentBBQRecipe);
```

4. Open the \ViewModels\BBQRecipeViewModel.cs file and add the following lines of code to line 192.

```
public void DeleteBBQRecipe()
    if (id > 0)
    {
        App.MainViewModel.BBQRepo.Remove(this.id);
        Id = 0;
        Name = "";
        ShortDesc = "";
        Ingredients = "";
        Directions = "";
        PrepTime = 0;
        TotalTime = 0;
        Serves = 0;
        ImageSource = "";
        App.MainViewModel.IsDataLoaded = false;
    }
}
```

```
CurrentBBQRecipe.PrepTime = prepTime;
    CurrentBBQRecipe.TotalTime = totalTime;
    CurrentBBQRecipe.Serves = serves;
    CurrentBBQRecipe.ImageSource = imageSource;
    if (id == 0)
         App.MainViewModel.BBQRepo.Add(CurrentBBQRecipe);
         App.MainViewModel.IsDataLoaded = false;
         App.MainViewModel.BBQRepo.Update(CurrentBBQRecipe);
1 reference | 0 charges | 0 authors, 0 charges
public wold DeleteBBQRecipe()
    if (id > 0)
         App.MainViewModel.BBQRepo.Remove(:::id);
        Id = 0;
Name = ;
ShortDesc = ;
         Ingredients = "";
         Directions = "";
         PrepTime = 0;
         TotalTime = 0;
         Serves = 0;
         ImageSource = "";
         App.MainViewModel IsDataLoaded = false;
```

5. Open the \Views\BBQRecipePage.xaml file and add the following lines of xaml code to line 59.

```
<StackPanel Margin="50,20,0,25" Orientation="Horizontal" Padding="10"</pre>
       HorizontalAlignment="Center">
         <Button Margin="10" x:Name="ButtonSave" Content="Save"</pre>
               FontSize="32" Command="{Binding SaveCommand}">
              <Button.Background>
                  <LinearGradientBrush EndPoint="0.5,1" StartPoint="0.5,0">
                      <GradientStop Color="#FF6ACD18" Offset="0.171"/>
                      <GradientStop Color="#FF0A0A0A"/>
                      <GradientStop Color="#FF0A0A0A" Offset="0.98"/>
                      <GradientStop Color="#FF6ACD18" Offset="0.949"/>
                  </LinearGradientBrush>
              </Button.Background>
         </Button>
         <Button Margin="10" x:Name="ButtonDelete" Content="Delete"</pre>
              FontSize="32" Command="{Binding DeleteCommand}">
              <Button.Background>
                  <LinearGradientBrush EndPoint="0.5,1" StartPoint="0.5,0">
                      <GradientStop Color="#FFCD1D18" Offset="0.171"/>
                      <GradientStop Color="#FF0A0A0A"/>
                      <GradientStop Color="#FF0A0A0A" Offset="0.98"/>
                      <GradientStop Color="#FFCD1D18" Offset="0.949"/>
                  </LinearGradientBrush>
              </Button.Background>
         </Button>
     </StackPanel>
```

```
StackPanel
    StackPanel Hangin="50,0,50,25";
         *TextBlock Text="Ingredients" FontSize="14"/>
*TextBox Text="(Binding Ingredients, Mode=TwoWay)"/>
         TextBlock Text "Directions" FontSize "14"/>
         "TextBox Text="(Binding Directions, Mode=Twokay)" Height="158" TextWrapping="Wrap"/>
    StackPanel
    StackPanel Margin: 50,50,0,53 Orientation: "Hurisuntal" Padding="18" HorisontalAlignment: "Genter"
Button Margin="10" x Name="Nuttoria-a" Content-"Sawa" FontSize="53" Command="(Binding SaveCommand=")
              Button Background
                    LinearGradientBrush
                Button Background
         Button
         Button Margin 18 x Name SettonDelets Content Delets FontSize 11 Command (Binding DeleteCommand)
              Button Background
                   LinearGradientBrush EndPoint "N. 5.1" StartFoint N. 5.0" - GradientStop Color "#FEDIDIS" Offset N. 21" GradientStop Color "#FEDIDIS" Offset N. 22" GradientStop Color "#FEDIDIS" Offset N. 22" GradientStop Color "#FEDIDIS" Offset N. 22" ClinearGradientBrush
                Button Background
          Button
     StackPanel
(StackPanel)
```