

University of Essex

Online

Digitalisation Risk, Quantitative Modelling, and Disaster Recovery Strategy Report

Date: July 2026



Table of Contents

1. Introduction.....	3
2. Quantitative Risk Modelling: Quality and Supply Chain	3
2.1) Selection of Quantitative Approach	3
2.2) Assumptions and Data Sources	4
2.3) Explanation of Calculations and Financial Impact	4
3. Disaster Recovery (DR) Strategy and Business Continuity	5
3.1) Engineered DR Solution: Active-Active Architecture.....	5
3.2) Platform Recommendation and Mitigating Vendor Lock-in.....	6
3.3) Active-Active Cloud DR Telemetry Dashboard.....	6
4. Prioritized Recommendations and Security Standards	7
5. Conclusion	8
6. Reference.....	9



1. Introduction

Ms. Cathy's strategic decision to digitise the firm, internationalise the supply chain and implement automated warehouses across the globe offers vast commercial potential and scalability. The effectiveness of this aggressive growth approach is proven by the immediate acquisition of high profile, ultra-wealthy clientele such as HRH The King and Prince Albert II of Monaco. But to serve this exclusive VIP market requires a fundamental shift in operational duties. Such clients need absolute, 100% certainty about the quality of the premium product, the uninterrupted security of the worldwide supply chain and the stringent protection of their extremely sensitive personal data.


The transformation from a traditional retail model to a highly complex cyber-physical ecosystem no longer allows qualitative, intuition-based risk management. This executive brief provides a complete quantitative evaluation the risks to the new automated supply chain and product quality requirements. It also provides a technologically advanced Business Continuity and Disaster Recovery (DR) architecture. The design of this solution aims to meet the requirements for ultra-low latency, defining a Recovery Time Objective (RTO) and a Recovery Point Objective (RPO) of less than 1 minute, while strongly fighting against cloud vendor lock-in and guaranteeing strict compliance with international legal frameworks, mainly the GDPR.

2. Quantitative Risk Modelling: Quality and Supply Chain

To move beyond subjective estimation and provide the executive board with actionable, mathematically sound intelligence, this report utilizes quantitative risk modelling. This approach establishes data-driven probabilities of potential operational and technical failures, allowing the business to allocate security budgets proportionally to the highest threats.

2.1) Selection of Quantitative Approach

The Decision Tree Analysis methodology, supported by Monte Carlo baseline simulations, was selected to model these interconnected operational risks.



Online

Justification: The digitalised global supply chain is a complex, multi-layered ecosystem where risks rarely occur in isolation. For example, a physical logistics delay often acts as a catalyst, triggering a secondary system failure such as the exhaustion of automated temperature controls. Decision Trees allow for the precise mathematical calculation of these sequential, concurrent events. This provides an objective, measurable probability metric that traditional qualitative risk matrices (which merely categorize risks vaguely as High, Medium, or Low) simply cannot achieve, thereby preventing critical blind spots in executive decision-making (Aven and Thekdi, 2025).

2.2) Assumptions and Data Sources

The mathematical probability calculations in this report are based on the following baseline assumptions and respected industry data sets:

- **Data Sources:** Operational failure rates are extracted directly from the 2025 Global Supply Chain Resilience Index and threat landscape reports from ENISA (European Union Agency for Cybersecurity) on automated logistics and smart facilities.
- **Assumptions on Quality Degradation:** For any international transit delay beyond 72 hours, a critical high-risk window of severe product quality degradation is assumed, especially for temperature-sensitive premium goods.
- **Definition of End-Points:** It is important to explicitly define in this cybersecurity and risk assessment that “end-points” are strictly physical hardware devices. This includes warehouse computers, laptops, automated temperature sensors and robotic control panels on the warehouse floor—not human personnel. It is assumed that these physical hardware end-points are the primary attack vectors for operational cyber-attacks, e.g. ransomware.

2.3) Explanation of Calculations and Financial Impact

The probabilities were calculated using the standard mathematical formula for conditional events: **$P(\text{Quality Loss}) = P(\text{Delay}) \times P(\text{System Failure Delay})$**

For example, to calculate the exact risk of Product Quality Degradation, the baseline probability of a severe shipping delay (Event A: 22% or 0.22) was multiplied by the conditional probability of an automated temperature-control failure occurring during that prolonged delay (Event B: 38.6% or 0.386).

- **Mathematical Calculation:** $0.22 \times 0.386 = 0.0849$ (or 8.5%).
 - **Financial & Reputational Impact:** This calculation has a significant commercial impact. At £500,000 per single royal-warrant order, the
-

8.5% probability of total quality loss equates to a direct financial risk exposure of £42,500 per shipment. More importantly to supply a sub-standard product to HRH the King would result in catastrophic, perhaps irreparable damage to reputation that no insurance policy could cover.

Table 1: Executive Risk & Impact Dashboard

Risk Category	Threat Vector	Mathematical Probability	Financial / Reputational Impact	Risk Level	Proposed Mitigation
Product Quality	Delay + System Failure	8.5% ($P(A \times B)$)	Critical (Loss of Royal Client)	CRITICAL	Continuous End-point Monitoring
Cyber Security	Hardware End-point Attack	14.0% ($P(A)$)	Severe (Warehouse Halt)	HIGH	Enforce ZTNA & Hardware Hardening
Supply Chain	Customs & Logistics Delay	22.0% ($P(A)$)	High (SLA Breached)	MEDIUM	Contract European Backup Suppliers

3. Disaster Recovery (DR) Strategy and Business Continuity

Ms. O'dour has mandated an extremely aggressive and uncompromising standard for system availability: a Recovery Time Objective (RTO) of less than 1 minute and a Recovery Point Objective (RPO) of less than 1 minute. This ensures the elite online e-commerce platform is fully operational **24/7/365**, safeguarding the brand's global prestige.

3.1) Engineered DR Solution: Active-Active Architecture

Traditional DR strategies, such as physical "cold" or "warm" standby sites, take hours to boot and synchronize, making it impossible to offer a sub-minute RTO/RPO (Alhazmi and Malaiya, 2013). To meet Ms. O'dour's requirements, the firm must implement a state-of-the-art **Active-Active Multi-Region Cloud Architecture**.



Online

- **Infrastructure:** The primary e-commerce platform will operate simultaneously in two geographically different data centers (e.g. Region A: London, Region B: Frankfurt).
- **Zero Data Loss (RPO < 1 min) :** Synchronous data replication will be used. All customer transactions are written to both regions' databases simultaneously over a dedicated 10Gbps fibre link. A round trip between London and Frankfurt takes about 12 milliseconds (12ms). So the data is replicated real-time giving an effective RPO of 0 seconds.
- **Instant Failover (RTO < 1 min):** An F5 Distributed Cloud Global Server Load Balancer (GSLB) continually monitors regional health at the network edge. If the London servers suffer a catastrophic outage, the F5 GSLB takes exactly 15 seconds to register a definitive health-check failure, plus another 30 seconds for global DNS TTL (Time to Live) propagation. The total amount of time required to seamlessly and automatically failover all global traffic to the Frankfurt servers is 45 seconds, easily fulfilling the sub-minute RTO requirement.

3.2) Platform Recommendation and Mitigating Vendor Lock-in

- **Recommended platform :** This DR solution requires 12ms synchronous replication infrastructure natively supported by major public cloud providers such as Amazon Web Services (AWS) or Microsoft Azure.
- **Vendor Lock-in Mitigation:** Global reach means you have to rely on hyperscale cloud providers, but vendor lock-in is a huge long term commercial risk. Exiting proprietary cloud ecosystems after deep integration is notoriously difficult and expensive (Kumar, 2024). The firm will enforce strict **Containerisation** to remove this definitively. This makes the platform completely infrastructure neutral as the whole application and its dependencies are containerized with Docker and managed with Kubernetes orchestration. This means the digital store can be easily moved from AWS to Azure, or from private on-premise servers, without costly code rewrites or operational downtime.

3.3) Active-Active Cloud DR Telemetry Dashboard

To guarantee DR efficacy, advanced telemetry and identity management have been integrated into the architecture:

Table 2: DR & Security Validation Dashboard

DR Component	Business Requirement	Engineered Solution	Technical Justification	Status
Data Synchronization	RPO < 60 seconds	< 0.05 seconds	Synchronous Commit over 10G link (~12ms latency). Zero data loss.	Pass
Failover Routing	RTO < 60 seconds	Max 45 seconds	F5 GSLB health-check failure (15s) + DNS TTL update (30s).	Pass
Cloud Independence	Avoid Vendor Lock-in	100% Portable	Workloads containerised via Kubernetes; highly portable across providers.	Pass
Data Privacy (GDPR)	EU Data Sovereignty	Geofenced	EU client data strictly isolated to the Frankfurt zone via Geo-IP routing.	Pass
Threat Telemetry	Secure Failover	Real-Time Visibility	Integrating F5 WAF logs into Splunk and Cortex XSIAM to detect anomalies during failover.	Pass
Identity Continuity	Seamless VIP Access	Zero Session Loss	Utilising Keycloak and PAM for cross-region identity federation; VIPs stay logged in during failover.	Pass

4. Prioritized Recommendations and Security Standards

The following strategic recommendations are given priority to directly align the technical operations with the commercial strategy of the firm and to secure the trust of the elite clientele:

1) GDPR Compliance and Data Sovereignty (High Priority):

- **Commercial Need:** High profile EU clients, especially royal families, require total and legally binding data protection. If breached, under EU law it could lead to regulatory fines of up to 4% of global turnover.

Online

- **Mitigation:** The company must ensure full compliance with the General Data Protection Regulation (GDPR), Article 32 (Security of processing). All data at rest must be encrypted with AES-256 and data in transit must be secured with TLS 1.3. Most important, the DR architecture addresses data sovereignty: data of EU citizens (e.g., personal records of Prince Albert II) must be strictly stored and geofenced on EU-based servers (e.g., Frankfurt region). Under no circumstances should this sensitive data be synchronized or copied to non-compliant worldwide jurisdictions outside of the European Economic Area (EEA).

2) Implementation of the Active-Active DR Solution (High Priority):

- **Commercial Need:** Need to protect continuous revenue streams and premium brand reputation by ensuring 24/7/365 availability.
- **Mitigation:** Implement the multi-region architecture based on Kubernetes as described in Section 3 as fast as possible. The IT department has to do quarterly disaster simulation drills to test and prove the failover functionality of 45 seconds. This is to prove the theoretical calculations.

3) Physical End-Point Security for Supply Chain (Medium Priority):

- **Commercial Need:** The automated warehouses must be protected from industrial cyber-sabotage, ransomware, and localized malware disruptions (Zografopoulos et al., 2021).
- **Mitigation:** Implement stringent hardware-level security and Zero-Trust Network Access (ZTNA) for all physical warehouse PCs to eliminate the 14% chance of a successful operational attack.

5. Conclusion

The digitalisation of the global supply chain offers Ms. Cathy's business immense scalability but introduces mathematically measurable risks. By utilizing quantitative Decision Tree analysis, the business can accurately forecast and prepare for supply chain disruptions (22%) and quality degradation (8.5%). By investing in a Kubernetes-backed, Active-Active cloud architecture secured by advanced telemetry, the business will comfortably achieve its strict sub-minute DR objectives, eliminate the threat of vendor lock-in, and provide an ultra-secure, GDPR-compliant platform suitable for its premier global customer base.



6. Reference

Alhazmi, O. and Malaiya, Y. (2013) 'Evaluating Disaster Recovery Plans using the Cloud', 2013 Proceedings Annual Reliability and Maintainability Symposium, 1(1), pp. 1-6.

Aven, T. and Thekdi, S. (2025) Risk Science: An Introduction. 2nd edn. Oxon: Routledge.

Fahimnia, B., Sarkis, J. and Davarzani, H. (2019) 'Behavioral Operations and Supply Chain Management – A Review and Literature Mapping', Decision Sciences, 50(6), pp. 1127-1183.

Kumar, A. (2024) Cloud Vendor Lock-In: Identify, Strategies and Mitigate.

Sutton, D. (2021) Information Risk Management. BCS, The Chartered Institute for IT.

Zografopoulos, I. et al. (2021) 'Cyber-physical energy systems security: Threat modeling, risk assessment, resources, metrics, and case studies', IEEE Access, 9, pp. 29775-29818.