

Markdown Cheatsheet

Heading

<pre># Heading 1 ## Heading 2 ### Heading 3 #### Heading 4 ##### Heading 5 ##### Heading 6</pre>	<h1>Heading 1</h1> <hr/> <h2>Heading 2</h2> <hr/> <h3>Heading 3</h3> <h4>Heading 4</h4> <h5>Heading 5</h5> <h6>Heading 6</h6>
<pre>Heading 1 ===== Heading 2 -----</pre>	<h1>Heading 1</h1> <hr/> <h2>Heading 2</h2> <hr/>

Formatting

<pre><u>_Italic_</u> *Italic* __Bold__ **Bold** Strikethrough Subscript~example~ Superscript^example^</pre>	<i>Italic</i> <i>Italic</i> Bold Bold Strikethrough Subscript _{example} Superscript ^{example}
--	--

List

	<ul style="list-style-type: none">• Unordered list
--	--

<pre>- Unordered list + Unordered list * Unordered list - Nested - Unordered - List</pre>	<ul style="list-style-type: none">• Unordered list• Unordered list• Nested<ul style="list-style-type: none">◦ Unordered◦ List
<pre>1. Ordered list 1) Ordered list 1. Nested 1. Ordered 2. List</pre>	<ol style="list-style-type: none">1. Ordered list1. Ordered list1. Nested<ol style="list-style-type: none">I. OrderedII. List

Task

<pre>+ [] Unchecked task * [x] Checked task - [] Nested - [x] Checked - [] Task</pre>	<p><input type="checkbox"/> Unchecked task</p> <p><input checked="" type="checkbox"/> Checked task</p> <p><input type="checkbox"/> Nested<ul style="list-style-type: none"><input checked="" type="checkbox"/> Checked<input type="checkbox"/> Task</p>
--	--

Link

<pre>[Link](notable.md) [Link reference][1] [1]: notable.md</pre>	<p>Link</p> <p>Link reference</p>
<pre>[Link](notable.md "Title") [Link reference][1] [1]: notable.md "Title"</pre>	<p>Link</p> <p>Link reference</p>

Auto-linking

<pre>https://notable.md <https://notable.md> fabio@notable.md <fabio@notable.md></pre>	https://notable.md https://notable.md fabio@notable.md fabio@notable.md
--	--

Image

<pre>![Image] (https://notable.md/favicon.ico) ![Image reference][1] ![Image reference + Link][1][1] [1]: https://notable.md/favicon.ico</pre>	
---	--

Footnote

<pre>Numeric [^1] Alphanumeric [^fn] Inline ^[Inline content] [^1]: Numeric content [^fn]: Alphanumeric content</pre>	<p>Numeric ^[1]</p> <p>Alphanumeric ^[2]</p> <p>Inline ^[3]</p> <hr/> <p>1. Numeric content ↩</p> <p>2. Alphanumeric content ↩</p> <p>3. Inline content ↩</p>
--	---

Quotation

<pre>> Quotation > > Nested quotation</pre>	<div>Quotation</div> <div>Nested quotation</div>
--	--

Code

```
`Inline code`

``2` inline code``

```3` inline code```

 Unfenced code block

    ~~~
Fenced code block
    ~~~

    ~~~~
Fenced code block
    ~~~~

    ```js
// Fenced JS code block
    ```
```

Inline code

2` inline code

3` inline code

Unfenced code block

Fenced code block

Fenced code block

// Fenced JS code block

# Table

```
Regular

| Tables | Are | Great |
| -----| ---| -----|
| • | • | • |
| • | • | • |

Aligned

| Left | Center | Right |
| :--- | :-----: | -----: |
| • | • | • |
```

Regular

Tables	Are	Great
•	•	•
•	•	•

Aligned

Left	Center	Right
•	•	•

# Separator

```


```

---

---

## Emoji

All emojis supported by GitHub are supported, you can find a list of them under [Help -> View Emojis](#).

```
:smile: :+1:
```



## KaTeX

KaTeX implements a subset of the LaTeX language, which is used for writing mathematical expressions among other things, read more about them [here](#) and [here](#).

#### Inline

```
 $e^{i\pi} + 1 = 0$
```

#### Block

```

$$e^{i\pi} + 1 = 0$$

```

#### Multi-line Block

```

$$\begin{pmatrix} f(\alpha) & b \\ a & f(\beta) \end{pmatrix}$$

```

#### Code Block

```
```katex

$$e^{i\pi} + 1 = 0$$

```
```

Inline

$$e^{i\pi} + 1 = 0$$

Block

$$e^{i\pi} + 1 = 0$$

Multi-line Block

$$\begin{pmatrix} f(\alpha) & b \\ a & f(\beta) \end{pmatrix}$$

Code Block

$$e^{i\pi} + 1 = 0$$

## MhChem

MhChem is a LaTeX language extension supported by KaTeX, it is used for writing chemical expressions, read its documentation [here](#).

#### Inline

$\text{\ce{H2O}}$

#### Block

$$\text{\ce{H2O}}$$

Inline

$\text{H}_2\text{O}$

Block

$$\text{H}_2\text{O}$$

## AsciiMath

AsciiMath is a language for writing mathematical expressions using only ASCII characters, read its documentation [here](#).

#### Inline

$e = mc^2$

#### Block

$$e = mc^2$$

#### Code Block

```
```asciimath
e = mc^2
```
```

Inline

$e = mc^2$

Block

$$e = mc^2$$

Code Block

$$e = mc^2$$

## Mermaid

Mermaid is a language for generating flowcharts and diagrams, read its documentation [here](#).

```
```mermaid
graph LR
  Start --> End
```
```



## Deep Linking

The following custom syntaxes are supported for linking to various things inside the app: attachments, notes, tags and search queries.

#### #### Attachment

! [Icon] (@attachment/icon.png)

[Icon] (@attachment/icon.png)

[] (@attachment/icon.png)

#### #### Note

[Example] (@note/Example.md)

[] (@note/Example.md)

[[Title|Example.md]]

[[Example]]

#### #### Tag

[Basics] (@tag/Basics)

[] (@tag/Basics)

#### #### Search


[linking] (@search/linking)

[] (@search/linking)

### Attachment




 Icon

 icon.png

### Note

 Example


 Example.md

 Title

 Example

### Tag

 Basics

 Basics

### Search

 linking

 linking

## Escaping

Special characters can be escaped with a backslash in order to have them parsed as regular characters instead, this is useful for resolving potential conflicts that may arise.

```
https://x.com/_italic_
https://x.com/_escaping\
<https://x.com/_alternative_>
```

```
https://x.com/italic
https://x.com/_escaping_
https://x.com/_alternative_
```

**<markdown>** Tag

A custom `<markdown>` HTML tag is supported. Anything written inside it will be rendered as Markdown. This is particularly useful when you have to write some wrapper HTML but you still want to write Markdown inside it.

```
<details open>
 <summary>Summary...</summary>
 <markdown>
- Embedded
 - _Markdown_
 </markdown>
</details>
```

▼ Summary...

- Embedded
  - *Markdown*

# HTML

HTML can be written inside Markdown. The following are some useful HTML tags that you might want to know for which there's no Markdown-specific syntax.

```
<!-- Comment -->

Abbreviation

<abbr title="Mister">Mr.</abbr>

Center

<center>Center</center>
<p align="center">Center</p>

Description List

<dl>
 <dt>Mr.</dt>
 <dd>Mister</dd>
</dl>

Details

<details open>
 <summary>Summary...</summary>
 Details...
</details>

Keyboard

<kbd>Ctrl+F5</kbd>

Mark
```

Abbreviation

Mr.  
.....

Center

Center  
Center

Description List

Mr.  
Mister

Details

▼ Summary...

Details...

Keyboard

Ctrl+F5

Mark

Text



```
<mark>Text</mark>
```

```
Small
```

```
<small>Text</small>
```

## Small

Text