

# CRI, OCI, CRI-O

# David Chang DevOps @ Mithril

## Back-End Developer, Kubernetes admin, DevOps



# Outline

1. Container Runtime Interface (CRI)
2. Open Container Initiative (OCI)
3. CRI-O
4. Kubernetes on CRI-O



# Trend Kubernetes

- Kubernetes 1.3 introduced rktnetes
- Kubernetes 1.5 introduced CRI
- Kubernetes 1.7 removed pre-CRI Docker / rkt integration
- Currently works Kubelet to use CRI
- CRI-O: released 1.0.x to match Kubernetes 1.7

# Nomination

## CRI-O

- OCI-based implementation of Kubernetes Container Runtime Interface

## CRI

- Kubernetes Container Runtime Interface

## OCI


- Open Container initiative

# Projects with Container Runtime

docker, rkt, LXC/LXD, runC, containerd, OpenVZ, systemd-nspawn, machinectl, qemu-kvm, lkvm...

Kubernetes (before 1.6) native supports


- Docker
- rkt



# Container Runtime Interface(CRI)

- Enable Kubernetes to support more runtimes
- Free kubernetes to focus on orchestration from runtime integration
- Consists
  - a protocol buffers and gRPC API
  - libraries, additional specifications and tools

# Container Runtime Interface(CRI)





# CRI api in kubernetes

<https://github.com/kubernetes/kubernetes/blob/master/pkg/kubelet/apis/cri/runtime/v1alpha2/api.proto>

# CRI runtimes

- Docker CRI shim (cri-containerd)
- CoreOS [rktlet](#)
- [frakti](#): hypervisor-based container runtimes
- Intel [Clear container](#)
- OpenStack [kata runtime](#)
- [cri-o](#)

# Open Container Initiative (OCI)

- open governance structure
- container industry standards
- [runtime spec](#) defines configuration, execution environment, and lifecycle of a container
- [image spec](#) spec on architecture and OS, filesystem layers and configuration

# OCI from aspect of user

- Use all OCI-compliment container runtime
- Use all OCI-compliment images registries
- Similar UX

<https://www.opencontainers.org/blog/2018/06/20/cri-o-how-standards-power-a-container-runtime>

# CRI-O

- OCI-based implementation of Kubernetes Container Runtime Interface
- Kubernetes incubator project also part of the CNCF
- Dedicated for Kubernetes
- Enable CRI-O plugin to other runtimes
- Available on RHEL, Fedora, Centos, Ubuntu...


<http://cri-o.io/>

# CRI-O vs Docker (containerd)

kubelet -> cri-containerd (shim) -> containerd -> runC -> container

kubelet -> cri-o -> runC -> container

- Lightweight
- Stability
  - built for Kubernetes
  - No cli, image utilities, ...
  - No swarm, mesosphere integration, ...



# Let's use CRI-O

- **Install cri-o** and dependencies, runC and CNI
- Install **Podman**
  - Podman to cri-o as Docker-cli to Docker daemon

```
sudo podman run --name my-golang golang:alpine bash
```



# Minikube

```
minikube start \  
  --network-plugin=cni \  
  --container-runtime=cri-o
```

```
minikube start \  
  --network-plugin=cni \  
  --extra-config=kubelet.container-runtime=remote \  
  --extra-config=kubelet.container-runtime-endpoint=/var/run/crio/crio.sock \  
  --extra-config=kubelet.image-service-endpoint=/var/run/crio/crio.sock
```

# Run Kubernetes on CRI-O

`https://github.com/kubernetes-sigs/cri-o/blob/master/  
kubernetes.md`

```
kubelet --container-runtime-endpoint=unix:///var/run/crio/crio.sock  
...
```

# References

<https://kubernetes.io/blog/2016/12/container-runtime-interface-cri-in-kubernetes/>

<https://kubernetes.io/blog/2017/11/containerd-container-runtime-options-kubernetes/>

[Rhttps://kubernetes.io/blog/2017/11/containerd-container-runtime-options-kubernetes/](https://kubernetes.io/blog/2017/11/containerd-container-runtime-options-kubernetes/)

<https://xuxinkun.github.io/2017/12/12/docker-oci-runc-and-kubernetes/>

<https://www.kubernetes.org.cn/1079.html>