



Performance




Accessibility



Best Practices




SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 ■ 50–89 ● 90–100



METRICS

[Collapse view](#)

▲ First Contentful Paint

2.3 s

First Contentful Paint marks the time at which the first text or image is painted. [Learn more about the First Contentful Paint metric.](#)

▲ Largest Contentful Paint

5.1 s

Largest Contentful Paint marks the time at which the largest text or image is painted. [Learn more about the Largest Contentful Paint metric](#)

● Total Blocking Time

20 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds. [Learn more about the Total Blocking Time metric.](#)

▲ Cumulative Layout Shift

0.616

Cumulative Layout Shift measures the movement of visible elements within the viewport. [Learn more about the Cumulative Layout Shift metric.](#)

▲ Speed Index

2.5 s

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more about the Speed Index metric.](#)

[View Treemap](#)



DIAGNOSTICS

▲ Avoid large layout shifts — 2 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to [windowing](#). [Learn how to improve CLS](#) **CLS**

Element	Layout shift score
footer.bg-sky-100.mt-auto.py-12	0.610
 h1.text-4xl.md:text-5xl.font-bold.mb-6.font-heading	0.006
...v56/TK3iWkUHH....woff2 (fonts.gstatic.com)	Web font loaded
...v36/6xKtdSZaM....woff2 (fonts.gstatic.com)	Web font loaded

▲ Enable text compression — Est savings of 2,584 KiB

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more about text compression](#). **FCP** **LCP**

URL	Transfer Size	Est Savings
localhost 1st Party	3,291.0 KiB	2,583.6 KiB
...deps/react-dom_client.js?v=db281d4f (localhost)	880.9 KiB	728.9 KiB
...dist/flowbite.min.js (localhost)	757.8 KiB	566.3 KiB
...deps/react-router-dom.js?v=db281d4f (localhost)	383.4 KiB	300.3 KiB
...deps/flowbite.js?v=db281d4f (localhost)	254.3 KiB	208.6 KiB
/@vite/client (localhost)	178.3 KiB	145.0 KiB
...pages/BlogPage.tsx (localhost)	170.9 KiB	135.0 KiB
/@react-refresh (localhost)	107.2 KiB	84.2 KiB
...data/blog-posts.ts (localhost)	83.3 KiB	57.8 KiB
...deps/react-helmet.js?v=db281d4f (localhost)	71.1 KiB	56.5 KiB
/src/index.css (localhost)	62.1 KiB	51.9 KiB
...deps/chunk-6P6Q65E3.js?v=db281d4f (localhost)	42.6 KiB	32.6 KiB

URL	Transfer Size	Est Savings
...pages/ServicesPage.tsx (localhost)	39.1 KiB	30.7 KiB
...components/Footer.tsx (localhost)	35.3 KiB	26.4 KiB
...components/Testimonials.tsx (localhost)	27.4 KiB	20.7 KiB
...components/Hero.tsx (localhost)	28.1 KiB	19.6 KiB
...components/Navbar.tsx (localhost)	21.8 KiB	15.9 KiB
...components/Gallery.tsx (localhost)	19.5 KiB	15.8 KiB
...deps/chunk-E7Q22A2S.js?v=db281d4f (localhost)	16.1 KiB	12.3 KiB
/src/App.tsx (localhost)	16.3 KiB	11.3 KiB
...pages/AboutPage.tsx (localhost)	14.9 KiB	9.9 KiB
...deps/react_jsx-dev-runtime.js?v=db281d4f (localhost)	12.0 KiB	8.7 KiB
...components/About.tsx (localhost)	11.3 KiB	7.4 KiB
...components/Services.tsx (localhost)	10.9 KiB	6.9 KiB
...components/GetQuote.tsx (localhost)	11.2 KiB	6.7 KiB
/src/main.tsx (localhost)	9.1 KiB	6.6 KiB
/blog (localhost)	8.1 KiB	5.8 KiB
...deps/chunk-5WRI5ZAA.js?v=db281d4f (localhost)	7.0 KiB	4.6 KiB
...deps/react-error-boundary.js?v=db281d4f (localhost)	4.7 KiB	3.3 KiB
...client/env.mjs (localhost)	3.8 KiB	2.5 KiB
...hooks/useHeadingAnimation.ts (localhost)	2.7 KiB	1.4 KiB


Largest Contentful Paint element

5,060 ms

This is the largest contentful element painted within the viewport. [Learn more about the Largest Contentful Paint element](#)

LCP

Element



img.w-full.object-cover.h-64

Phase	% of LCP	Timing
TTFB	2%	120 ms
Load Delay	79%	4,020 ms
Load Time	5%	230 ms
Render Delay	13%	680 ms

Minify JavaScript — Est savings of 1,911 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#)




FCP

LCP

Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
localhost 1st Party	3,216.1 KiB	1,698.8 KiB
...dist/flowbite.min.js (localhost)	757.8 KiB	626.6 KiB
...deps/react-dom_client.js?v=db281d4f (localhost)	880.9 KiB	266.5 KiB
/@vite/client (localhost)	178.3 KiB	155.3 KiB
...pages/BlogPage.tsx (localhost)	170.9 KiB	121.6 KiB
...deps/react-router-dom.js?v=db281d4f (localhost)	383.4 KiB	104.4 KiB
/@react-refresh (localhost)	107.2 KiB	97.5 KiB
...deps/flowbite.js?v=db281d4f (localhost)	254.3 KiB	66.8 KiB
...data/blog-posts.ts (localhost)	83.3 KiB	52.7 KiB
...pages/ServicesPage.tsx (localhost)	39.1 KiB	24.5 KiB
...components/Footer.tsx (localhost)	35.3 KiB	23.5 KiB
...components/Hero.tsx (localhost)	28.1 KiB	19.6 KiB
...deps/react-helmet.js?v=db281d4f (localhost)	71.1 KiB	19.1 KiB
...components/Testimonials.tsx (localhost)	27.4 KiB	17.7 KiB
...components/Navbar.tsx (localhost)	21.8 KiB	14.4 KiB
...components/Gallery.tsx (localhost)	19.5 KiB	12.9 KiB
...deps/chunk-6P6Q65E3.js?v=db281d4f (localhost)	42.6 KiB	12.2 KiB
/src/App.tsx (localhost)	16.3 KiB	9.9 KiB
...pages/AboutPage.tsx (localhost)	14.9 KiB	8.7 KiB
...components/GetQuote.tsx (localhost)	11.2 KiB	7.3 KiB



URL	Transfer Size	Est Savings
...components/About.tsx (localhost)	11.3 KiB	7.0 KiB
...components/Services.tsx (localhost)	10.9 KiB	6.7 KiB
...deps/chunk-5WRI5ZAA.js?v=db281d4f (localhost)	7.0 KiB	6.1 KiB
/src/main.tsx (localhost)	9.1 KiB	5.5 KiB
...deps/chunk-E7Q22A2S.js?v=db281d4f (localhost)	16.1 KiB	3.5 KiB
...client/env.mjs (localhost)	3.8 KiB	3.3 KiB
...deps/react_jsx-dev-runtime.js?v=db281d4f (localhost)	12.0 KiB	3.2 KiB
...hooks/useHeadingAnimation.ts (localhost)	2.7 KiB	2.1 KiB
Unattributable	385.2 KiB	166.4 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	92.2 KiB	75.0 KiB
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	57.6 KiB	24.5 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/globals-front.js	26.8 KiB	14.6 KiB
chrome-extension://bfbmjmiodbnnpllbbfbblcplfjjejjdn/scripts/content.js	113.7 KiB	13.9 KiB
chrome-extension://bfbmjmiodbnnpllbbfbblcplfjjejjdn/scripts/night-mode.js	34.5 KiB	8.4 KiB
chrome-extension://ghenifimhcdihapkeohjpgiabidpgji/js/content.js	13.3 KiB	6.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/cookie-banner-detection.preload.js	9.9 KiB	5.3 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://gighmmpiobklfepjocnamgkbiglidom/adblock-functions.js	6.9 KiB	3.2 KiB
Adobe Acrobat: PDF edit, convert, sign tools Chrome Extension	91.8 KiB	45.5 KiB
chrome-extension://efaidnbmnmnibpcajpcglclefindmkaj/libs/readability.js	91.8 KiB	45.5 KiB
▲ Serve images in next-gen formats — Est savings of 1,561 KiB		
Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more about modern image formats. FCP LCP		


URL		Resource Size	Est Savings
localhost 1st Party		1,875.5 KiB	1,561.3 KiB
 img.w-full.object-cover.h-64	...blog/driveway-cleaning-featured.jpg (localhost)	1,393.1 KiB	1,273.2 KiB
img.h-16.w-auto	...logos/main-logo.png (localhost)	242.9 KiB	221.5 KiB
 img.w-full.object-cover.h-48	...blog/chesapeake-humidity-featured.jpg (localhost)	168.1 KiB	49.8 KiB
 img.w-full.object-cover.h-48	...blog/seasonal-pressure-washing-featured.jpg (localhost)	71.4 KiB	16.8 KiB

▲ Largest Contentful Paint image was lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. [Learn more about optimal lazy loading.](#) LCP

Element

img.w-full.object-cover.h-64

URL		Resource Size	Est Savings
localhost 1st Party		1,393.1 KiB	1,174.1 KiB
 img.w-full.object-cover.h-64	...blog/driveway-cleaning-featured.jpg (localhost)	1,393.1 KiB	1,174.1 KiB

▲ Eliminate render-blocking resources — Est savings of 410 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn how to eliminate render-blocking resources.](#) FCP LCP

☒ Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
Google Fonts Cdn	2.3 KiB	340 ms
/css2?family=... (fonts.googleapis.com)	2.3 KiB	340 ms
localhost 1st Party	758.0 KiB	1,140 ms
...dist/flowbite.min.js (localhost)	758.0 KiB	1,140 ms

▲ Reduce unused JavaScript — Est savings of 2,303 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP

☒ Show 3rd-party resources (8)



URL	Transfer Size	Est Savings
localhost 1st Party	2,560.9 KiB	1,104.0 KiB
...deps/react-dom_client.js?v=db281d4f (localhost)	880.9 KiB	359.3 KiB
...react-dom/cjs/react-dom-client.development.js	868.1 KiB	356.6 KiB
...scheduler/cjs/scheduler.development.js	11.1 KiB	2.6 KiB
...deps/react-router-dom.js?v=db281d4f (localhost)	383.4 KiB	335.1 KiB
...react-router/dist/development/chunk-NL6KNZEE.mjs	361.9 KiB	319.6 KiB
...react-router/dist/development/dom-export.mjs	6.2 KiB	6.1 KiB
...set-cookie-parser/lib/set-cookie.js	5.5 KiB	5.1 KiB
...cookie/src/index.ts	4.7 KiB	4.1 KiB
...deps/flowbite.js?v=db281d4f (localhost)	254.3 KiB	205.9 KiB
...flowbite-datepicker/dist/main.esm.js	95.6 KiB	76.6 KiB
...flowbite/src/components/drawer/index.ts	10.6 KiB	9.2 KiB
...flowbite/src/components/modal/index.ts	9.4 KiB	7.9 KiB
...flowbite/src/components/dropdown/index.ts	8.6 KiB	7.4 KiB
...flowbite/src/components/carousel/index.ts	7.8 KiB	6.6 KiB
...dist/flowbite.min.js (localhost)	757.8 KiB	106.3 KiB
.../node_modules/flowbite-datepicker/dist/main.cjs.js	46.7 KiB	38.9 KiB
.../src/components/drawer/index.ts	7.3 KiB	6.2 KiB
.../src/components/modal/index.ts	6.5 KiB	5.3 KiB
.../src/components/dropdown/index.ts	5.5 KiB	4.6 KiB
(unmapped)	632.1 KiB	4.3 KiB
...pages/BlogPage.tsx (localhost)	170.9 KiB	44.6 KiB

URL	Transfer Size	Est Savings
...	78.4 KiB	44.4 KiB
...deps/react-helmet.js?v=db281d4f (localhost)	71.1 KiB	32.4 KiB
...prop-types/factoryWithTypeCheckers.js	19.1 KiB	15.3 KiB
...react-helmet/es/Helmet.js	30.9 KiB	7.4 KiB
...react-is/cjs/react-is.development.js	7.3 KiB	3.7 KiB
...react-fast-compare/index.js	3.0 KiB	2.6 KiB
...prop-types/checkPropTypes.js	2.6 KiB	2.1 KiB
...deps/chunk-6P6Q65E3.js?v=db281d4f (localhost)	42.6 KiB	20.4 KiB
...cjs/react.development.js	41.8 KiB	20.4 KiB
Scribe: AI Documentation, SOPs & Screenshots Chrome Extension	1,359.2 KiB	881.6 KiB
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/store-953b9cd4.js	486.0 KiB	333.3 KiB
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/index.tsx-12faf8ba.js	293.7 KiB	216.6 KiB
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/index.js-76d0a4b5.js	219.1 KiB	117.1 KiB
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/index.es-d553bad7.js	206.4 KiB	88.9 KiB
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/useExtensionMessagesListener-0aa64f16.js	69.1 KiB	58.7 KiB
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/Switch-597cb228.js	45.7 KiB	40.0 KiB
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/scribeLiveUtils-98950adf.js	39.1 KiB	26.9 KiB
Unattributable	338.0 KiB	246.3 KiB
chrome-extension://bfbmjmiodbnnpllbbbfblcplfjjepjdn/scripts/content.js	113.7 KiB	103.6 KiB
chrome-extension://kbfnbcaepibcioakkpcpgfkobkghlhen/src/js/Grammarly-check.js	85.1 KiB	42.7 KiB
chrome-extension://fmkadmappogadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js	57.6 KiB	38.7 KiB
.../.../react-devtools-shared/src/utils.js	8.9 KiB	8.1 KiB
.../.../react-devtools-shared/src/backend/agent.js	8.8 KiB	5.3 KiB
.../.../react-devtools-shared/src/hydration.js	5.3 KiB	5.0 KiB
.../.../react-devtools-shared/src/backend/utils/index.js	3.5 KiB	3.2 KiB
.../.../react-devtools-shared/src/backend/views/Highlighter/Overlay.js	2.5 KiB	2.4 KiB
chrome-extension://fmkadmappogadopljbjfkapdkoienihi/build/installHook.js	47.1 KiB	30.8 KiB
.../.../react-devtools-shared/src/backend/fiber/renderer.js	16.5 KiB	8.0 KiB
.../.../build/oss-experimental/react-debug-tools/cjs/react-debug-tools.production.js	4.1 KiB	3.7 KiB
.../.../react-devtools-shared/src/backend/legacy/renderer.js	3.6 KiB	3.6 KiB
.../.../react-devtools-shared/src/utils.js	2.7 KiB	2.4 KiB

URL	Transfer Size	Est Savings
../../../../build/oss-experimental/react/cjs/react.production.js	2.9 KiB	2.2 KiB
chrome-extension://bfbmjmiobnnp1lbbfb1cplfjjejd/scripts/night-mode.js	34.5 KiB	30.5 KiB
Adobe Acrobat: PDF edit, convert, sign tools Chrome Extension	91.8 KiB	71.3 KiB
chrome-extension://efaidnbmnnp1lbbfb1cplfjjejd/libs/readability.js	91.8 KiB	71.3 KiB
...Readability.js	81.6 KiB	65.7 KiB
...Readability-readerable.js	3.6 KiB	0.5 KiB

Properly size images — Est savings of 878 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn how to size images.](#) FCP LCP

URL	Resource Size	Est Savings
localhost 1st Party	1,875.5 KiB	878.0 KiB
 ...blog/driveway-cleaning-featured.jpg (localhost) img.w-full.object-cover.h-64	1,393.1 KiB	463.2 KiB
 ...logos/main-logo.png (localhost) img.mr-3.h-12.md:h-20	242.9 KiB	233.2 KiB
 ...blog/chesapeake-humidity-featured.jpg (localhost) img.w-full.object-cover.h-48	168.1 KiB	127.6 KiB
 ...blog/seasonal-pressure-washing-featured.jpg (localhost) img.w-full.object-cover.h-48	71.4 KiB	54.2 KiB

Page prevented back/forward cache restoration — 1 failure reason

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#)

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache.	Pending browser support

Failure reason

Failure type


/blog (localhost)

Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) (CLS)

URL

localhost 1st Party



img.mr-3.h-12.md:h-20

...logos/main-logo.png (localhost)

img.h-16.w-auto

...logos/main-logo.png (localhost)

Minify CSS — Est savings of 3 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). (FCP) (LCP)

URL

Transfer Size

Est Savings

/*! tailwindcss v4.1.8 | MIT License | https://tailwindcss.com */ @layer properties; @layer theme, ...

11.8 KiB

2.6 KiB

Serve static assets with an efficient cache policy — 2 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn more about efficient cache policies](#).

URL

Cache TTL

Transfer Size

Google Maps Utility

8 KiB

...js/StaticMapService.GetMapImage?... (maps.googleapis.com)

1d

8 KiB

Better Business Bureau Analytics

3 KiB

/gen-seals/img.png?bid=... (seal-norfolk.bbb.org)

4h

3 KiB

Remove duplicate modules in JavaScript bundles — Est savings of 21 KiB

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. (FCP) (LCP)

Source	Transfer Size	Est Savings
node_modules/webextension-polyfill		20 KiB
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10 KiB	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	10 KiB	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js	10 KiB	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	10 KiB	

Avoid serving legacy JavaScript to modern browsers — Est savings of 38 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support legacy browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP

☐ Show 3rd-party resources (2)

URL	Est Savings
Scribe: AI Documentation, SOPs & Screenshots Chrome Extension	33.0 KiB
chrome-extension://okfkdaglfjjjfefdcpliegebpoegaii/assets/store-953b9cd4.js	30.9 KiB
store-953b9cd4.js:24 store-953b9cd4.js:46 store-953b9cd4.js:46 store-953b9cd4.js:54	@babel/plugin-transform-spread Object.create Object.keys String.fromCodePoint
chrome-extension://okfkdaglfjjjfefdcpliegebpoegaii/assets/index.es-d553bad7.js	2.1 KiB
index.es-d553bad7.js:40 index.es-d553bad7.js:40	@babel/plugin-transform-classes @babel/plugin-transform-spread
localhost 1st Party	5.3 KiB
...deps/flowbite.js?v=db281d4f (localhost)	2.2 KiB
flowbite.js:4317 flowbite.js:4394	@babel/plugin-transform-classes @babel/plugin-transform-spread
...dist/flowbite.min.js (localhost)	2.1 KiB
flowbite.min.js:1 flowbite.min.js:1	@babel/plugin-transform-classes @babel/plugin-transform-spread
...deps/react-helmet.js?v=db281d4f (localhost)	1.0 KiB

URL

Est Savings

react-helmet.js:1033

@babel/plugin-transform-classes

Reduce unused CSS — Est savings of 126 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#)

FCP

LCP

URL	Transfer Size	Est Savings
Scribe: AI Documentation, SOPs & Screenshots Chrome Extension	128.0 KiB	126.5 KiB
chrome-extension://okfkdaglfjjjfefdcpliegbpoegaii/assets/style.css	128.0 KiB	126.5 KiB

Avoid enormous network payloads — Total size was 5,552 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#)

URL	Transfer Size
localhost 1st Party	4,539.7 KiB
...blog/driveway-cleaning-featured.jpg (localhost)	1,393.4 KiB
...deps/react-dom_client.js?v=db281d4f (localhost)	881.2 KiB
...dist/flowbite.min.js (localhost)	758.0 KiB
...deps/react-router-dom.js?v=db281d4f (localhost)	383.7 KiB
...deps/flowbite.js?v=db281d4f (localhost)	254.6 KiB
...logos/main-logo.png (localhost)	243.1 KiB
/@vite/client (localhost)	178.5 KiB
...pages/BlogPage.tsx (localhost)	171.2 KiB
...blog/chesapeake-humidity-featured.jpg (localhost)	168.3 KiB
/@react-refresh (localhost)	107.5 KiB

User Timing marks and measures — 4 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#)

Name	Type	Start Time	Duration
__v3	Mark	0.00 ms	

Name	Type	Start Time	Duration
clearMarks	Mark	101.47 ms	
@grammarly-extension:checkScriptInitStart	Mark	1,037.63 ms	
@grammarly-extension:checkScriptInitEnd	Mark	1,097.65 ms	

Avoid chaining critical requests — 43 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn how to avoid chaining critical requests.](#)

Maximum critical path latency: **1,352.151 ms**

Initial Navigation

- /blog (localhost)
 - /css2?family=... (fonts.googleapis.com)
 - ...v56/TK3iWkUHH....woff2 (fonts.gstatic.com) - **121.188 ms**, 27.93 KiB
 - ...v36/6xKtdSZaM....woff2 (fonts.gstatic.com) - **136.596 ms**, 27.76 KiB
 - ...1.0.0/twentytwenty.min.css (cdnjs.cloudflare.com)
 - ...login/fallback-....speedcdnjs.com?kid=... (speedcf.cloudflareaccess.com) - **93.492 ms**, 0.00 KiB
 - /@react-refresh (localhost) - **27.162 ms**, 107.51 KiB
 - /src/main.tsx (localhost)
 - ...deps/react_jsx-dev-runtime.js?v=db281d4f (localhost) - **28.618 ms**, 12.31 KiB
 - ...deps/react.js?v=db281d4f (localhost)
 - ...deps/chunk-6P6Q65E3.js?v=db281d4f (localhost) - **58.159 ms**, 42.89 KiB
 - ...deps/chunk-5WRI5ZAA.js?v=db281d4f (localhost) - **58.273 ms**, 7.32 KiB
 - ...deps/react-dom_client.js?v=db281d4f (localhost)
 - ...deps/chunk-E7Q22A2S.js?v=db281d4f (localhost) - **67.593 ms**, 16.45 KiB
 - /src/index.css (localhost) - **38.756 ms**, 62.38 KiB
 - /src/App.tsx (localhost)
 - /src/App.css (localhost) - **43.049 ms**, 1.35 KiB
 - ...components/Navbar.tsx (localhost) - **43.35 ms**, 22.06 KiB
 - ...components/Hero.tsx (localhost) - **42.919 ms**, 28.35 KiB
 - ...components/About.tsx (localhost) - **44.548 ms**, 11.57 KiB
 - ...components/Services.tsx (localhost) - **45.122 ms**, 11.16 KiB
 - ...components/Gallery.tsx (localhost) - **46.227 ms**, 19.77 KiB
 - ...deps/react-helmet.js?v=db281d4f (localhost) - **53.345 ms**, 71.40 KiB
 - ...hooks/useHeadingAnimation.ts (localhost) - **51.628 ms**, 2.98 KiB
 - ...components/Testimonials.tsx (localhost) - **54.187 ms**, 27.65 KiB
 - ...components/GetQuote.tsx (localhost) - **54.26 ms**, 11.46 KiB
 - ...deps/react-error-boundary.js?v=db281d4f (localhost) - **54.164 ms**, 5.02 KiB
 - ...components/Footer.tsx (localhost) - **54.877 ms**, 35.60 KiB
 - ...pages/ServicesPage.tsx (localhost)
 - ...services/residential-house-washing.JPG?import (localhost) - **61.165 ms**, 0.79 KiB
 - ...services/commercial-pressure-washing.webp?import (localhost) - **60.571 ms**, 0.80 KiB
 - ...services/driveway-cleaning.jpg?import (localhost) - **55.954 ms**, 0.75 KiB
 - ...services/gutter-cleaning.jpg?import (localhost) - **55.541 ms**, 0.74 KiB
 - ...services/lawn-care.jpg?import (localhost) - **55.348 ms**, 0.70 KiB
 - ...services/deckpatio.jpg?import (localhost) - **55.935 ms**, 0.71 KiB

...pages/AboutPage.tsx (localhost)

...images/about-us.jpg?import (localhost) - 64.895 ms, 0.68 KiB

...images/gallery1(2).JPG?import (localhost) - 66.708 ms, 0.70 KiB

...pages/BlogPage.tsx (localhost)

...data/blog-posts.ts (localhost) - 65.822 ms, 83.59 KiB

...types/blog.ts (localhost) - 61.68 ms, 0.28 KiB

...blog/driveway-cleaning-featured.jpg?import (localhost) - 61.504 ms, 0.78 KiB

...blog/chesapeake-humidity-featured.jpg?import (localhost) - 60.776 ms, 0.79 KiB

...blog/seasonal-pressure-washing-featured.jpg?import (localhost) - 69.394 ms, 0.83 KiB

...blog/affordable-pressure-washing-featured.jpg?import (localhost) - 68.47 ms, 0.83 KiB

...blog/christmas-lights-featured.jpg?import (localhost) - 68.077 ms, 0.78 KiB

...blog/gutter-cleaning-featured.jpg?import (localhost) - 68.143 ms, 0.78 KiB

...logos/main-logo.png?import (localhost) - 67.425 ms, 0.68 KiB

...deps/react-router-dom.js?v=db281d4f (localhost) - 76.221 ms, 383.74 KiB

...deps/flowbite.js?v=db281d4f (localhost) - 93.821 ms, 254.60 KiB

...dist/flowbite.min.js (localhost) - 54.89 ms, 758.01 KiB

/manifest.json (localhost) - 10.042 ms, 0.80 KiB

/@vite/client (localhost)

...client/env.mjs (localhost) - 48.769 ms, 4.05 KiB

Minimize third-party usage — Third-party code blocked the main thread for 70 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn how to minimize third-party impact.](#) TBT

Third-Party	Transfer Size	Main-Thread Blocking Time
Scribe: AI Documentation, SOPs & Screenshots Chrome Extension	3,382 KiB	75 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/index.tsx-12faf8ba.js	294 KiB	74 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/store-953b9cd4.js	1,458 KiB	1 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/index.es-d553bad7.js	206 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/index.js-76d0a4b5.js	657 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/waitForPageSettled-d48cacc2.js	261 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/style.css	128 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/App.styles-922ce0d2.js	126 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/useExtensionMessagesListener-0aa64f16.js	69 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/Switch-597cb228.js	46 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/scribeLiveUtils-98950adf.js	39 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/cn-98e362a4.js	20 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/index-d7ea3bd9.js	17 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/index.esm-e3d6f8ec.js	12 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegbpoegaii/assets/Avatar-80f23830.js	6 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/capture-helpers-e6d62672.js	6 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/index-5da2e71f.js	6 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/domUtils-7407e2e4.js	4 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/useBackgroundReduxState-a1d648fd.js	4 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/Button-73074812.js	4 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/v4-c70744d4.js	3 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/Button-a2c13f70.js	2 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/_commonjsHelpers-de833af9.js	2 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/AudioSwitch-409e6e7b.js	2 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/getTargetElementAttributes-3f1109f1.js	2 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/options-5b8ee7eb.js	1 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/index-a19f3aeb.js	1 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/domCopyAnnotate-a2b92afc.js	1 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/useDomainAllowlistListener-b97659cc.js	1 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/index-e131923d.js	1 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/logging-70d989ca.js	0 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/userHelpers-16bc7dd8.js	0 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/utils-4ffb0987.js	0 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/browserContext-bb520957.js	0 KiB	0 ms
chrome-extension://okfkdaglfjjjfefdcplliegebpoegaii/assets/getExtensionStatus-1ed3356e.js	0 KiB	0 ms
Google Maps Utility	293 KiB	0 ms
...10d/main.js (maps.googleapis.com)	73 KiB	0 ms
...10d/util.js (maps.googleapis.com)	72 KiB	0 ms
...10d/init_embed.js (maps.gstatic.com)	59 KiB	0 ms
...10d/common.js (maps.googleapis.com)	37 KiB	0 ms
...10d/map.js (maps.googleapis.com)	26 KiB	0 ms
...10d/onion.js (maps.googleapis.com)	10 KiB	0 ms
...js/StaticMapService.GetMapImage?... (maps.googleapis.com)	8 KiB	0 ms
...api/js?client=... (maps.googleapis.com)	3 KiB	0 ms
...10d/search_impl.js (maps.googleapis.com)	1 KiB	0 ms
...10d/overlay.js (maps.googleapis.com)	1 KiB	0 ms
...10d/search.js (maps.googleapis.com)	1 KiB	0 ms
...10d/geometry.js (maps.googleapis.com)	1 KiB	0 ms

Third-Party	Transfer Size	Main-Thread Blocking Time									
...mapsjs/gen_204?csp_test=true (maps.googleapis.com)	0 KiB	0 ms									
Adobe Acrobat: PDF edit, convert, sign tools Chrome Extension	118 KiB	0 ms									
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/readability.js	92 KiB	0 ms									
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/resources/SidePanel/sidePanelButton.html	10 KiB	0 ms									
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/express-fte.js	7 KiB	0 ms									
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/gsuite/fte-utils.js	4 KiB	0 ms									
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/common/local-storage.js	2 KiB	0 ms									
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/resources/SidePanel/sidePanelUtil.js	2 KiB	0 ms									
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/content_scripts/express/express-fte-utils.js	2 KiB	0 ms									
Google Fonts Cdn	58 KiB	0 ms									
...v56/TK3iWkUHH....woff2 (fonts.gstatic.com)	28 KiB	0 ms									
...v36/6xKtdSZaM....woff2 (fonts.gstatic.com)	28 KiB	0 ms									
/css2?family=... (fonts.googleapis.com)	2 KiB	0 ms									
Better Business Bureau Analytics	4 KiB	0 ms									
/gen-seals/img.png?bid=... (seal-norfolk.bbb.org)	3 KiB	0 ms									
/frame/blue-seal....png?chk=3213FA74AA (seal-norfolk.bbb.org)	1 KiB	0 ms									
blob:https://seal-norfolk.bbb.org/639c2991-40ec-477c-9af3-b5d18f778e6b	0 KiB	0 ms									
Cloudflare CDN Cdn	2 KiB	0 ms									
...1.0.0/twentytwenty.min.css (cdnjs.cloudflare.com)	2 KiB	0 ms									
Other Google APIs/SDKs Utility	1 KiB	0 ms									
/maps/embed?pb=... (www.google.com)	1 KiB	0 ms									
blob:https://www.google.com/3d4671bf-0781-4890-9505-852ef4b80e4d	0 KiB	0 ms									
cloudflareaccess.com	0 KiB	0 ms									
...login/fallback-....speedcdnjs.com?kid=... (speedcf.cloudflareaccess.com)	0 KiB	0 ms									
Avoid long main-thread tasks — 6 long tasks found											
Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT											
Show 3rd-party resources (1)											
<table><tr><th>URL</th><th>Start Time</th><th>Duration</th></tr><tr><td>localhost 1st Party</td><td></td><td>252 ms</td></tr><tr><td></td><td></td><td></td></tr></table>			URL	Start Time	Duration	localhost 1st Party		252 ms			
URL	Start Time	Duration									
localhost 1st Party		252 ms									

URL	Start Time	Duration
/blog (localhost)	187 ms	117 ms
...deps/react-dom_client.js?v=db281d4f (localhost)	5,098 ms	82 ms
...deps/react-dom_client.js?v=db281d4f (localhost)	5,007 ms	53 ms
Scribe: AI Documentation, SOPs & Screenshots Chrome Extension		125 ms
chrome-extension://okfkdaglfjjjfefdcpliegbpoegaii/assets/index.tsx-12faf8ba.js	515 ms	125 ms
Unattributable		118 ms
chrome-extension://kbfnbcaep1bcioakpcpgfkobkghlhen/src/js/Grammarly-check.styles.js	437 ms	65 ms
Unattributable	318 ms	53 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (16)

Hide

Defer offscreen images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn how to defer offscreen images.](#) FCP LCP

Preconnect to required origins

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. [Learn how to preconnect to required origins.](#) LCP FCP

Initial server response time was short

— Root document took 10 ms

Keep the server response time for the main document short because all other requests depend on it. [Learn more about the Time to First Byte metric.](#) FCP LCP

URL	Time Spent
localhost 1st Party	10 ms
/blog (localhost)	10 ms

Avoid multiple page redirects

Redirects introduce additional delays before the page can be loaded. [Learn how to avoid page redirects.](#) LCP FCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. [Learn more about HTTP/2.](#) LCP FCP

Use video formats for animated content


Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more about efficient video formats](#) FCP LCP

● Preload Largest Contentful Paint image

If the LCP element is dynamically added to the page, you should preload the image in order to improve LCP. [Learn more about preloading LCP elements](#). LCP

● Avoids an excessive DOM size — 363 elements

A large DOM will increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn how to avoid an excessive DOM size](#). TBT

Statistic	Element	Value
Total DOM Elements		363
Maximum DOM Depth	 path	15
Maximum Child Elements	 div.flex.flex-wrap.gap-2	10

● JavaScript execution time — 0.5 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#). TBT

☒ Show 3rd-party resources (2)

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	524 ms	255 ms	47 ms
/blog (localhost)	341 ms	85 ms	45 ms
...deps/react-dom_client.js?v=db281d4f (localhost)	183 ms	170 ms	2 ms
Unattributable	305 ms	77 ms	15 ms
Unattributable	222 ms	21 ms	0 ms
chrome-extension://kbfnbcaepfbcoakcpkgfkbokghlhen/src/js/Grammarly-check.js	83 ms	56 ms	15 ms
Scribe: AI Documentation, SOPs & Screenshots Chrome Extension	127 ms	88 ms	1 ms
chrome-extension://okfkdaglfjjjfefdcpliegebpoegaii/assets/index.tsx-12faf8ba.js	127 ms	88 ms	1 ms
Adobe Acrobat: PDF edit, convert, sign tools Chrome Extension	76 ms	5 ms	0 ms

URL	Total CPU Time	Script Evaluation	Script Parse
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/jquery-3.1.1.min.js	76 ms	5 ms	0 ms

Minimizes main-thread work
1.4 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT

Category	Time Spent
Script Evaluation	568 ms
Other	405 ms
Style & Layout	182 ms
Script Parsing & Compilation	136 ms
Rendering	31 ms
Parse HTML & CSS	29 ms

All text remains visible during webfont loads

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. [Learn more about font-display](#).

Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn how to defer third-parties with a facade](#). TBT

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. [Learn more about adopting passive event listeners](#).

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn how to avoid document.write\(\)](#).

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag](#).

Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

ARIA

▲ **button, link, and menuitem elements do not have accessible names.**

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

Failing Elements



...
<div class="acrobat-button acrobat-button-drag-handle-margin" role="button">


These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ **Background and foreground colors do not have a sufficient contrast ratio.**

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)


Failing Elements



button.px-4.py-2.roun...text-sm.font-medium.transition-colors.bg-gray-200.text-gray-700.hover...



button.px-4.py-2.roun...text-sm.font-medium.transition-colors.bg-gray-200.text-gray-700.hover...



button.px-4.py-2.roun...text-sm.font-medium.transition-colors.bg-gray-200.text-gray-700.hover...

Failing Elements




button.px-4.py-2.roun...full.text-sm.font-medium.transition-colors.bg-gray-200.text-gray-700.hover...



button.px-4.py-2.roun...full.text-sm.font-medium.transition-colors.bg-gray-200.text-gray-700.hover...




button.px-4.py-2.roun...full.text-sm.font-medium.transition-colors.bg-gray-200.text-gray-700.hover...




span.font-medium




button.flex.items-center.transition-colors.duration-200.like-button.text-gray-700.hover:text-red-600




span.font-medium




button.flex.items-center.transition-colors.duration-200.like-button.text-gray-700.hover:text-red-600



span.font-medium




button.flex.items-center.transition-colors.duration-200.like-button.text-gray-700.hover:text-red-600



span.font-medium




button.flex.items-center.transition-colors.duration-200.like-button.text-gray-700.hover:text-red-600




span.font-medium

Failing Elements





button.flex.items-center.transition-colors.duration-200.like-button.text-gray-700.hover:text-red-600



span.font-medium



button.flex.items-center.transition-colors.duration-200.like-button.text-gray-700.hover:text-red-600

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

☐	Interactive controls are keyboard focusable	^
	Custom interactive controls are keyboard focusable and display a focus indicator. Learn how to make custom controls focusable.	
☐	Interactive elements indicate their purpose and state	^
	Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints.	
☐	The page has a logical tab order	^
	Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering.	
☐	Visual order on the page follows DOM order	^
	DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering.	
☐	User focus is not accidentally trapped in a region	^
	A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps.	
☐	The user's focus is directed to new content added to the page	^
	If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content.	
☐	HTML5 landmark elements are used to improve navigation	^
	Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements.	
☐	Offscreen content is hidden from assistive technology	^

Offscreen content is hidden with display: none or aria-hidden=true. Learn how to properly hide offscreen content.	
☐ Custom controls have associated labels	^
Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels.	
☐ Custom controls have ARIA roles	^
Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls.	

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (26)

Hide

☒ [aria-*] attributes match their roles	^
Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles.	
☒ [aria-hidden="true"] is not present on the document <body>	^
Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. Learn how aria-hidden affects the document body.	
☒ [role]s have all required [aria-*] attributes	^
Some ARIA roles have required attributes that describe the state of the element to screen readers. Learn more about roles and required attributes.	
☒ [aria-*] attributes have valid values	^
Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. Learn more about valid values for ARIA attributes.	
☒ [aria-*] attributes are valid and not misspelled	^
Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. Learn more about valid ARIA attributes.	
☒ Buttons have an accessible name	^
When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.	
☒ Image elements have [alt] attributes	^
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the alt attribute.	
☒ [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.	^
Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of	

a web page. Learn more about the viewport meta tag.	
● ARIA attributes are used as specified for the element's role ^ Some ARIA attributes are only allowed on an element under certain conditions. Learn more about conditional ARIA attributes.	
● <code>[aria-hidden="true"]</code> elements do not contain focusable descendents ^ Focusable descendents within an <code>[aria-hidden="true"]</code> element prevent those interactive elements from being available to users of assistive technologies like screen readers. Learn how aria-hidden affects focusable elements.	
● Elements use only permitted ARIA attributes ^ Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. Learn more about prohibited ARIA roles.	
● <code>[role]</code> values are valid ^ ARIA roles must have valid values in order to perform their intended accessibility functions. Learn more about valid ARIA roles.	
● Document has a <code><title></code> element ^ The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.	
● <code><frame></code> or <code><iframe></code> elements have a title ^ Screen reader users rely on frame titles to describe the contents of frames. Learn more about frame titles.	
● <code><html></code> element has a <code>[lang]</code> attribute ^ If a page doesn't specify a <code>lang</code> attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute.	
● <code><html></code> element has a valid value for its <code>[lang]</code> attribute ^ Specifying a valid BCP 47 language helps screen readers announce text properly. Learn how to use the lang attribute.	
● Form elements have associated labels ^ Labels ensure that form controls are announced properly by assistive technologies, like screen readers. Learn more about form element labels.	
● Links have a discernible name ^ Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible.	
● Lists contain only <code></code> elements and script supporting elements (<code><script></code> and <code><template></code>). ^ Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. Learn more about proper list structure.	

● List items () are contained within , or <menu> parent elements	^
Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. Learn more about proper list structure.	
● No element has a [tabindex] value greater than 0	^
A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the tabindex attribute.	
● Touch targets have sufficient size and spacing.	^
Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.	
● Heading elements appear in a sequentially-descending order	^
Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. Learn more about heading order.	
● Uses ARIA roles only on compatible elements	^
Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. Learn more about ARIA roles.	
● Deprecated ARIA roles were not used	^
Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles.	
● Image elements do not have [alt] attributes that are redundant text.	^
Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the alt attribute.	

NOT APPLICABLE (29)

Hide

○ [accesskey] values are unique	^
Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys.	
○ Elements with role="dialog" or role="alertdialog" have accessible names.	^
ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible.	
○ ARIA input fields have accessible names	^
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels.	
○ ARIA meter elements have accessible names	^

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements.	
☐ ARIA <code>progressbar</code> elements have accessible names	^
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements.	
☐ Elements with an ARIA <code>[role]</code> that require children to contain a specific <code>[role]</code> have all required children.	^
Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements.	
☐ <code>[role]</code> s are contained by their required parent element	^
Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element.	
☐ Elements with the <code>role=text</code> attribute do not have focusable descendents.	^
Adding <code>role=text</code> around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. Learn more about the role=text attribute.	
☐ ARIA toggle fields have accessible names	^
When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about toggle fields.	
☐ ARIA <code>tooltip</code> elements have accessible names	^
When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name tooltip elements.	
☐ ARIA <code>treeitem</code> elements have accessible names	^
When a treeitem element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about labeling treeitem elements.	
☐ The page contains a heading, skip link, or landmark region	^
Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. Learn more about bypass blocks.	
☐ <code><d1></code> 's contain only properly-ordered <code><dt></code> and <code><dd></code> groups, <code><script></code> , <code><template></code> or <code><div></code> elements.	^
When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. Learn how to structure definition lists correctly.	
☐ Definition list items are wrapped in <code><d1></code> elements	^
Definition list items (<code><dt></code> and <code><dd></code>) must be wrapped in a parent <code><d1></code> element to ensure that screen readers can properly announce them. Learn how to structure definition lists correctly.	
☐ ARIA IDs are unique	^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. Learn how to fix duplicate ARIA IDs.	
☐ No form fields have multiple labels	Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. Learn how to use form labels.
☐ <code><html></code> element has an <code>[xml:lang]</code> attribute with the same base language as the <code>[lang]</code> attribute.	If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. Learn more about the lang attribute.
☐ Input buttons have discernible text.	Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons.
☐ <code><input type="image"></code> elements have <code>[alt]</code> text	When an image is being used as an <code><input></code> button, providing alternative text can help screen reader users understand the purpose of the button. Learn about input image alt text.
☐ Links are distinguishable without relying on color.	Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable.
☐ The document does not use <code><meta http-equiv="refresh"></code>	Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more about the refresh meta tag.
☐ <code><object></code> elements have alternate text	Screen readers cannot translate non-text content. Adding alternate text to <code><object></code> elements helps screen readers convey meaning to users. Learn more about alt text for object elements.
☐ Select elements have associated label elements.	Form elements without effective labels can create frustrating experiences for screen reader users. Learn more about the select element.
☐ Skip links are focusable.	Including a skip link can help users skip to the main content to save time. Learn more about skip links.
☐ Tables have different content in the summary attribute and <code><caption></code>.	The summary attribute should describe the table structure, while <code><caption></code> should have the onscreen title. Accurate table mark-up helps users of screen readers. Learn more about summary and caption.
☐ Cells in a <code><table></code> element that use the <code>[headers]</code> attribute refer to table cells within the same table.	Screen readers have features to make navigating tables easier. Ensuring <code><td></code> cells using the <code>[headers]</code> attribute only refer to other cells in the same table may improve the experience for screen reader users. Learn more about the headers

attribute.
<th> elements and elements with <code>[role="columnheader"/"rowheader"]</code> have data cells they describe. Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more about table headers.
<code>[lang]</code> attributes have a valid value Specifying a valid BCP 47 language on elements helps ensure that text is pronounced correctly by a screen reader. Learn how to use the lang attribute.
<video> elements contain a <track> element with <code>[kind="captions"]</code> When a video provides a caption it is easier for deaf and hearing impaired users to access its information. Learn more about video captions.



Best Practices

GENERAL

▲ Uses third-party cookies — 31 cookies found

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Name	URL
cloudflareaccess.com	
CF_Session	...login/fallback-....speedcdnjs.com?kid=... (speedcf.cloudflareaccess.com)
Other Google APIs/SDKs Utility	
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
LSOLH	/maps/embed?pb=... (www.google.com)

Name	URL
__Secure-OSID	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
__Host-3PLSID	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
__Secure-OSID	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
COMPASS	/maps/embed?pb=... (www.google.com)
__Secure-3PAPISID	/maps/embed?pb=... (www.google.com)
__Secure-3PSID	/maps/embed?pb=... (www.google.com)
NID	/maps/embed?pb=... (www.google.com)
__Secure-3PSIDTS	/maps/embed?pb=... (www.google.com)
__Secure-3PSIDCC	/maps/embed?pb=... (www.google.com)

Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
Unattributable	

Source	Description
<code>installHook.js:1</code>	Using UNSAFE_componentWillMount in strict mode is not recommended and may indicate bugs in your code. See https://react.dev/link/unsafe-component-lifecycles for details. * Move code with side effects to componentDidMount, and set initial state in the constructor. Please update the following components: %s SideEffect(NullComponent2)
localhost <code>1st Party</code>	
<code>blog:185</code>	X-Frame-Options may only be set via an HTTP header sent along with a document. It may not be set inside <meta>.

▲ Issues were logged in the [Issues](#) panel in Chrome Devtools

Issues logged to the [Issues](#) panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the [Issues](#) panel in Chrome DevTools for more details on each issue.

Issue type

Cookie

...login/fallback-....speedcdnjs.com?kid=... (speedcf.cloudflareaccess.com)

/frame/blue-seal....png?chk=3213FA74AA (seal-norfolk.bbb.org)

/gen-seals/img.png?bid=... (seal-norfolk.bbb.org)

/maps/embed?pb=... (www.google.com)

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#)

Description	Directive	Severity
Host allowlists can frequently be bypassed. Consider using CSP nonces or hashes instead, along with "strict-dynamic" if necessary.	script-src	High
"unsafe-inline" allows the execution of unsafe in-page scripts and event handlers. Consider using CSP nonces or hashes to allow scripts individually.	script-src	High
Avoid using plain URL schemes (https:) in this directive. Plain URL schemes allow scripts to be sourced from an unsafe domain.	script-src	High
The page contains a CSP defined in a `<meta>` tag. Consider moving the CSP to an HTTP header or defining another strict CSP in an HTTP header.		Medium

○ Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#)

Description	Directive	Severity
No HSTS header found		High

○ Ensure proper origin isolation with COOP
^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#)

Description	Directive	Severity
No COOP header found		High

○ Mitigate clickjacking with XFO or CSP
^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#)

Description	Severity
No frame control policy found	High

PASSED AUDITS (11)

Hide

● Uses HTTPS ^
All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding mixed content, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. Learn more about HTTPS.
● Avoids deprecated APIs ^
Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.
● Allows users to paste into input fields ^
Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields.
● Avoids requesting the geolocation permission on page load ^
Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission.
● Avoids requesting the notification permission on page load ^
Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications.
● Displays images with correct aspect ratio ^
Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.

Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Has a `<meta name="viewport">` tag with `width` or `initial-scale`

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents [a 300 millisecond delay to user input](#). [Learn more about using the viewport meta tag.](#)

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#)

✔ Show 3rd-party resources (1)

URL	Map URL																						
localhost 1st Party																							
...deps/flowbite.js?v=db281d4f (localhost)	...deps/flowbite.js.map (localhost)																						
Warning: missing 18 items in <code>`.sourcesContent`</code>		...pages/ServicesPage.tsx (localhost)		...pages/BlogPage.tsx (localhost)		...pages/AboutPage.tsx (localhost)		/src/main.tsx (localhost)		...hooks/useHeadingAnimation.ts (localhost)		...data/blog-posts.ts (localhost)		...components/Testimonials.tsx (localhost)		...components/Services.tsx (localhost)		...components/Navbar.tsx (localhost)		...components/Hero.tsx (localhost)		...components/GetQuote.tsx (localhost)	
...pages/ServicesPage.tsx (localhost)																							
...pages/BlogPage.tsx (localhost)																							
...pages/AboutPage.tsx (localhost)																							
/src/main.tsx (localhost)																							
...hooks/useHeadingAnimation.ts (localhost)																							
...data/blog-posts.ts (localhost)																							
...components/Testimonials.tsx (localhost)																							
...components/Services.tsx (localhost)																							
...components/Navbar.tsx (localhost)																							
...components/Hero.tsx (localhost)																							
...components/GetQuote.tsx (localhost)																							

URL	Map URL
...components/Gallery.tsx (localhost)	
...components/Footer.tsx (localhost)	
...components/About.tsx (localhost)	
...logos/main-logo.png?import (localhost)	
...services/residential-house-washing.JPG?import (localhost)	
...services/lawncafe.jpg?import (localhost)	
...services/gutter-cleaning.jpg?import (localhost)	
...services/driveway-cleaning.jpg?import (localhost)	
...services/deckpatio.jpg?import (localhost)	
...services/commercial-pressure-washing.webp?import (localhost)	
...images/gallery1(2).JPG?import (localhost)	
...blog/seasonal-pressure-washing-featured.jpg?import (localhost)	
...blog/gutter-cleaning-featured.jpg?import (localhost)	
...blog/driveway-cleaning-featured.jpg?import (localhost)	
...blog/christmas-lights-featured.jpg?import (localhost)	
...blog/chesapeake-humidity-featured.jpg?import (localhost)	
...blog/affordable-pressure-washing-featured.jpg?import (localhost)	
...images/about-us.jpg?import (localhost)	
/src/App.tsx (localhost)	
...client/env.mjs (localhost)	
...dist/flowbite.min.js (localhost)	
...deps/react.js?v=db281d4f (localhost)	
...deps/react-router-dom.js?v=db281d4f (localhost)	...deps/react-router-dom.js.map (localhost)
...deps/react-helmet.js?v=db281d4f (localhost)	...deps/react-helmet.js.map (localhost)
...deps/react-error-boundary.js?v=db281d4f (localhost)	...deps/react-error-boundary.js.map (localhost)
...deps/react-dom_client.js?v=db281d4f (localhost)	...deps/react-dom_client.js.map (localhost)
...deps/react_jsx-dev-runtime.js?v=db281d4f (localhost)	...deps/react_jsx-dev-runtime.js.map (localhost)

URL	Map URL
...deps/chunk-E7Q22A2S.js?v=db281d4f (localhost)	...deps/chunk-E7Q22A2S.js.map (localhost)
...deps/chunk-6P6Q65E3.js?v=db281d4f (localhost)	...deps/chunk-6P6Q65E3.js.map (localhost)
...deps/chunk-5WRI5ZAA.js?v=db281d4f (localhost)	
/@vite/client (localhost)	
/@react-refresh (localhost)	
Unattributable	
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js Warning: missing 31 items in `.sourcesContent`	chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend_compact.js.map
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js Warning: missing 46 items in `.sourcesContent`	chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js.map
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/vendor/@eyeo/webext-ad-filtering-solution/content.js	
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js.map
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/polyfill.js.map
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/globals-front.js.map
chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js	chrome-extension://gighmmpiobklfepjocnamgkkbiglidom/cookie-banner-detection.preload.js.map
Adobe Acrobat: PDF edit, convert, sign tools Chrome Extension	
chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/readability.js	chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/libs/readability.js.map

NOT APPLICABLE (3)

Hide

Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

Document uses legible font sizes

Font sizes less than 12px are too small to be legible and require mobile visitors to “pinch to zoom” in order to read. Strive to have >60% of page text $\geq 12\text{px}$. [Learn more about legible font sizes.](#)

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials.](#)

CRAWLING AND INDEXING

robots.txt is not valid — 181 errors found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

Line #	Content	Error
1	<!doctype html>	Syntax not understood
2	<html lang="en">	Syntax not understood
4	<head>	Syntax not understood
5	<script type="module">import { injectIntoGlobalHook } from "@react-refresh";	Syntax not understood
6	injectIntoGlobalHook(window);	Syntax not understood
7	window.\$RefreshReg\$ = () => {};	Syntax not understood
8	window.\$RefreshSig\$ = () => (type) => type;</script>	Syntax not understood
10	<script type="module" src="@vite/client"></script>	Syntax not understood
12	<meta charset="UTF-8" />	Syntax not understood

Line #	Content	Error
13	<meta name="viewport" content="width=device-width, initial-scale=1.0" />	Syntax not understood
14	<meta http-equiv="X-UA-Compatible" content="IE=edge">	Syntax not understood
16	<!-- Primary Meta Tags -->	Syntax not understood
17	<title>Elite Exteriors - Professional Pressure Washing & Exterior Services in Hampton Roads, VA</title>	Syntax not understood
18	<meta name="title" content="Elite Exteriors - Professional Pressure Washing & Exterior Services in Hampton Roads, VA">	Syntax not understood
19	<meta name="description"	Syntax not understood
20	content="Elite Exteriors is a trusted family-run business providing top-notch pressure washing, gutter cleaning, Christmas light installation, and lawn care services in Hampton Roads, Virginia. Get your free quote today!">	Syntax not understood
21	<meta name="keywords"	Syntax not understood
22	content="pressure washing, gutter cleaning, lawn care, Christmas lights, exterior cleaning, Hampton Roads, Virginia Beach, Chesapeake, Norfolk, Suffolk, Newport News, Williamsburg">	Syntax not understood
23	<meta name="author" content="Elite Exteriors">	Syntax not understood
24	<meta name="robots" content="index, follow">	Syntax not understood
25	<link rel="canonical" href="https://www.elitxteriors.com">	Unknown directive
27	<!-- Open Graph / Facebook -->	Syntax not understood
28	<meta property="og:type" content="website">	Unknown directive
29	<meta property="og:url" content="https://www.elitxteriors.com">	Unknown directive
30	<meta property="og:title" content="Elite Exteriors - Professional Pressure Washing Services in Hampton Roads">	Unknown directive
31	<meta property="og:description"	Unknown directive
32	content="Family-run business providing exceptional pressure washing, gutter cleaning, and exterior services in Virginia. Founded by Ahmet & Gaby, serving Hampton Roads area.">	Syntax not understood

Line #	Content	Error
33	<meta property="og:image" content="https://www.elitxteriors.com/images/elite-exterior-og-image.jpg">	Unknown directive
34	<meta property="og:image:width" content="1200">	Unknown directive
35	<meta property="og:image:height" content="630">	Unknown directive
36	<meta property="og:site_name" content="Elite Exteriors">	Unknown directive
37	<meta property="og:locale" content="en_US">	Unknown directive
39	<!-- Twitter -->	Syntax not understood
40	<meta property="twitter:card" content="summary_large_image">	Unknown directive
41	<meta property="twitter:url" content="https://www.elitxteriors.com">	Unknown directive
42	<meta property="twitter:title" content="Elite Exteriors - Professional Pressure Washing Services">	Unknown directive
43	<meta property="twitter:description"	Unknown directive
44	content="Trusted family-run pressure washing business in Hampton Roads, VA. Professional exterior cleaning services.">	Syntax not understood
45	<meta property="twitter:image" content="https://www.elitxteriors.com/images/elite-exterior-twitter-image.jpg">	Unknown directive
47	<!-- Local Business Schema -->	Syntax not understood
48	<script type="application/ld+json">	Syntax not understood
49	{	Syntax not understood
50	"@context": "https://schema.org",	Unknown directive
51	"@type": "LocalBusiness",	Unknown directive
52	"name": "Elite Exteriors",	Unknown directive
53	"description": "Professional pressure washing, gutter cleaning, and exterior services in Hampton Roads, Virginia",	Unknown directive

Line #	Content	Error
54	"url": "https://www.elitxteriors.com",	Unknown directive
55	"telephone": "+1-757-796-7240",	Unknown directive
56	"email": "info@elitxteriors.com",	Unknown directive
57	"address": {	Unknown directive
58	"@type": "PostalAddress",	Unknown directive
59	"streetAddress": "109G Gainsborough Square #711",	Unknown directive
60	"addressLocality": "Chesapeake",	Unknown directive
61	"addressRegion": "VA",	Unknown directive
62	"postalCode": "23320",	Unknown directive
63	"addressCountry": "US"	Unknown directive
64	},	Syntax not understood
65	"geo": {	Unknown directive
66	"@type": "GeoCoordinates",	Unknown directive
67	"latitude": "36.7402068",	Unknown directive
68	"longitude": "-76.2457907"	Unknown directive
69	},	Syntax not understood
70	"openingHours": "Mo-Sa 08:00-18:00",	Unknown directive
71	"priceRange": "\$\$",	Unknown directive
72	"serviceArea": {	Unknown directive

Line #	Content	Error
73	"@type": "GeoCircle",	Unknown directive
74	"geoMidpoint": {	Unknown directive
75	"@type": "GeoCoordinates",	Unknown directive
76	"latitude": "36.7402068",	Unknown directive
77	"longitude": "-76.2457907"	Unknown directive
78	},	Syntax not understood
79	"geoRadius": "50000"	Unknown directive
80	},	Syntax not understood
81	"areaServed": [	Unknown directive
82	"Hampton Roads",	Syntax not understood
83	"Virginia Beach",	Syntax not understood
84	"Chesapeake",	Syntax not understood
85	"Norfolk",	Syntax not understood
86	"Suffolk",	Syntax not understood
87	"Newport News",	Syntax not understood
88	"Hampton",	Syntax not understood
89	"Williamsburg"	Syntax not understood
90	],	Syntax not understood
91	"sameAs": [	Unknown directive

Line #	Content	Error
92	"https://www.facebook.com/people/Elite-Exteriors-Pressure-Washing-Services/61571075571156/",	Unknown directive
93	"https://www.linkedin.com/company/elite-exteriors-pressure-washing-services",	Unknown directive
94	"https://www.instagram.com/elit_xteriors/"	Unknown directive
95	],	Syntax not understood
96	"founder": [	Unknown directive
97	{	Syntax not understood
98	"@type": "Person",	Unknown directive
99	"name": "Ahmet",	Unknown directive
100	"nationality": "Turkish"	Unknown directive
101	},	Syntax not understood
102	{	Syntax not understood
103	"@type": "Person",	Unknown directive
104	"name": "Gaby",	Unknown directive
105	"nationality": "Zimbabwean"	Unknown directive
106	}	Syntax not understood
107	],	Syntax not understood
108	"hasOfferCatalog": {	Unknown directive
109	"@type": "OfferCatalog",	Unknown directive
110	"name": "Elite Exteriors Services",	Unknown directive

Line #	Content	Error
111	"itemListElement": [	Unknown directive
112	{	Syntax not understood
113	"@type": "Offer",	Unknown directive
114	"itemOffered": {	Unknown directive
115	"@type": "Service",	Unknown directive
116	"name": "Pressure Washing",	Unknown directive
117	"description": "Professional pressure washing for homes and businesses"	Unknown directive
118	}	Syntax not understood
119	},	Syntax not understood
120	{	Syntax not understood
121	"@type": "Offer",	Unknown directive
122	"itemOffered": {	Unknown directive
123	"@type": "Service",	Unknown directive
124	"name": "Gutter Cleaning",	Unknown directive
125	"description": "Complete gutter cleaning and maintenance services"	Unknown directive
126	}	Syntax not understood
127	},	Syntax not understood
128	{	Syntax not understood
129	"@type": "Offer",	Unknown directive

Line #	Content	Error
130	"itemOffered": {	Unknown directive
131	"@type": "Service",	Unknown directive
132	"name": "Christmas Light Installation",	Unknown directive
133	"description": "Professional Christmas light hanging and removal"	Unknown directive
134	}	Syntax not understood
135	},	Syntax not understood
136	{	Syntax not understood
137	"@type": "Offer",	Unknown directive
138	"itemOffered": {	Unknown directive
139	"@type": "Service",	Unknown directive
140	"name": "Lawn Care",	Unknown directive
141	"description": "Professional lawn care and maintenance services"	Unknown directive
142	}	Syntax not understood
143	}	Syntax not understood
144	]	Syntax not understood
145	}	Syntax not understood
146	}	Syntax not understood
147	</script>	Syntax not understood
149	<!-- Fonts -->	Syntax not understood

Line #	Content	Error
150	<link rel="preconnect" href="https://fonts.googleapis.com">	Unknown directive
151	<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>	Unknown directive
152	<link	Syntax not understood
153	href="https://fonts.googleapis.com/css2?family=Oswald:wght@200..700&family=Quicksand:wght@300..700&family=Roboto:ital,wght@0,100..900;1,100..900&display=swap"	Unknown directive
154	rel="stylesheet">	Syntax not understood
156	<!-- External CSS -->	Syntax not understood
157	<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/twentytwenty/1.0.0/twentytwenty.min.css">	Unknown directive
159	<!-- Favicon -->	Syntax not understood
160	<link rel="apple-touch-icon" sizes="57x57" href="/src/assets/favicon/apple-icon-57x57.png">	Syntax not understood
161	<link rel="apple-touch-icon" sizes="60x60" href="/src/assets/favicon/apple-icon-60x60.png">	Syntax not understood
162	<link rel="apple-touch-icon" sizes="72x72" href="/src/assets/favicon/apple-icon-72x72.png">	Syntax not understood
163	<link rel="apple-touch-icon" sizes="76x76" href="/src/assets/favicon/apple-icon-76x76.png">	Syntax not understood
164	<link rel="apple-touch-icon" sizes="114x114" href="/src/assets/favicon/apple-icon-114x114.png">	Syntax not understood
165	<link rel="apple-touch-icon" sizes="120x120" href="/src/assets/favicon/apple-icon-120x120.png">	Syntax not understood
166	<link rel="apple-touch-icon" sizes="144x144" href="/src/assets/favicon/apple-icon-144x144.png">	Syntax not understood
167	<link rel="apple-touch-icon" sizes="152x152" href="/src/assets/favicon/apple-icon-152x152.png">	Syntax not understood
168	<link rel="apple-touch-icon" sizes="180x180" href="/src/assets/favicon/apple-icon-180x180.png">	Syntax not understood
169	<link rel="icon" type="image/png" sizes="192x192" href="/src/assets/favicon/android-icon-192x192.png">	Syntax not understood
170	<link rel="icon" type="image/png" sizes="32x32" href="/src/assets/favicon/favicon-32x32.png">	Syntax not understood

Line #	Content	Error
171	<link rel="icon" type="image/png" sizes="96x96" href="/src/assets/favicon/favicon-96x96.png">	Syntax not understood
172	<link rel="icon" type="image/png" sizes="16x16" href="/src/assets/favicon/favicon-16x16.png">	Syntax not understood
173	<link rel="manifest" href="/manifest.json">	Syntax not understood
174	<meta name="msapplication-TileColor" content="#ffffff">	Syntax not understood
175	<meta name="msapplication-TileImage" content="/src/assets/favicon/ms-icon-144x144.png">	Syntax not understood
176	<meta name="theme-color" content="#ffffff">	Syntax not understood
178	<!-- Preload critical resources -->	Syntax not understood
179	<link rel="preload" href="/src/assets/logos/main-logo.png" as="image">	Syntax not understood
181	<!-- Security headers -->	Syntax not understood
182	<meta http-equiv="Content-Security-Policy"	Syntax not understood
183	content="default-src 'self'; script-src 'self' 'unsafe-inline' 'unsafe-eval' https: blob;; style-src 'self' 'unsafe-inline' https;; font-src 'self' https;; img-src 'self' data: https: blob;; connect-src 'self' https;; frame-src 'self' https;; worker-src 'self' blob;; object-src 'none'; base-uri 'self';">	Unknown directive
184	<meta http-equiv="X-Content-Type-Options" content="nosniff">	Syntax not understood
185	<meta http-equiv="X-Frame-Options" content="SAMEORIGIN">	Syntax not understood
186	<meta http-equiv="X-XSS-Protection" content="1; mode=block">	Syntax not understood
187	</head>	Syntax not understood
189	<body>	Syntax not understood
190	<div id="root"></div>	Syntax not understood
191	<script type="module" src="/src/main.tsx"></script>	Syntax not understood
192	<script src="/node_modules/flowbite/dist/flowbite.min.js"></script>	Syntax not understood

Line #	Content	Error
193	</body>	Syntax not understood
195	</html>	Syntax not understood

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

☐ Structured data is valid	
Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more about Structured Data.	

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Hide

☒ Page isn't blocked from indexing	
Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.	
☒ Document has a <title> element	
The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.	
☒ Document has a meta description	
Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description.	
☒ Page has successful HTTP status code	
Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes.	
☒ Links have descriptive text	
Descriptive link text helps search engines understand your content. Learn how to make links more accessible.	
☒ Links are crawlable	
Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable	
☒ Image elements have [alt] attributes	
Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the alt attribute.	
☒ Document has a valid hreflang	

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

● Document has a valid `rel=canonical`



Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

📅 Captured at Jul 20, 2025, 10:37 PM GMT+3

🕒 Initial page load

🖥️ Emulated Desktop with Lighthouse 12.6.0

⚙️ Custom throttling

🔗 Single page session

🔍 Using Chromium 138.0.0.0 with devtools

Generated by **Lighthouse** 12.6.0 | [File an issue](#)