# Task 24

```
#!/bin/bash
yum update -y
yum install -y python3 git
pip3 install flask pymysql
python3 /home/ec2-user/app.py
```

```
#!/bin/bash
apt update -y
apt install -y python3 git
pip3 install flask pymysql
python3 /home/ubuntu/app.py
```

Build a Hub-and-Spoke VPC Architecture

Create:

- 1 Hub VPC
- 2 Spoke VPCs
- Connect them using VPC Peering

Ensure:

- Spoke1 can talk to Hub
- Spoke2 can talk to Hub
- Spoke1 CANNOT talk to Spoke2
- Use route tables to control traffic

# Step 1: Create 3 VPCs

Create:

## Hub VPC

- CIDR: `10.0.0.0/16`




# Spoke1 VPC

- CIDR: `10.1.0.0/16`




# Spoke2 VPC

- CIDR: `10.2.0.0/16`




# Step 2: Create Subnets (1 each )

- Hub → `10.0.1.0/24`




- Spoke1 → `10.1.1.0/24`




- Spoke2 → `10.2.1.0/24`




## Step 3: Create VPC Peering



# Spoke1 → Hub

- Requester: Spoke1
- Accepter: Hub




- Requester: Spoke2
- Accepter: Hub






## Update Route Tables




## scope 1 route table

## hub rt table



## scope 2 route table




## Accepted requests






ec2 scope 1




scope 2

hub ec2




Similar to task 9 we will peer between the 2 VPCs with a junction VPC called HUB