# Experiment 9

## 9.1.1 Count Vowels in a String - 1

## Algorithm :

Step 1 : Start
Step 2 : Input string str
Step 3 : l = length of str
Step 4 : count = 0
Step 5 : For i from 0 to l-1
Step 6 :  If str[i] is vowel
Step 7 :  count = count + 1
Step 8 : Print count
Step 9 : Stop

## Flowchart :



## 9.1.1. Count Vowels in a String - 1

02:04

Write a program that takes a string as input and prints the total count of vowels in that string. Consider both uppercase and lowercase.

**Input Format:**

- A single line contains a string that may contain letters, numbers, and punctuation.

**Output Format:**

- An integer representing the total number of vowels in the input string.

Sample Test Cases +

Explorer

vowel_co...

Submit

```
text = input()
vowels = "aeiouAEIOU"
count = 0
for char in text:
    if char in vowels:
        count += 1
```

Debugger

| Average time | Maximum time |
|---|---|
| **0.010 s** | **0.013 s** |
| 9.83 ms | 13.00 ms |

2 out of 2 shown test case(s) passed

4 out of 4 hidden test case(s) passed

Test case 1 13 ms Debug

| Expected output | Actual output |
|---|---|
| Hello World! | Hello World! |
| 3 | 3 |

# Experiment 9

## 9.1.2 Palindrome or not

## Algorithm :

Step 1 : Start
Step 2 : Input string str
Step 3 : Find length of string and store in l
Step 4 : Set flag as True
Step 5 : Repeat steps for each position from start to middle of string
Step 6 : Compare character at beginning with corresponding character from end
Step 7 : If both characters are not equal, set flag as False
Step 8 : After completing all comparisons, check flag
Step 9 : If flag is True, print "Palindrome"
Step 10 : Else print "Not a Palindrome"
Step 11 : Stop

## Flowchart :



## 9.1.2. Palindrome or Not

01:19

Write a Python program to take a string as input and check whether the given string is a palindrome or not. A palindrome is a string that reads the same forwards and backward.

**Input Format:**

- A single line of input contains a string

**Output Format:**

- If the input string is a palindrome, print "Palindrome", otherwise print "Not a Palindrome"

Sample Test Cases +

Explorer

palindro...

Submit

```python
s = input().strip()

reversed_s = s[::-1]
if s == reversed_s:
    print("Palindrome")
else:
```

Debugger

| Average time | Maximum time |
|---|---|
| **0.024 s** | **0.056 s** |
| 23.60 ms | 56.00 ms |

2 out of 2 shown test case(s) passed

3 out of 3 hidden test case(s) passed

Test case 1 56 ms Debug

| Expected output | Actual output |
|---|---|
| racecar | racecar |
| Palindrome | Palindrome |