Select a definition notification

WaffleBear API 1.0.0 OAS 3.0

/api/v3/api-docs/notification

OpenAPI documentation for the WaffleBear backend features.

Servers

https://api.fileinnoutcloud.kro.kr/api - Configured backend server

Authorize

Notification Web push subscription and inbox APIs

POST /notification/unsubscribe Unsubscribe push

Disables the current user's push subscription.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header.	*No links*

Code	Description	Links
	Example Value Schema {}	

POST /notification/subscribe Subscribe push

Registers a web push subscription for the current user.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "userIdx": 0,
  "endpoint": "string",
  "keys": {
    "additionalProp1": "string",
    "additionalProp2": "string",
    "additionalProp3": "string"
  }
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. **Example Value** Schema {}	*No links*

Code	Description	Links

POST /notification/send Send notification

Sends a push notification payload.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "idx": 0,
  "title": "string",
  "message": "string"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. **Example Value** Schema {}	*No links*

PATCH /notification/read Mark notification as read

Marks a notification target as read.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "id": 0,
  "uuid": "string"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. **Example Value** Schema {}	*No links*

GET /notification/list List inbox notifications

Returns the current user's notification inbox.

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. **Example Value** Schema {}	*No links*

DELETE /notification Delete notification

Deletes a notification from the inbox.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "id": 0,
  "uuid": "string"
}
```

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. **Example Value** Schema {}	*No links*

Auth

POST /login Login

Authenticates with email and password, returns an access token in the response body and Authorization header, and issues a refresh cookie.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "email": "user@example.com",
  "password": "P@ssw0rd!",
  "name": "optional"
}
```

Responses

Code	Description	Links
200	Login succeeded Media type **application/json** Controls Accept header. **Example Value** Schema `{ "accessToken": "string", "email": "string", "role": "ROLE_USER" }`	*No links*
401	Invalid credentials	*No links*

Schemas

Subscribe

Send

Target