Practical 4

4a: Student Registration Form

STEPS

1. Open Visual Studio → File → New → Project → ASP.NET Web Application (.NET Framework) → Click Next.
2. Project name → Click Create.
3. Choose Empty → Add folders & core reference, choose Web Forms → Click Create.
4. Add Empty Web Form → Solution Explorer: Right-click Project Name → Add → Web Form.
5. Enter WebForm name → Click Add.
6. Open WebForm1.aspx and add the following markup.
7. Open WebForm1.aspx.cs and add the code-behind logic.

WebForm1.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="WebForm1.aspx.cs" Inherits="WebApplication1.WebForm1" %>
<!DOCTYPE html>
<html>
<form id="form1" runat="server">
<div><h2>Student Registration Form</h2><hr /></div>
<asp:Label Text="Student Name:" runat="server" />
<asp:TextBox ID="txtName" runat="server" Width="200px" /> <br />
<asp:Label Text="Gender:" runat="server" /><br />
<asp:RadioButton ID="rbMale" GroupName="gender" Text="Male" runat="server" />
<asp:RadioButton ID="rbFemale" GroupName="gender" Text="Female" runat="server" /><br />
<asp:Label Text="Course:" runat="server" />
<asp:DropDownList ID="ddlCourse" runat="server">
<asp:ListItem Text="Select Course" Value="" />
<asp:ListItem Text="BSc IT" Value="BSc IT" />
<asp:ListItem Text="BSc CS" Value="BSc CS" />
<asp:ListItem Text="BCA" Value="BCA" />
</asp:DropDownList><br />
<asp:Label Text="Date of Birth:" runat="server" />
<asp:Calendar ID="calDOB" runat="server" /><br />
<asp:CheckBox ID="chkTerms" runat="server" Text="I accept Terms and Conditions" /><br />
<asp:Button ID="btnSubmit" runat="server" OnClick="btnSubmit_Click" Text="submit" />
  
<asp:Button ID="btnClear" runat="server" Text="Clear" />
<br /><br />
<asp:Label ID="lblOutput" runat="server" ForeColor="Green" Font-Bold="true" />
</form>
</html>
```


WebForm1.aspx.cs

```
using System;
namespace WebApplication1
{
    public partial class WebForm1 : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e) { }
        protected void btnSubmit_Click(object sender, EventArgs e)
        {
            string gender = "";
            if (rbMale.Checked) { gender = rbMale.Text; }
            else if (rbFemale.Checked) { gender = rbFemale.Text; }

            if (chkTerms.Checked)
```


```
            {
                lblOutput.Text = "Student Name: " + txtName.Text + "<br/>" +
                    gender + "<br/>Course: " + ddlCourse.SelectedValue +
                    "<br/>Date: " + calDOB.SelectedDate.ToString();
            }
            else { lblOutput.Text = "please accept terms & condition"; }
        }
    }
}
```

Output / Diagram



4b: Registration Form with Validation Controls

Output / Diagram



WebForm1.aspx

```
<form id="form1" runat="server">
<h2>Registration with Validation</h2>
Name:
<asp:TextBox ID="txtName" runat="server" />
<asp:RequiredFieldValidator ControlToValidate="txtName" ErrorMessage="Name is required!" ForeColor="Red"
runat="server" />
<br />
Age:
<asp:TextBox ID="txtAge" runat="server" />
<asp:RequiredFieldValidator ControlToValidate="txtAge" ErrorMessage="Age required!" ForeColor="Red" runat="server"
/>
<asp:RangeValidator ControlToValidate="txtAge" Type="Integer" MinimumValue="18" MaximumValue="60"
ErrorMessage="Age must be 18-60" ForeColor="Red" runat="server" />
<br />
Email:
<asp:TextBox ID="txtEmail" runat="server" />
<asp:RegularExpressionValidator ControlToValidate="txtEmail" ValidationExpression="^[\w\.\-]+@([\w\-]+\.)+[\w\-
]{2,4}$" ErrorMessage="Invalid Email!" ForeColor="Red" runat="server" />
<br />
Password:
<asp:TextBox ID="txtPass" TextMode="Password" runat="server" />
<asp:RequiredFieldValidator ControlToValidate="txtPass" ErrorMessage="Password required!" ForeColor="Red"
runat="server" />
<br />
Confirm:
<asp:TextBox ID="txtConfirm" TextMode="Password" runat="server" />
<asp:CompareValidator ControlToValidate="txtConfirm" ControlToCompare="txtPass" ErrorMessage="Passwords do not
match!" ForeColor="Red" runat="server" />
<br />
<asp:Button ID="btnReg" Text="Register" runat="server" OnClick="btnReg_Click" Height="31px" />
<asp:ValidationSummary runat="server" ForeColor="Red" />
<asp:Label ID="lblMsg" runat="server" ForeColor="Green" />
</form>
```

WebForm1.aspx.cs


```
protected void btnReg_Click(object sender, EventArgs e)
```

```
{
    if (Page.IsValid)
    {
        lblMsg.Text = "Registration successful.";
    }
}
```

Web.config

```
<configuration>
  <appSettings>
    <add key="ValidationSettings:UnobtrusiveValidationMode" value="None" />
  </appSettings>
  <system.web>
    <compilation debug="true" targetFramework="4.7.2" />
    <httpRuntime targetFramework="4.7.2" />
  </system.web>
</configuration>
```

Validation Output / Diagram



4c: AdRotator Control

XMLFile.xml

```
<?xml version="1.0" encoding="utf-8" ?>
<Advertisements>
  <Ad>
    <ImageUrl>image1.jpg</ImageUrl>
    <NavigateUrl>Default3.aspx</NavigateUrl>
    <AlternateText>advertisement</AlternateText>
    <Impressions>1</Impressions>
    <Keyword>food</Keyword>
  </Ad>
  <Ad>
    <ImageUrl>image2.jpg</ImageUrl>
    <NavigateUrl>Default3.aspx</NavigateUrl>
    <AlternateText>advertisement</AlternateText>
    <Impressions>1</Impressions>
    <Keyword>food</Keyword>
  </Ad>
  <Ad>
    <ImageUrl>image3.jpg</ImageUrl>
    <NavigateUrl>https://thebelgianwaffle.co/</NavigateUrl>
    <AlternateText>advertisement</AlternateText>
    <Impressions>1</Impressions>
    <Keyword>food</Keyword>
  </Ad>
  <Ad>
    <ImageUrl>image4.jpg</ImageUrl>
    <NavigateUrl>https://mcdelivery.co.in/</NavigateUrl>
    <AlternateText>advertisement</AlternateText>
    <Impressions>1</Impressions>
    <Keyword>coffee</Keyword>
  </Ad>
  <Ad>
    <ImageUrl>image5.jpg</ImageUrl>
    <NavigateUrl>https://www.zomato.com/mumbai/desi-chai-theka-4-vasai</NavigateUrl>
    <AlternateText>advertisement</AlternateText>
    <Impressions>1</Impressions>
    <Keyword>coffee</Keyword>
  </Ad>
</Advertisements>
```

Default.aspx

```
<form id="form1" runat="server">
<h2>AdRotator Control Demo</h2>
<p>Refresh the page to see a different advertisement:</p>
<div>
<asp:AdRotator ID="AdRotator1" runat="server" AdvertisementFile="~/XMLFile.xml"
    Height="60px" Width="468px" />
<br />
<asp:Button ID="Button1" runat="server" Text="Show Another Ad" />
</div>
</form>
```

AdRotator Output / Diagram

