

# Coronavirus Disease 2019 (COVID-19) Daily Situation Report of the Robert Koch Institute

17/07/2020 - UPDATED STATUS FOR GERMANY

<b>Confirmed cases</b>	Deaths	Deaths (%)	Recovered
200,843	9,082	4.5%	ca. 186,900**
(+583*)	(+ 4*)		

\*Change from previous day; \*\*Estimate

COVID-19 cases are notified to the local public health department in the respective districts, in accordance with the German Protection against Infection Act (IfSG). The data are further transmitted through the respective federal state health authority to the Robert Koch Institute (RKI). This situation report presents the uniformly recorded nationwide data on laboratory-confirmed COVID-19 cases transmitted to RKI.

– Changes since the last report are marked blue in the text –

#### Summary (as of 17/07/2020 12:00 AM)

- The cumulative nationwide incidence over the past 7 days was 3.0 cases per 100,000 inhabitants and thus increased slightly at a low level. A total of 105 districts transmitted zero cases. Moreover, in 240 districts the 7-day-incidence is below 5/100,000 inhabitants.
- In total, 200,843 laboratory-confirmed COVID-19 cases and 9,082 deaths due to COVID-19 have been electronically reported to the RKI in Germany.
- In April, excess mortality is particularly apparent for persons 65 years and older. Since the beginning of May, excess mortality has returned to the average of previous years.
- Currently, COVID-19-related outbreaks occur in various settings, including meat-processing plants, facilities for asylum-seekers and refugees, nursing homes and hospitals as well as in context of families or religious events.

# **Epidemiological Situation in Germany**

## Geographical distribution of cases

Epidemiological analyses are based on validated cases notified electronically to the RKI in line with the Protection Against Infection Law (Data closure: 12:00 AM daily). Since January 2020, a total of 200,843 (+583) laboratory-confirmed cases of coronavirus disease 2019 (COVID-19) have been electronically reported to and validated by the RKI (see Table 1). A total of 105 districts reported no cases in the past 7 days. Information on laboratory-confirmed cases is also available on the RKI website at <a href="https://www.rki.de/DE/Content/InfAZ/N/Neuartiges">https://www.rki.de/DE/Content/InfAZ/N/Neuartiges</a> Coronavirus/Fallzahlen.html and <a href="https://corona.rki.de">https://corona.rki.de</a>.

**Table 1:** Number and cumulative incidence (per 100,000 population) of laboratory-confirmed COVID-19 cases and deaths for each federal state electronically reported to RKI, Germany (17/07/2020, 12:00 AM). The number of new cases covers positive cases, which have been sent to the local health department at the same day, but also at previous days.

Federal State	Total number of cases	Number of new cases	Cases/ 100,000 pop.	Cases in the last 7 days	7-day incidence per 100,000 pop.	Number of deaths	Number of deaths/ 100,000 pop.
Baden-Wuerttemberg	36,264	37	328	228	2.1	1,839	16.6
Bavaria	49,631	93	380	481	3.7	2,616	20.0
Berlin	8,725	26	233	123	3.3	221	5.9
Brandenburg	3,470	4	138	19	0.8	167	6.6
Bremen	1,701	4	249	13	1.9	55	8.1
Hamburg	5,232	-1	284	6	0.3	260	14.1
Hesse	11,324	41	181	217	3.5	514	8.2
Mecklenburg-Western Pomerania	805	0	50	1	0.1	20	1.2
Lower Saxony	13,905	18	174	92	1.2	644	8.1
North Rhine- Westphalia	45,710	322	255	1,026	5.7	1,711	9.5
Rhineland-Palatinate	7,275	17	178	141	3.5	238	5.8
Saarland	2,827	3	285	15	1.5	174	17.6
Saxony	5,485	1	135	13	0.3	225	5.5
Saxony-Anhalt	1,936	10	88	29	1.3	62	2.8
Schleswig-Holstein	3,238	3	112	34	1.2	154	5.3
Thuringia	3,315	5	155	26	1.2	182	8.5
Total	200,843	583	242	2,464	3.0	9,082	10.9

As part of quality checks and data cleaning by the health authorities and regional offices, corrections to cases previously transmitted (e.g. detection of duplicate reports) can occiasionally lead to negative values for the number of new cases.




Figure 1: Number and cumulative incidence (per 100,000 population) of the 200,843 electronically reported COVID-19 cases in Germany by county and federal state (17/07/20220, 12:00 AM). Please see the COVID-19 dashboard (https://corona.rki.de/) for information on number of COVID-19 cases by county (local health authority).

## Distribution of cases over time

The first COVID-19 cases in Germany were notified in January 2020. Figure 2 shows COVID-19 cases transmitted to RKI according to date of illness onset from 01/03/2020 onwards. Of these cases, the onset of symptoms is unknown in 60,871 cases (30%), thus their date of reporting is provided in Figure 2.




Figure 2: Number of Covid-19 cases in Germany electronically reported to the RKI by the date of symptoms onset or –if unknown- alternatively by date of reporting from 01/03/2020 (17/07/2020, 12:00 AM).

## **Demographic distribution of cases**

Of all reported cases, 52% are female and 48% are male. Among all those notified cases, for which data on gender was reported, 5,450 were children under 10 years of age (2.7%), 10,012 children and teenagers aged 10 to 19 years (5,0%), 88.692 persons aged 20 to 49 years (44%), 60,312 persons aged 50 to 69 years (30%), 30,529 persons aged 70 to 89 years (15%) and 5,393 persons aged 90 years and older (2.7%). The age and/or gender is unknown in 455 notified cases. The mean age of cases is 48 years (median age 48 years). The highest incidences are seen in persons aged 90 years and older (Figure 3).




Figure 3: Electronically reported COVID-19 cases/100,000 population in Germany by age group and gender (n=200,382) for cases with information available (17/07/2020,12:00 AM).

## Clinical aspects

Information on symptoms is available for 171,331 (85%) of the notified cases. Common symptoms are cough (48%), fever (40%) and rhinorrhoea (21%). Pneumonia was reported in 5,152 cases (3.0%). Since calendar week 17, cases are reported to the RKI as a distinct COVID-19 surveillance category. Since then, ageusia and anosmia can also be entered as symptoms. At least one of these two symptoms was reported in 4,145 of 27,738 cases (15%).

Hospitalisation was reported for 29,934 (17%) of 175,145 COVID-19 cases with information on hospitalisation status.

Approximately 186,900 people have recovered from their COVID-19 infection. Since the exact date of recovery is unknown in most cases, an algorithm was developed to estimate this number.

In total, 9,082 COVID-19-related deaths have been reported in Germany (4.5% of all confirmed cases). Of these, 5,018 (55%) are men and 4,059 (45%) are women (see Table 2), the gender was unknown in five cases. The median age was 82 years. Of all deaths, 7,772 (86%) were in people aged 70 years or older, but only 18% of all cases were in this age group. So far, three deaths among COVID-19 cases under 20 years of age have been reported to the RKI. Pre-existing medical conditions were reported for all three.

Table 2: Number of notified COVID-19 deaths by age group and gender electronically reported to RKI (Data available for 9,077 of notified deaths; 17/07/2020, 12:00 AM)

Gender	Age group (in years)										
	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100+
Male		2	6	17	54	236	644	1,378	2,108	567	6
Female	1		3	6	22	85	232	671	1,908	1,087	44
Total	1	2	9	23	76	321	876	2,049	4,016	1,654	50

Note: The report is a snapshot and is continuously updated.

## Occupation, accommodation or care in facilities

In accordance with the Protection Against Infection Act, the RKI receives information on occupation, accommodation or care in a facility relevant for infection control for reported COVID-19 cases

Since information on occupation, accommodation or care in these facilities is missing in 25% of cases, the proportion of cases working, accommodated or cared for in these facilities reported here should be considered minimum values. Among the COVID-19 cases reported from the above mentioned facilities, the proportion of cases that actually acquired their infection in these facilities is unknown.

Table 3: Notified COVID-19-cases according to possible occupation, accommodation or care in facilities relevant for transmission of infectious diseases electronically reported to RKI (199,678\* cases, no data available for 49,751 cases; 17/07/2020, 12:00 AM)

Facility according to		Total	Hospitalised	Deaths	Recovered (estimate)
§ 23 IfSG (e.g. hospitals, outpatient clinics and practices, dialysis clinics or	Cared for / accommodated in facility	3,500	2,519	647	2,800
outpatient nursing services)	Occupation in facility	14,086	645	20	14,000
§ 33 IfSG (e.g. day care facilities, kindergartens, facilities for after school care, schools or other	Cared for / accommodated in facility*	3,646	76	1	3,400
educational facilities, children's homes, holiday camps)	Occupation in facility	2,824	148	7	2,800
§ 36 IfSG (e.g. facilities for the care of older, disabled, or other persons in need of care, homeless shelters, community facilities for asylumseekers, repatriates and refugees as well as other mass accommodation and prisons)	Cared for / accommodated in facility	18,310	4,130	3,591	14,400
	Occupation in facility	10,061	422	41	9,900
§ 42 IfSG (e.g. meat processing plants or kitchens in the catering trade, in inns, restaurants, canteens, cafés, or other establishments with or for communal catering)	Occupation in facility	4,782	202	5	4,600
Neither cared for, accommodated in nor working in a facility		92,718	16,222	3,469	87,200

<sup>\*</sup>for care according to § 33 IfSG only cases under 18 years of age are taken into account, as other information may be assumed to be incorrect.

The number of COVID-19 cases was highest among persons cared for or employed in medical and other care facilities according to §23 and §36 IfSG (Table 3). The number of deaths was particularly high among persons cared for in these facilities. Among the cases reported as working in medical facilities, 73% were female and 27% male. Their median age was 41 years.

The high number of cases among people cared for or working in various care facilities (Section 36 IfSG) is consistent with numerous reported outbreaks, especially in nursing homes. The low number of cases among persons who attend or work in facilities providing child care or education (Section 33 IfSG) reflects the low incidence in children observed thus far. The increase in the number of cases among persons working in the food sector (§42) is largely due to outbreaks in meat processing plants.

IfSG: Protection Against Infection Law

#### **Outbreaks**

A high 7-day incidence with more than 25 cases per 100,000 inhabitants was observed in the district of Bad Toelz-Wolfrathshausen (Bavaria). Here a higher incidence of of cases was observed in two refugee facilities. Appropriate containment measures were implemented.

A few COVID-19 outbreaks continue to be reported in nursing homes and hospitals, refugee facilities, family events, child-day care facilities as well as religious communities.

## Estimation of the reproduction number (R)

The presented case numbers do not fully reflect the temporal progression of incident COVID-19-cases, since the time intervals between actual onset of illness and diagnosis, reporting, as well as data transmission to the RKI vary greatly. Therefore, a nowcasting approach is applied to model the true temporal progression of COVID-19 cases according to illness onset. Figure 4 shows the result of this analysis.

The reproduction number, R, is defined as the mean number of people infected by one infected person. R can only be estimated based on statistical analyses such as nowcasting and not directly extracted from the notification system.




Figure 4: Number of notified COVID-19 cases with known date of illness onset (dark blue), estimated date of illness onset for cases without reported date of onset (grey) and estimated number of not yet notified cases according to illness onset electronically reported to RKI (light blue) (as of 17/07/2020, 12 AM, taking into account cases up to 13/07/2020).

A sensitive 4-day-R-value can be estimated by using a 4-day moving average of the number of new cases estimated by nowcasting. This 4-day value reflects the infection situation about one to two weeks ago. This value reacts sensitively to short-term changes in case numbers, such as those caused by individual outbreaks. Furthermore, outbreak dynamics may be influenced widespread testing performed among affected persons, leading to therapid detection of many additional COVID-19 cases. This can lead to relatively large fluctuations in the estimated R-value, especially if – as is currently the case in Germany - the total number of new cases is small.

The current estimate of the 4-day R-value is 1.25 (95%-prediction interval: 0.99 - 1.58) and is based on electronically notified cases as of 17/07/2020, 12:00 AM.

Similarly, the 7-day R-value is estimated by using a moving 7-day average of the nowcasting curve. This compensates for fluctuations more effectively, as this value represents a slightly later course of infection of about one to a little over two weeks ago. The 7-day R-value is estimated at 1.20 (95% prediction interval: 1.06 - 1.39) and is based on electronically notified cases as of 17/07/2020, 12:00 AM.

Sample calculations as well as an excel sheet presenting both R-values with daily updates can be found under <a href="https://www.rki.de/covid-19-nowcasting">www.rki.de/covid-19-nowcasting</a>. A detailed methodological explanation of the more stable 7day R-value is also available there. More general information and sample calculations for both R-values can also be found in our FAQs (<a href="https://www.rki.de/covid-19-faq">https://www.rki.de/covid-19-faq</a>).

A detailed description of the methodology is available at <a href="https://www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2020/17/Art\_02.html">https://www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2020/17/Art\_02.html</a> (Epid. Bull. 17 | 2020 from 23/04/2020)

# **DIVI intensive care register**

A registry of the German Interdisciplinary Association for Intensive and Emergency Medicine (DIVI), the RKI and the German Hospital Federation (DKG) was established to document intensive care capacity as well as the number of COVID-19 cases treated in participating hospitals

(https://www.intensivregister.de/#/intensivregister). The DIVI intensive care register documents the number of available intensive care beds in the reporting hospitals on a daily basis. Since 16/04/2020, all hospitals with intensive care beds are required to report.

As of 16/07/2020, a total of 1,275 hospitals or departments reported to the DIVI registry. Overall, 32,583 intensive care beds were registered, of which 21,571 (66%) are occupied, and 11,012 beds (34%) are currently available. The number of COVID-19 cases treated in participating hospitals is shown in Table 4.

Table 4: COVID-19 patients requiring intensive care (ICU) recorded in the	e DIVI register (17/07/2020, 12:15 AM).
---	---

	Number of patients	Percentage	Change to previous day*
Currently in ICU	249		-6
- of these: mechanically ventilated	118	47%	-3
Discharged from ICU	15,185		106
- of these: deaths	3,764	25%	22

<sup>\*</sup>The interpretation of these numbers must take into account the slightly changing number of reporting hospitals (with large differences in their number of beds) from day to day. This can explain the observed decrease in the cumulative number of discharged

# **Mortality Monitoring**

A total of 24 European countries provide the European EuroMOMO project (European monitoring of excess mortality for public health action) with official mortality statistics on a weekly basis which allows the detection and measuring of excess deaths related to e.g. seasonal influenza and pandemics (<a href="https://www.euromomo.eu/">https://www.euromomo.eu/</a>). In Germany, two regional systems that allow the transmission of data, have been established so far (since 2007 in Berlin and Hesse). The establishment of a nationwide monitoring system is planned from 2021 onwards.

All-cause mortality for the countries in the EuroMOMO network has now returned to normal levels, following a period of a substantial excess mortality coinciding with the COVID-19 pandemic. Excess mortality was observed primarily in the age group of over-65s, but also in the age group of 15-64s.

Note: The report is a snapshot and is continuously updated.

Weekly mortality statistics are also recorded on the website of the Federal Statistical Office, albeit with a certain time lag. A special evaluation on excess mortality is normally updated weekly every two weeks. Due to a server relocation, however, it could not be made available on July 10. The update for calendar weeks 24 and 25 (June 8 to 21) will therefore probably be published on July 17: <a href="https://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Bevoelkerung/Sterbefaelle-Lebenserwartung/Tabellen/sonderauswertung-sterbefaelle.html">https://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Bevoelkerung/Sterbefaelle-Lebenserwartung/Tabellen/sonderauswertung-sterbefaelle.html</a> (in German). Looking at the development by months, in March 2020 there is no noticeable increase in the number of deaths compared to March of the previous year. In April, however, the mortality figures were significantly above the average of previous years; since the beginning of May, the mortality figures have been back to around the average.

## Risk Assessment by the RKI

#### **General assessment**

At the global and the national level, the situation is very dynamic and must be taken seriously. The number of newly reported cases has been declining since mid of March. Currently, many districts are transmitting very few or no cases to the RKI. The RKI currently assesses the risk to the health of the German population overall as **high** and as **very high** for risk groups. This assessment may change at short notice based on new insights.

#### Infection risk

The risk of infection depends heavily on the regional spread, living conditions and also on individual behaviour, including compliance with physical distancing, hygiene measures and community masks.

#### **Disease severity**

In most cases, the disease is mild. The probability of progression towards serious disease increases with increasing age and underlying illnesses.

#### Burden on health system

The burden on the health care system depends on the geographical distribution of cases, health care capacity and initiation of containment measures (isolation, quarantine, physical distancing etc.). The burden is currently low in many regions, but may be high in some locations.

# Measures taken by Germany

- Corona-Warn-App
  <a href="https://www.rki.de/DE/Content/InfAZ/N/Neuartiges">https://www.rki.de/DE/Content/InfAZ/N/Neuartiges</a> Coronavirus/WarnApp/Warn\_App.html
- Regulations for persons entering Germany in connection with the novel coronavirus SARS-CoV-2 (15.06.2020) <a href="https://www.rki.de/DE/Content/InfAZ/N/Neuartiges">https://www.rki.de/DE/Content/InfAZ/N/Neuartiges</a> Coronavirus/Transport/BMG\_Merkblatt Reisende Tab.html
- Information on additional regulations at the regional level regarding control measures such as physical distancing or quarantine regulations for persons entering from other countries can be accessed here: <a href="https://www.bundesregierung.de/breg-de/themen/coronavirus/corona-bundeslaender-1745198">https://www.bundesregierung.de/breg-de/themen/coronavirus/corona-bundeslaender-1745198</a> (in German)

- (Non-medical) face masks must be worn on public transport and in shops in all federal states.
- Data on current disease activity can be found in the daily situation reports and on the RKI dashboard:

https://corona.rki.de/

- A distance of 1.5 metres to other indivduals must be maintained in public spaces:

<a href="https://www.bundesregierung.de/breg-de/themen/coronavirus/besprechung-der-bundeskanzlerin-mit-den-regierungschefinnen-und-regierungschefs-der-laender-1733248">https://www.bundesregierung.de/breg-de/themen/coronavirus/besprechung-der-bundeskanzlerin-mit-den-regierungschefinnen-und-regierungschefs-der-laender-1733248</a> (in German)