

Nama : Chelsea Brilliant Syah Putra
NIM : 242410101079
Kelas : A

LAPORAN PEMROGRAMAN WEBSITE

Aktivitas Mandiri 5

1. Buat Resource Controller: `php artisan make:controller MahasiswaController --resource --model=Mahasiswa`

```
PS C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb> php artisan make:controller PeminjamanController --resource --model=Peminjaman


INFO Controller [C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb\app\Http\Controllers\PeminjamanController.php] created successfully.
```

```
app > Http > Controllers > PeminjamanController.php > ...
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Peminjaman;
6  use Illuminate\Http\Request;
7
8  class PeminjamanController extends Controller
9  {
10     /**
11      * Display a listing of the resource.
12      */
13     public function index()
14     {
15         //
16     }
17
18     /**
19      * Show the form for creating a new resource.
20      */
21     public function create()
22     {
23         //
24     }
25
26     /**
27      * Store a newly created resource in storage.
28      */
29     public function store(Request $request)
```

2. Daftarkan di routes/web.php: Route::resource('mahasiswa', MahasiswaController::class)

```
routes > web.php > ...
1  <?php
2
3  use Illuminate\Support\Facades\Route;
4  use App\Http\Controllers\DashboardController;
5  use App\Http\Controllers\TentangController;
6  use App\Http\Controllers\BerandaController;
7  use App\Http\Controllers\PeminjamanController;
8  use App\Http\Controllers\DaftarController;
9  use App\Http\Controllers\KontakController;
10
11  // Peminjaman Buku
12  Route::resource('peminjaman', PeminjamanController::class);
13
```


3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)



Index

```
resources > views > peminjaman > index.blade.php > section.beranda > div > div > div > table > tbody > tr > td
6  <section class="beranda">
24  <div style="padding: 32px; max-width: 1200px; margin: 0 auto;">
38
39  <div style="background: white; border-radius: var(--radius); box-shadow: var(--shadow-md);
40  <div style="background: linear-gradient(135deg, var(--primary-dark), var(--primary)); padding:
41  <h3 style="color: white; font-size: 1rem; font-weight: 600; margin: 0;"> Data Peminj
42  </div>
43
44  <div style="overflow-x: auto;">
45  <table style="width: 100%; border-collapse: collapse;">
46  <thead>
47  <tr style="background: #f0f4f8;">
48  <th style="padding: 12px 16px; text-align: left; font-size: 0.82rem; color: var(--text-
49  <th style="padding: 12px 16px; text-align: left; font-size: 0.82rem; color: var(--text-
50  <th style="padding: 12px 16px; text-align: left; font-size: 0.82rem; color: var(--text-
51  <th style="padding: 12px 16px; text-align: left; font-size: 0.82rem; color: var(--text-
52  <th style="padding: 12px 16px; text-align: left; font-size: 0.82rem; color: var(--text-
53  <th style="padding: 12px 16px; text-align: left; font-size: 0.82rem; color: var(--text-
54  <th style="padding: 12px 16px; text-align: center; font-size: 0.82rem; color: var(--text-
55  </tr>
56  </thead>
57  <tbody>
58  @forelse ($peminjaman as $index => $item)
59  <tr style="border-bottom: 1px solid var(--border); transition: background 0.2s;"
60  onmouseover="this.style.background='#f8fbff'" onmouseout="this.style.background=
61  <td style="padding: 13px 16px; font-size: 0.88rem; color: var(--text-muted);">
62  {{ $peminjaman->firstItem() + $index }}
63  </td>
```

```
resources > views > peminjaman > index.blade.php > section.beranda > div > div > div > table > tbody > tr > td
6 <section class="beranda">
24 <div style="padding: 32px; max-width: 1200px; margin: 0 auto;">
39 <div style="background: white; border-radius: var(--radius); box-shadow: var(--shadow-md);
129 {{-- Pagination --}}
130 @if ($peminjaman->hasPages())
131 <div style="padding: 20px 24px; border-top: 1px solid var(--border); display:flex; justif
132 | {{ $peminjaman->links() }}
133 </div>
134 @endif
135 </div>
136 </div>
137
138 </section>
139 @endsection
140
```



Create

```
resources > views > peminjaman > create.blade.php > script > <function>
1 @extends('layouts.app')
2
3 @section('title', 'Tambah Peminjaman – Sistem Informasi Perpustakaan')
4
5 @section('content')
6 <section class="beranda">
7
8 <div class="beranda-hero" style="background: linear-gradient(135deg, #145a32 0%, #27ae60 100%); color: white; padding: 20px 24px; border-radius: var(--radius); box-shadow: var(--shadow-md); position: relative; min-height: 200px;">
9 <div class="beranda-hero-content">
10 <div class="beranda-badge">+</div> Tambah Data</div>
11 <h2>Form Peminjaman<br/>Buku Baru</h2>
12 <p>Isi formulir di bawah untuk mendaftarkan peminjaman buku baru.</p>
13 </div>
14 <div class="beranda-hero-art">
15 <div class="hero-book-icon"><img alt="Book icon" style="height: 100px; width: 100px;"/></div>
16 </div>
17 </div>
18
19 <div style="padding: 32px; max-width: 780px; margin: 0 auto;">
20 <div style="background: white; border-radius: var(--radius); box-shadow: var(--shadow-md); padding: 16px 28px; border: 1px solid #ccc;">
21 <div style="background: linear-gradient(135deg, #145a32 0%, #27ae60 100%); padding: 16px 28px; border-radius: var(--radius); border: 1px solid #ccc;">
22 <h3 style="color: white; margin: 0; font-size: 1rem;">+ Data Peminjaman Baru</h3>
23 </div>
24
25 <form action="{{ route('peminjaman.store') }}" method="POST" enctype="multipart/form-data" style="padding: 16px 28px;">
26 @csrf
27
```

Sistem Informasi Perpustakaan
Manajemen Peminjaman dan Pengembalian Buku

[Beranda](#)[Peminjaman Buku](#)[Daftar Buku](#)[Dashboard](#)[Tentang](#)[Kontak](#)[Pengembalian Buku](#)[Statistik](#)

TAMBAH DATA

Form Peminjaman Buku Baru

Isi formulir di bawah untuk mendaftarkan peminjaman buku baru.

Data Peminjaman Baru

ID ANGGOTA *
Contoh: ANG-010

NAMA PEMINJAM *
Nama lengkap peminjam

JUDUL BUKU *

TANGGAL PINJAM *
dd/mm/yyyy

TANGGAL KEMBALI
dd/mm/yyyy

FOTO PEMINJAM (OPSIONAL — JPG/PNG, MAKS 2MB)
Choose file No file chosen

KETERANGAN
Catatan tambahan (opsional)


Simpan Peminjaman

Batal

© 2026 | Sistem Informasi Perpustakaan | Chelsea Brilliant

Edit

```
resources > views > peminjaman > edit.blade.php > script
1  @extends('layouts.app')
2
3  @section('title', 'Edit Peminjaman – Sistem Informasi Perpustakaan')
4
5  @section('content')
6      <section class="beranda">
7
8          <div class="beranda-hero" style="background: linear-gradient(135deg, #1a5276 0%, #2e86c1 100%); padding: 16px 28px; display: flex; align-items: center; justify-content: space-between;>
9              <div class="beranda-hero-content">
10                 <div class="beranda-badge">✎ Edit Data</div>
11                 <h2>Edit Peminjaman<br/>{{ $peminjaman->nama_peminjam }}</h2>
12                 <p>Perbarui data peminjaman buku di bawah ini.</p>
13             </div>
14             <div class="beranda-hero-art">
15                 <div class="hero-book-icon">✎</div>
16             </div>
17         </div>
18
19         <div style="padding: 32px; max-width: 780px; margin: 0 auto;">
20             <div style="background: white; border-radius: var(--radius); box-shadow: var(--shadow-md); overflow: hidden; padding: 16px 28px; display: flex; align-items: center; justify-content: space-between;>
21                 <div style="background: linear-gradient(135deg, #1a5276, #2e86c1); padding: 16px 28px; display: flex; align-items: center; justify-content: space-between;>
22                     <h3 style="color: white; margin: 0; font-size: 1rem;">✎ Edit Data Peminjaman #{{ $peminjaman->id_peminjaman }}
23                     <a href="{{ route('peminjaman.show', $peminjaman) }}"
24                         style="background: rgba(255,255,255,0.2); color: white; padding: 6px 14px; border-radius: 10px; text-decoration: none;">
25                         ✎ Lihat Detail
26                     </a>
27                 </div>
28             </div>
29
30             <form action="{{ route('peminjaman.update', $peminjaman) }}" method="POST" enctype="multipart/form-data">
31                 @csrf
32                 @method('PUT')
```



Sistem Informasi Perpustakaan

Manajemen Peminjaman dan Pengembalian Buku

Beranda

Peminjaman Buku

Daftar Buku

Dashboard

Tentang

Kontak

Pengembalian Buku

Statistik

TANGGAL PINJAM *

01/04/2025

TANGGAL KEMBALI

dd/mm/yyyy

FOTO PEMINJAM

Choose file

No file chosen

Format: jpg/peg/png — Maks 2 MB. Kosongkan jika tidak ingin mengubah foto.

KETERANGAN


Update Data


X Batal

© 2024 | Sistem Informasi Perpustakaan | Chelsea Brilliant

Show

```
resources > views > peminjaman > show.blade.php > ...
1  @extends('layouts.app')
2
3  @section('title', 'Detail Peminjaman - {{ $peminjaman->nama_peminjam }}')
4
5  @section('content')
6  <section class="beranda">
7
8      <div class="beranda-hero" style="background: linear-gradient(135deg, #4a235a 0%, #7d3c98 100%); color: white; padding: 20px 0 40px 0;">
9          <div class="beranda-hero-content">
10             <div class="beranda-badge">Detail Data</div>
11             <h2>Detail Peminjaman<br/>Buku</h2>
12             <p>Informasi lengkap peminjaman buku oleh <strong>{{ $peminjaman->nama_peminjam }}</strong></p>
13             <div class="beranda-cta">
14                 <a href="{{ route('peminjaman.edit', $peminjaman) }}" class="cta-btn cta-primary">Edit Data</a>
15                 <a href="{{ route('peminjaman.index') }}" class="cta-btn cta-secondary">Kembali</a>
16             </div>
17             <div class="beranda-hero-art">
18                 <div class="hero-book-icon"></div>
19             </div>
20         </div>
21     </div>
22
23     <div style="padding: 32px; max-width: 780px; margin: 0 auto;">
24
25         <!-- Card Detail -->
26         <div style="background: white; border-radius: var(--radius); box-shadow: var(--shadow-md); padding: 16px 28px; margin-top: 20px;">
27             <div style="background: linear-gradient(135deg, #4a235a, #7d3c98); padding: 16px 28px; margin-bottom: 16px;">
28                 <h3 style="color: white; margin: 0; font-size: 1rem;">Informasi Peminjaman #{{ $peminjaman->id_peminjaman }}
29             </div>
30             <div style="background: white; padding: 16px 28px;">
31                 @php
32                     $badgeStyle = match($peminjaman->status) {
33                         'Dipinjam' => 'background:#ffc107;color:#212529;',
34                         'Dikembalikan' => 'background:#28a745;color:white;',
35                         'Terlambat' => 'background:#dc3545;color:white;';
36                     }
37             </div>
38         </div>
39     </div>
40 </section>
41 @endsection
```





4. Implementasi method `index()` — ambil semua mahasiswa dengan `paginate(10)` dan tampilkan ke view

```
app > Http > Controllers > PeminjamanController.php > PeminjamanController > store
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Peminjaman;
6  use Illuminate\Http\Request;
7  use Illuminate\Support\Facades\Storage;
8
9  class PeminjamanController extends Controller
10 {
11     /**
12      * 1. index() - tampilkan semua peminjaman dengan pagination
13      */
14     public function index()
15     {
16         $peminjaman = Peminjaman::latest()->paginate(10);
17         return view('peminjaman.index', compact('peminjaman'));
18     }
19 }
```

5. Implementasi `create()` dan `store()` — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI, TI, MI)


```

app > Http > Controllers > PeminjamanController.php > PeminjamanController > store
9 class PeminjamanController extends Controller
31 public function store(Request $request)
32 {
33     $request->validate([
34         'id_anggota' => 'required|string|max:20|unique:peminjaman,id_anggota',
35         'nama_peminjam' => 'required|string|min:3|max:100',
36         'judul_buku' => 'required|string|max:200',
37         'kode_buku' => 'nullable|string|max:20',
38         'status' => 'required|in:Dipinjam,Dikembalikan,Terlambat',
39         'tanggal_pinjam' => 'required|date',
40         'tanggal_kembali' => 'nullable|date|after_or_equal:tanggal_pinjam',
41         'keterangan' => 'nullable|string|max:500',
42         'foto' => 'nullable|image|mimes:jpg,jpeg,png|max:2048',
43     ], [
44         'id_anggota.unique' => 'ID Anggota sudah terdaftar dalam peminjaman.',
45         'nama_peminjam.min' => 'Nama peminjam minimal 3 karakter.',
46         'foto.image' => 'File harus berupa gambar.',
47         'foto.mimes' => 'Format foto harus jpg, jpeg, atau png.',
48         'foto.max' => 'Ukuran foto maksimal 2 MB.',
49     ]);
50
51     $data = $request->except('foto');
52     $data['aktif'] = true;
53
54     // Upload foto jika ada
55     if ($request->hasFile('foto')) {
56         $data['foto'] = $request->file('foto')->store('foto-peminjam', 'public');
57     }
58
59     Peminjaman::create($data);
60
61     return redirect()->route('peminjaman.index')
62         ->with('success', 'Data peminjaman berhasil ditambahkan!');
63 }

```

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```

resources > views > peminjaman > edit.blade.php > section.beranda > div > div > form > div
6 <section class="beranda">
19 <div style="padding: 32px; max-width: 780px; margin: 0 auto;">
20 <div style="background: white; border-radius: var(--radius); box-shadow: var(--shadow-md);
29 <form action="{{ route('peminjaman.update', $peminjaman) }}" method="POST" enctype="multipa
45 <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 20px;">
47 {{-- ID Anggota --}}
48 <div>
49 <label style="display: block; font-size: 0.85rem; font-weight: 600; color: var(--text); m
50 ID Anggota <span style="color: #c0392b;">*</span>
51 </label>
52 <input type="text" name="id_anggota"
53 value="{{ old('id_anggota', $peminjaman->id_anggota) }}"
54 style="width: 100%; padding: 10px 14px; border: 1.5px solid {{ $errors->has('id_a
55 required />
56 @error('id_anggota')

```

```

public function update(Request $request, Peminjaman $peminjaman)
{
    $request->validate([
        'id_anggota' => 'required|string|max:20|unique:peminjaman,id_anggota,' . $peminjaman->id,
        'nama_peminjam' => 'required|string|min:3|max:100',
        'judul_buku' => 'required|string|max:200',
        'kode_buku' => 'nullable|string|max:20',
        'status' => 'required|in:Dipinjam,Dikembalikan,Terlambat',
        'tanggal_pinjam' => 'required|date',
        'tanggal_kembali' => 'nullable|date|after_or_equal:tanggal_pinjam',
        'keterangan' => 'nullable|string|max:500',
        'foto' => 'nullable|image|mimes:jpg,jpeg,png|max:2048',
    ], [
        'id_anggota.unique' => 'ID Anggota sudah digunakan oleh peminjaman lain.',
        'nama_peminjam.min' => 'Nama peminjam minimal 3 karakter.',
    ]);

    $data = $request->except(['foto', '_method']);

    // BONUS: Upload foto baru, hapus foto lama jika ada
    if ($request->hasFile('foto')) {
        if ($peminjaman->foto) {
            Storage::disk('public')->delete($peminjaman->foto);
        }
        $data['foto'] = $request->file('foto')->store('foto-peminjam', 'public');
    }

    $peminjaman->update($data);

    return redirect()->route('peminjaman.index')
        ->with('success', 'Data peminjaman berhasil diperbarui!');
}

```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus



```
sources > views > peminjaman > index.blade.php > section.beranda > div > div > table > tbody > tr > td > div >
6 <section class="beranda">
24 <div style="padding: 32px; max-width: 1200px; margin: 0 auto;">
39 <div style="background: white; border-radius: var(--radius); box-shadow: var(--shadow-md);
44 <div style="overflow-x: auto;">
45 <table style="width: 100%; border-collapse: collapse;">
93 @endphp
94 <span style="padding: 3px 12px; border-radius: 20px; font-size: 0.78rem; font-w
95 {{ $item->status }}
96 </span>
97 </td>
98 <td style="padding: 13px 16px; text-align: center;">
99 <div style="display: flex; gap: 6px; justify-content: center;">
100 <a href="{{ route('peminjaman.show', $item) }}"
101 style="background: #17a589; color: white; padding: 5px 12px; border-radius: 0px; font-si
102 <a href="{{ route('peminjaman.edit', $item) }}"
103 style="background: #2e86c1; color: white; padding: 5px 12px; border-radius: 0px; font-si
104 <form action="{{ route('peminjaman.destroy', $item) }}" method="POST" style="display: inline
105 @csrf
106 @method('DELETE')
107 <button type="submit"
108 onclick="return confirmDelete('{{ $item->nama_peminjam }}')"
109 style="background: #c0392b; color: white; padding: 5px 12px; border-radius: 0px; font-si
110 Hapus
111 </button>
112 </form>
113 </div>
114 </td>
115 </tr>
116 @empty
117 <tr>
118 <td colspan="7" style="padding: 48px; text-align: center; color: var(--text-muted)">
```

```
@push('scripts')
<script>
// Konfirmasi hapus dengan JavaScript
function confirmDelete(nama) {
return confirm('Yakin ingin menghapus data peminjaman atas nama "' + nama + '"?\n\nData yang dihapus: ' + nama + '')
}

document.addEventListener('DOMContentLoaded', () => {
console.log('Halaman Index Peminjaman loaded');
});
</script>
@endpush
```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```
resources > views > layouts > app.blade.php > html > body
2 <html lang="id">
12 <body>
14 {{-- Flash Session Message --}}
15 @if(session('success'))
16 <div class="alert alert-success" id="flash-message" style="background: #d4edda; color: #155724; border: 1px solid #c3e6cb; padding: 10px; margin-bottom: 10px;">
17 <div style="display: flex; align-items: center; justify-content: space-between;">
18 <div>{{ session('success') }}</div>
19 <button onclick="this.parentElement.style.display='none'" style="margin-left: auto; background-color: #6c757d; color: white; padding: 5px 10px; border: none;">Tutup</button>
20 </div>
21 @endif
22 @if(session('error'))
23 <div class="alert alert-error" id="flash-message" style="background: #f8d7da; color: #721c24; border: 1px solid #f5c6cb; padding: 10px; margin-bottom: 10px;">
24 <div style="display: flex; align-items: center; justify-content: space-between;">
25 <div>{{ session('error') }}</div>
26 <button onclick="this.parentElement.style.display='none'" style="margin-left: auto; background-color: #6c757d; color: white; padding: 5px 10px; border: none;">Tutup</button>
27 </div>
28 @endif
```



9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

```
app > Http > Controllers > PeminjamanController.php > PeminjamanController > update
9   class PeminjamanController extends Controller
31   public function store(Request $request)
36       'judul_buku'      => 'required|string|max:200',
37       'kode_buku'       => 'nullable|string|max:20',
38       'status'          => 'required|in:Dipinjam,Dikembalikan,Terlambat',
39       'tanggal_pinjam'  => 'required|date',
40       'tanggal_kembali' => 'nullable|date|after_or_equal:tanggal_pinjam',
41       'keterangan'      => 'nullable|string|max:500',
42       'foto'            => 'nullable|image|mimes:jpg,jpeg,png|max:2048',
43   ], [
44       'id_anggota.unique' => 'ID Anggota sudah terdaftar dalam peminjaman.',
45       'nama_peminjam.min' => 'Nama peminjam minimal 3 karakter.',
46       'foto.image'        => 'File harus berupa gambar.',
47       'foto.mimes'         => 'Format foto harus jpg, jpeg, atau png.',
48       'foto.max'          => 'Ukuran foto maksimal 2 MB.',
49   ]);
50
51   $data = $request->except('foto');
52   $data['aktif'] = true;
53
54   // Upload foto jika ada
55   if ($request->hasFile('foto')) {
56       $data['foto'] = $request->file('foto')->store('foto-peminjam', 'public');
57   }
58
```

```
app > Http > Controllers > PeminjamanController.php > PeminjamanController > update
9   class PeminjamanController extends Controller
85   public function update(Request $request, Peminjaman $peminjaman)
91       'kode_buku'      => 'nullable|string|max:20',
92       'status'          => 'required|in:Dipinjam,Dikembalikan,Terlambat',
93       'tanggal_pinjam'  => 'required|date',
94       'tanggal_kembali' => 'nullable|date|after_or_equal:tanggal_pinjam',
95       'keterangan'      => 'nullable|string|max:500',
96       'foto'            => 'nullable|image|mimes:jpg,jpeg,png|max:2048',
97   ], [
98       'id_anggota.unique' => 'ID Anggota sudah digunakan oleh peminjaman lain.',
99       'nama_peminjam.min' => 'Nama peminjam minimal 3 karakter.',
100   ]);
101
102   $data = $request->except(['foto', '_method']);
103
104   // Upload foto baru, hapus foto lama jika ada
105   if ($request->hasFile('foto')) {
106       if ($peminjaman->foto) {
107           Storage::disk('public')->delete($peminjaman->foto);
108       }
109       $data['foto'] = $request->file('foto')->store('foto-peminjam', 'public');
110   }
111
```

```
resources > views > peminjaman > create.blade.php > section.beranda > div > div > form > div
6 <section class="beranda">
19 <div style="padding: 32px; max-width: 780px; margin: 0 auto;">
20 <div style="background: white; border-radius: var(--radius); box-shadow: var(--shadow-md)
25 <form action="{{ route('peminjaman.store') }}" method="POST" enctype="multipart/form-dat
40 <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 20px;">
124
125 {{!-- |upload Foto --}}
126 <div style="grid-column: 1 / -1;">
127 <label style="display:block; font-size:0.85rem; font-weight:600; color:var(--text)
128 Foto Peminjam <span style="color:var(--text-muted); font-weight:400;">{Opsior
129 </label>
130 <input type="file" name="foto" accept="image/jpg,image/jpeg,image/png"
131 id="fotoInput"
132 style="width:100%; padding:10px 14px; border:1.5px dashed {{ $errors->has('
133 <div id="previewContainer" style="display:none; margin-top:12px;">
134 <img id="previewImg" style="width:80px; height:80px; border-radius:50%; object-f
135 </div>
136 @error('foto')
137 <p style="color: #c0392b; font-size:0.78rem; margin-top:4px;">{{ $message }}</p
138 @enderror
139 </div>
140
```

PS C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb> php artisan storage:link

INFO The [C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb\public\storage] link has been connected to [C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb\storage\app\public].

127.0.0.1:8000/peminjaman/1/edit

Sistem Informasi Perpustakaan
Manajemen Peminjaman dan Pengembalian Buku

Beranda Peminjaman Buku Daftar Buku Dashboard Tentang Kontak Pengembalian Buku Statistik

BK-001 Dipinjam

TANGGAL PINJAM 01/04/2025

TANGGAL KEMBALI dd/mm/yyyy


FOTO PEMINJAM

Choose file spider-man-cyberpunk-sci-fi-4k-wallpaper-uhdpaper.com-57l@2@a.jpg

Format: jpg/jpeg/png -- Maks 2 MB. Kosongkan jika tidak ingin mengubah foto.

KETERANGAN

Update Data X Batal



Aktivitas Mandiri 6

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```

PS C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

 INFO  Discovering packages.

laravel/breeze ..... DONE
laravel/pail ..... DONE
laravel/tinker ..... DONE
nesbot/carbon ..... DONE
nunomaduro/collision ..... DONE
nunomaduro/termwind ..... DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

 INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^2.4 for laravel/breeze

```

```

PS C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb> php artisan breeze:install blade

 INFO  Installing and building Node dependencies.



npm warn cleanup Failed to remove some directories [
npm warn cleanup [
npm warn cleanup   '\\\\?\\C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\@tailwindcss\\vite',
npm warn cleanup   [Error: EPERM: operation not permitted, rmdir 'C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\@tailwindcss\\vite\\node_modules'] {
npm warn cleanup     errno: -4048,
npm warn cleanup     code: 'EPERM',
npm warn cleanup     syscall: 'rmdir',
npm warn cleanup     path: 'C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\@tailwindcss\\vite\\node_modules'
npm warn cleanup   }
npm warn cleanup ],
npm warn cleanup [
npm warn cleanup   '\\\\?\\C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\fast-glob',
npm warn cleanup   [Error: EPERM: operation not permitted, rmdir 'C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\fast-glob'] {
npm warn cleanup     errno: -4048,
npm warn cleanup     code: 'EPERM',
npm warn cleanup     syscall: 'rmdir',
npm warn cleanup     path: 'C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\fast-glob'
npm warn cleanup   }
npm warn cleanup ],
npm warn cleanup [
npm warn cleanup   '\\\\?\\C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\sucrase',
npm warn cleanup   [Error: EPERM: operation not permitted, rmdir 'C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\sucrase\\dist\\types'] {
npm warn cleanup     errno: -4048,

```



```
npm warn cleanup      errno: -4048,  
npm warn cleanup      code: 'EPERM',  
npm warn cleanup      syscall: 'rmdir',  
npm warn cleanup      path: 'C:\\Users\\CHELSEA\\OneDrive\\Documents\\Perpustakaan-PWEB\\perpustakaan-pweb\\node_modules\\sucrase\\dist\\types'  
npm warn cleanup      }  
npm warn cleanup    ]  
npm warn cleanup  ]  
npm error code ECONNRESET  
npm error syscall read  
npm error errno -4077  
npm error network read ECONNRESET  
npm error network This is a problem related to network connectivity.  
npm error network In most cases you are behind a proxy or have bad network settings.  
npm error network  
npm error network If you are behind a proxy, please make sure that the  
npm error network 'proxy' config is set properly. See: 'npm help config'  
npm notice  
npm notice New major version of npm available! 10.9.4 -> 11.14.1  
npm notice Changelog: https://github.com/npm/cli/releases/tag/v11.14.1  
npm notice To update run: npm install -g npm@11.14.1  
npm notice  
npm error A complete log of this run can be found in: C:\\Users\\CHELSEA\\AppData\\Local\\npm-cache\\logs\\2026-05-11T12_37_55_367Z-debug-0.log
```

INFO Breeze scaffolding installed successfully.



2. Jalankan php artisan migrate untuk membuat tabel users

```
PS C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb> php artisan migrate

INFO Running migrations.

2026_05_11_000001_add_role_to_users_table ..... 7.44ms DONE
```

Tabel users sudah ada sejak awal project (migration bawaan Laravel). Untuk mendukung fitur role pada Soal 8, ditambahkan migration baru untuk kolom role dengan nilai enum 'admin' atau 'petugas'.

3. Jalankan npm install && npm run dev untuk build assets

```
PS C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb> npm install

up to date, audited 140 packages in 1s

34 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb>

PS C:\Users\CHELSEA\OneDrive\Documents\Perpustakaan-PWEB\perpustakaan-pweb> npm run dev

> dev
> vite

VITE v8.0.12 ready in 195 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

LARAVEL v13.6.0 plugin v3.1.0

→ APP_URL: http://localhost
```

4. Coba register dan login di <http://127.0.0.1:8000/register>

The image displays three sequential screenshots of a web application interface, demonstrating the registration and login process.

Top Screenshot (Register Page): The browser address bar shows `127.0.0.1:8000/register`. The page features a central registration form with the following fields: Name, Email, Password, and Confirm Password. Below the form, there is a link for "Already registered?" and a "REGISTER" button.

Middle Screenshot (Login Page): The browser address bar shows `127.0.0.1:8000/login`. The page features a central login form with the following fields: Email (pre-filled with `lian@gmail.com`) and Password. Below the form, there is a "Remember me" checkbox, a link for "Forgot your password?", and a "LOG IN" button.

Bottom Screenshot (Dashboard Page): The browser address bar shows `127.0.0.1:8000/dashboard`. The page displays a "Dashboard" header with a navigation menu and a user profile dropdown labeled "lian". A prominent message box states "You're logged in!".

Disini saya juga sudah menyesuaikan tampilan login dan register sesuai project saya yaitu perpustakaan


The top screenshot shows the 'Daftar Akun Baru' (New Account Registration) page. It features a white central form area on a dark blue background. The form includes a book icon, the title 'Daftar Akun Baru', a subtitle 'Buat akun untuk mengakses sistem perpustakaan', and several input fields: 'Nama Lengkap' (Full Name), 'Alamat Email', 'Role' (a dropdown menu with 'Petugas' selected), 'Password', and 'Konfirmasi Password'. A green 'Daftar Sekarang' (Register Now) button is at the bottom.

The bottom screenshot shows the 'Masuk' (Login) page. It also has a white central form area on a dark blue background. It includes a book icon, the title 'Sistem Informasi Perpustakaan', a subtitle 'Masuk untuk mengelola data peminjaman', and input fields for 'Alamat Email' and 'Password'. There are checkboxes for 'Ingat saya' (Remember me) and a link for 'Lupa password?' (Forgot password?). A blue 'Masuk' (Login) button is present, along with a link 'Belum punya akun? Daftar sekarang' (Don't have an account? Register now).


- Amankan semua route mahasiswa dengan middleware
`auth:Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)`

```
// -----  
// Route yang membutuhkan login (middleware auth)  
// -----  
Route::middleware('auth')->group(function () {  
  
    // Dashboard  
    Route::get('/dashboard', [DashboardController::class, 'index']->name('dashboard'));  
  
    // AKTIVITAS 5 – CRUD Peminjaman, diamankan dengan middleware auth  
    Route::resource('peminjaman', PeminjamanController::class);  
});
```

6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login




Otomatis redirect ke halaman login



Jika sudah login baru bisa masuk ke peminjaman

7. Tambahkan nama user di navbar: {{ auth()->user()->name }}

```
resources > views > partials > navbar.blade.php > header
1 <header>
2 
4 <h1>Sistem Informasi Perpustakaan</h1>
5 <p>Manajemen Peminjaman dan Pengembalian Buku</p>
6 </div>
7
8 @auth
9 <div style="margin-left:auto; display:flex; align-items:center; gap:14px;">
10 <div style="display:flex; align-items:center; gap:8px;">
11 <div style="width:34px; height:34px; border-radius:50%; background: rgba(255,255,255,0.25); display:flex; align-items:center; justify-content:center;">
12 {{ strtoupper(substr(auth()->user()->name, 0, 1)) }}
13 </div>
14 <div>
15 <p style="margin:0; font-size:0.82rem; color: rgba(255,255,255,0.75); line-height:1;">Halo,
16 <p style="margin:0; font-size:0.9rem; font-weight:600; color:white; line-height:1;">
17 {{ auth()->user()->name }}
18 @if(auth()->user()->role === 'admin')
19 <span style="font-size:0.7rem; background: rgba(46,204,113,0.3); color:#2ecc71; padding:2px 5px;">Admin
20 @endif
21 </p>
22 </div>
23 </div>
24
25 {{-- Tombol Logout --}}
26 <form method="POST" action="{{ route('logout') }}" style="margin:0;">
27 @csrf
28 <button type="submit"
29 style="background: rgba(255,255,255,0.15); color:white; border:1px solid rgba(255,255,255,0.15); padding:5px 10px;"
30 onmouseover="this.style.background='rgba(255,255,255,0.25)'"
31 onmouseout="this.style.background='rgba(255,255,255,0.15)'">
32 Logout
33 </button>
34 </form>
35 </div>
36 @endauth
```



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

app > Http > Middleware > CekAdmin.php

```
1  <?php
2
3  namespace App\Http\Middleware;
4
5  use Closure;
6  use Illuminate\Http\Request;
7  use Symfony\Component\HttpFoundation\Response;
8
9  class CekAdmin
10 {
11     /**
12      * Hanya mengizinkan user dengan role 'admin' mengakses route tertentu.
13      * Jika bukan admin, redirect ke dashboard dengan pesan error.
14      */
15     public function handle(Request $request, Closure $next): Response
16     {
17         if (!auth()->check() || !auth()->user()->isAdmin()) {
18             return redirect()->route('dashboard')
19                 ->with('error', 'Akses ditolak! Halaman ini hanya untuk Admin.');
```

bootstrap > app.php > ...

```
1  <?php
2
3  use Illuminate\Foundation\Application;
4  use Illuminate\Foundation\Configuration\Exceptions;
5  use Illuminate\Foundation\Configuration\Middleware;
6
7  return Application::configure(basePath: dirname(__DIR__))
8      ->withRouting(
9          web: __DIR__.'/../routes/web.php',
10         commands: __DIR__.'/../routes/console.php',
11         health: '/up',
12     )
13     ->withMiddleware(function (Middleware $middleware) {
14         // Daftarkan custom middleware CekAdmin dengan alias 'cek.admin'
15         $middleware->alias([
16             'cek.admin' => \App\Http\Middleware\CekAdmin::class,
17         ]);
18     })
19     ->withExceptions(function (Exceptions $exceptions) {
20         //
21     })->create();
22 }
```

```

routes > web.php > ...
39 // -----
40 // Route khusus Admin (middleware auth + cek.admin)
41 // -----
42 Route::middleware(['auth', 'cek.admin'])->group(function () {
43     // Contoh route khusus admin – statistik dan laporan
44     Route::get('/admin/statistik', function () {
45         return view('admin.statistik');
46     }->name('admin.statistik');
47 });
48

```

```

app > Models > User.php > User > casts
10 class User extends Authenticatable
33
34     // Helper: cek apakah user adalah admin
35     public function isAdmin(): bool
36     {
37         return $this->role === 'admin';
38     }
39 }
40

```



Helper isAdmin() ditambahkan di Model User untuk memudahkan pengecekan role

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

```

app > Http > Controllers > PeminjamanController.php
8
9 class PeminjamanController extends Controller
10 {
11     /**
12      * index() – tampilkan peminjaman dengan pagination
13      */
14     public function index()
15     {
16         if (auth()->user()->isAdmin()) {
17             // Admin melihat semua data peminjaman
18             $peminjaman = Peminjaman::latest()->paginate(10);
19         } else {
20             // Petugas hanya melihat data yang dia buat
21             $peminjaman = Peminjaman::where('user_id', auth()->id())
22                 ->latest()->paginate(10);
23         }
24
25         return view('peminjaman.index', compact('peminjaman'));
26     }
27

```

Method `index()` di `PeminjamanController` dimodifikasi dengan logika berbasis role: Admin dapat melihat seluruh data peminjaman, sedangkan Petugas hanya dapat melihat data yang dibuat sendiri (berdasarkan `user_id`). Kolom `user_id` juga ditambahkan ke tabel peminjaman dan `$fillable` model.