

LABORATORY OBSERVATION/RECORD

Course: Full Stack Web Development

Course Code: 23CM4121

Experiment No.: 2

Student Name: Ch. Gouri Sai Sree

Roll No.: A24126552076

Date: 30-08-2026

1. TITLE

Design Webpage using HTML5 & CSS3

2. AIM

To design and develop a webpage using various HTML and CSS components. To understand the structure and usage of HTML elements for creating a well-organized webpage and styling it using CSS3.

3. OBJECTIVE

The objectives of this experiment are:

- To understand the basic structure and components of HTML.
- To design a static webpage using various HTML elements.
- To use headings, paragraphs, lists, tables, links, images, and forms.
- To organize webpage content using appropriate HTML components.
- To create a simple and well-structured static webpage.

4. THEORY

HTML (HyperText Markup Language) is the standard markup language used to create and structure webpages.

HTML components/elements are used to organize and display different types of content on a webpage.

In this application, HTML is used to create and structure the static webpage using different components.

- **Headings** are used to display titles and headings.
- **Paragraphs** are used to display textual content.
- **Lists** are used to organize information.
- **Images** are used to display visual content.
- **Links** are used to navigate to other webpages.
- **Tables** are used to display data in rows and columns.
- **Forms** are used to collect user information.

The basic flow of the webpage is:

HTML Components → Webpage Structure → Browser → Displayed Static Webpage

5. ALGORITHM / PROCEDURE

1. Create a new HTML file.
2. Add the basic HTML document structure using `<!DOCTYPE html>`, `<html>`, `<head>`, and `<body>`.
3. Add a `<header>` section with the webpage title and navigation links.
4. Create navigation links using the `<nav>` and `<a>` elements.
5. Create a hero section using `<section>`, headings, paragraphs, and links.
6. Create the main content area using `<main>`.
7. Add articles using the `<article>` element with headings and paragraphs.
8. Create an interactive form using `<form>`, `<fieldset>`, and `<legend>`.
9. Add form controls such as text fields, email input, dropdown, textarea, submit, and reset buttons.
10. Create a sidebar using the `<aside>` element.
11. Add unordered and ordered lists to display information.
12. Create a footer section using the `<footer>` element.
13. Use tables for structural layout and alignment of webpage content.
14. Save the HTML file and open it in a web browser.
15. Verify the webpage structure, navigation links, form elements, and displayed output.

6. PROGRAM

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<meta lang="en">
```

```
<title>My Portfolio</title>
```

```
body {
```

```
background: linear-gradient(135deg, #f7d6e6, #e6b3cc, #d5a6bd);
```

```
background-attachment: fixed;
```

margin: 0;

min-height: 100vh;

}

.bg-animation-container {

position: fixed;

top: 0;

left: 0;

width: 100%;

height: 100%;

z-index: -1;

overflow: hidden;

pointer-events: none;

}

.bg-orb {

position: absolute;

border-radius: 50%;

filter: blur(100px);

opacity: 0.55;

```
will-change: transform;
```

```
}
```

```
.orb-1 {
```

```
width: 450px;
```

```
height: 450px;
```

```
background: #cc6699;
```

```
top: -10%;
```

```
left: -10%;
```

```
animation: driftOrb1 25s infinite alternate ease-in-out;
```

```
}
```

```
.orb-2 {
```

```
width: 500px;
```

```
height: 500px;
```

```
background: #ac3973;
```

```
bottom: -15%;
```

```
right: -10%;
```

```
animation: driftOrb2 30s infinite alternate ease-in-out;
```

```
}
```

```
.orb-3 {  
  
    width: 350px;  
  
    height: 350px;  
  
    background: #e8a7c6;  
  
    top: 40%;  
  
    left: 50%;  
  
    animation: driftOrb3 22s infinite alternate ease-in-out;  
  
}
```



```
.orb-4 {  
  
    width: 400px;  
  
    height: 400px;  
  
    background: #f3c2d9;  
  
    bottom: 30%;  
  
    left: 10%;  
  
    animation: driftOrb4 28s infinite alternate ease-in-out;  
  
}
```

```
@keyframes driftOrb1 {
```

```
0% {
```

```
    transform: translate(0, 0) scale(1);
```

```
}
```

```
50% {
```

```
    transform: translate(120px, 80px) scale(1.1);
```

```
}
```

```
100% {
```

```
    transform: translate(-60px, 150px) scale(0.95);
```

```
}
```

```
}
```

```
@keyframes driftOrb2 {
```

```
  0% {
```

```
    transform: translate(0, 0) scale(1);
```

```
  }
```

```
  50% {
```

```
    transform: translate(-140px, -100px) scale(0.9);
```

```
  }
```

```
  100% {
```

```
    transform: translate(90px, 60px) scale(1.15);
```

```
}
```

```
}
```

```
@keyframes driftOrb3 {
```

```
0% {
```

```
transform: translate(0, 0) scale(1);
```

```
}
```

```
50% {
```

```
transform: translate(160px, -160px) scale(1.2);
```

```
}
```

```
100% {
```

```
    transform: translate(-90px, 110px) scale(0.85);
```

```
}
```

```
}
```

```
@keyframes driftOrb4 {
```

```
0% {
```

```
    transform: translate(0, 0) scale(1);
```

```
}
```

```
50% {
```

```
transform: translate(-90px, 130px) scale(1.18);
```

```
}
```

```
100% {
```

```
transform: translate(130px, -90px) scale(0.92);
```

```
}
```

```
}
```

```
.logo{
```

```
width:55px;
```

```
height:55px;
```

```
margin-left:30px;
```

```
}
```

```
.box{
```

```
width:90%;
```

```
max-width:1100px;
```

```
margin:40px auto;
```

```
padding:35px;
```

```
background: rgba(204, 102, 153, 0.82);
```

```
backdrop-filter: blur(12px);
```

-webkit-backdrop-filter: blur(12px);

border: 1px solid rgba(255, 255, 255, 0.25);

border-radius: 30px;

box-shadow: 0 15px 35px rgba(96, 32, 63, 0.15), 0 5px 15px rgba(0, 0, 0, 0.1);

}

.view{

background-color: #ac3973;

color: white;

padding: 12px 25px;

margin: 10px;

border: none;

border-radius: 10px;

cursor: pointer;

box-shadow: 0 4px 12px rgba(0,0,0,0.3);

transition: all 0.3s ease;

font-size: 17px;

font-family:cursive;

}

.contact{

background-color: #ac3973;

color: white;

padding: 12px 25px;

margin: 10px;

border: none;

border-radius: 10px;

cursor: pointer;

box-shadow: 0 4px 12px rgba(0,0,0,0.3);

transition: all 0.3s ease;

font-size: 17px;

font-family:cursive;

```
}
```

```
.view:hover,
```

```
.contact:hover{
```

```
background-color: #8b2d5a;
```

```
transform: translateY(-3px);
```

```
box-shadow: 0 10px 20px rgba(0,0,0,0.35);
```

```
}
```

```
.view:active,
```

```
.contact:active{
```

```
transform: scale(0.97);
```

```
background-color: #d279a4;
```

```
}
```

```
.side{
```

```
display: flex;
```

```
gap: 30px;
```

```
justify-content: center;
```

```
flex-wrap: wrap;
```

```
margin-top:50px;
```

```
}
```

```
.side img{
```

```
width:100%;
```

```
max-width:500px;
```

```
height:auto;
```

```
border-radius:10px;
```

```
box-shadow:0 0 10px black;
```

```
}
```

```
a{
```

```
text-decoration: none;
```

```
}
```

```
.profile-img{
```

```
width:320px;
```

```
aspect-ratio:1/1;
```

```
max-width:90%;
```

```
height:auto;
```

```
object-fit:cover;
```

```
border-radius:50%;
```

```
border:4px solid white;
```

```
box-shadow:0 10px 30px rgba(0,0,0,.25);
```

```
transition:.3s;
```

```
}
```

```
.profile-img:hover{
```

```
    transform: scale(1.05);
```

```
    box-shadow: 0 15px 40px rgba(0, 0, 0, 0.35);
```

```
}
```

```
.view a,
```

```
.contact a{
```

```
    color: white;
```

```
    text-decoration: none;
```

```
display: block;
```

```
}
```

```
@media (max-width:768px){
```

```
.box{
```

```
margin:10px;
```

```
padding:20px;
```



```
}
```

```
h1{
```

```
font-size:32px;
```

```
}
```

```
h2{
```

```
font-size:26px;
```

```
}
```

```
p{
```

```
font-size:17px !important;
```

```
padding:15px !important;
```

```
}
```

```
.view,
```

```
.contact{
```

```
display:block;
```

```
width:220px;
```

```
margin:15px auto;
```

```
}
```

```
.side{
```

```
flex-direction:column;
```

```
align-items:center;
```

```
}
```

```
img{
```

```
max-width:100%;
```

```
height:auto;
```

```
}
```

```
}
```

```
.project-main{
```

```
width:90%;
```

```
max-width:1000px;
```

```
height:auto;
```

```
border-radius:10px;
```

```
box-shadow:0 0 10px black;
```

```
}
```

```
.about-text{
```

```
font-size:20px;
```

```
font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
```

```
padding:10px 100px;
```

```
}
```

```
@media(max-width:768px){
```

```
.about-text{
```

```
padding:20px;
```

```
font-size:18px;
```

```
}
```

```
}
```

```
.project-text{
```

```
font-size:20px;
```

```
font-family:Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
```

```
padding:10px 100px;
```

```
}
```

```
@media(max-width:768px){
```

```
.project-text{
```

```
padding:20px;
```

```
font-size:18px;
```

```
}
```

```
}
```

```
@media(max-width:768px){
```

```
table{
```

```
width:100%;
```

```
}
```

```
td{
```

```
display:block;
```

```
text-align:center !important;
```

```
}
```

```
}
```

```
</head>
```

```
<body>
```

```
<div class="bg-animation-container">
```


<div class="bg-orb orb-1"></div>

<div class="bg-orb orb-2"></div>

<div class="bg-orb orb-3"></div>

<div class="bg-orb orb-4"></div>

</div>

<hr>

<header>

<table width="100%" border="0" cellspacing="0" cellpadding="10">

|
| |

```
<td align="left">
```

```

```

</td>

```
<td align="right">
```

[About](#About) |

[Projects](#Projects)

[Contact](#Contact) |

</td>

</table>

</header>

<hr>

<center>

<div class="box">

<h1><i> Welcome To My Portfolio</i></h1>

<article>

<p>

I am Chella Gouri Sai Sree.

</p>

<p>

Btech in Computer Science and Engineering with specialization in Artificial Intelligence
and Machine

Learning.

</p>

</article>

<button class="view">

</>View Projects

</button>

<button class="contact">

✉ Contact Me

</button>

</div>

</center>

<hr>

<section id="About">

<center>

<h2>About Me</h2>

<!-- <p

style="font-size: 20px; font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif; padding: 10px 100px;">

I'm a dedicated Computer Science Engineering student with a passion for software development and

emerging technologies. I have experience with HTML, CSS, JavaScript, Python, C, Basics of Data

Structures, and I'm

currently expanding my knowledge in Artificial Intelligence and Machine Learning. I enjoy

working on

projects that challenge my creativity and strengthen my technical skills

</p> -->

<p class="about-text">

I'm a dedicated Computer Science Engineering student with a passion for software development and

emerging technologies. I have experience with HTML, CSS, JavaScript, Python, C, Basics of Data

Structures, and I'm

currently expanding my knowledge in Artificial Intelligence and Machine Learning. I enjoy working on

projects that challenge my creativity and strengthen my technical skills</p>

</center>

</section>

<hr>

<section id="Projects">

<center>

<h2>My Projects</h2>

<!-- <p

style="font-size: 20px; font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif; padding: 10px 100px;">

 Calculator Website

A responsive calculator built using HTML, CSS, and JavaScript with support for basic arithmetic

operations.

<u>Tech Stack:</u>

HTML

CSS

JavaScript

<u>Buttons:</u>

 GitHub

 Live Demo

</p> -->

<p class="project-text"> Calculator Website

A responsive calculator built using HTML, CSS, and JavaScript with support for basic arithmetic

operations.

<u>Tech Stack:</u>

HTML

CSS

JavaScript

<u>Buttons:</u>

 GitHub

 Live Demo

</p>

<div class="side">

</div>

<hr>

[illegible]

style="color: #60203f;"> HackerRank |

</td>

</tr>

</table>

</header>

</center>

</section>

</body>

</html>

7. CODE EXPLANATION


Code	Explanation
<!DOCTYPE html>	Defines the document as an HTML5 webpage.
<html>	Represents the root element of the HTML document.
<head>	Contains metadata and the title of the webpage.
<meta>	Specifies character encoding and viewport settings for responsiveness.
<title>	Sets the title of the webpage displayed on the browser tab.
<style>	Contains internal CSS used to style HTML elements.
<body>	Contains all the visible content of the webpage.
<div>	A container used to group and style the login box.
<h1>	Defines the main heading for the login section.
 	Inserts a line break for vertical spacing.
<input>	Creates input fields for user email and password.
<button>	Defines a clickable button to submit the login information.



8. TEST CASES AND EXECUTION DATA


Test Case	Test Scenario	Input / Action	Expected Result	Actual Result	Status
TC-01	Open webpage	Load HTML file	Page displays login box	Login box displayed correctly	Pass
TC-02	Enter email	Input valid email	Email is accepted	Email entered successfully	Pass

TC-03	Enter password	Input password	Password is accepted	Password masked and accepted	Pass
TC-04	Submit login	Click submit button	Form submission action	Submission triggered successfully	Pass

9. OUTPUT







10. RESULT

Thus, a **static login webpage** was successfully designed using **HTML5** and **CSS3**. The page features a centered login box with input fields for email and password, and a submit button. The webpage was tested in a browser and verified using the defined test cases.