UNIVERSIDAD NACIONAL AUTÓNOMA DE NICARAGUA



(UNAN-LEÓN) FACULTAD DE CIENCIAS Y TECNOLOGÍA

Carrera:

Ingeniería en Telemática

Componente:

♣ Software como Servicio

Grupo:

♣ Grupo #1

Elaborado por:

Chelsea María Moraga Noguera.

Profesor:

4 Ervin

Fecha:

4 11/09/2024

"A la Libertad por la Universidad"

```
Terminal - chelsy@debian: ~/Proyectos_RoR

Archivo Editar Ver Terminal Pestañas Ayuda

chelsy@debian:~$ cd Proyectos_RoR

chelsy@debian:~/Proyectos_RoR$ mkdir App_Scaffold

mkdir: no se puede crear el directorio «App_Scaffold»: Permiso denegado

chelsy@debian:~/Proyectos_RoR$ su

Contraseña:
```

```
apply /root/.rbenv/versions/3.1.2/lib/ruby/gems/3.1.0/gems/stimulus-rails
Create controllers directory
   create
              app/javascript/controllers
              app/javascript/controllers/index.js
   create
              app/javascript/controllers/application.js
    create
    create
              app/javascript/controllers/hello_controller.js
Import Stimulus controllers
              app/javascript/application.js
    append
Pin Stimulus
Appending: pin "@hotwired/stimulus", to: "stimulus.min.js"
              config/importmap.rb
Appending: pin "@hotwired/stimulus-loading", to: "stimulus-loading.js"
    append
              config/importmap.rb
Pin all controllers
Appending: pin_all_from "app/javascript/controllers", under: "controllers"
              config/importmap.rb
      run bundle install
```

```
oot@debian:/home/chelsy/Proyectos_RoR# cd App_Scaffold
oot@debian:/home/chelsy/Proyectos_RoR/App_Scaffold# rails generate scaffold Buy category:string description:text amount:decimal
     invoke active_record
     create
              db/migrate/20240911175921_create_buys.rb
     create
               app/models/buy.rb
     invoke
               test_unit
                 test/models/buy_test.rb
     create
                test/fixtures/buys.yml
     create
     invoke resource_route
     route
              resources :buys
     invoke
            scaffold_controller
     create
              app/controllers/buys_controller.rb
     invoke
               erb
     create
                app/views/buys
                 app/views/buys/index.html.erb
     create
                app/views/buys/edit.html.erb
    create
                 app/views/buys/show.html.erb
    create
    create
                app/views/buys/new.html.erb
                 app/views/buys/_form.html.erb
    create
                app/views/buys/_buy.html.erb
     create
     invoke
               resource_route
     invoke
               test unit
                 {\tt test/controllers/buys\_controller\_test.rb}
     create
     create
                 test/system/buys_test.rb
     invoke
              helper
     create
                 app/helpers/buys_helper.rb
     invoke
                 test_unit
     invoke
               jbuilder
     create
                 app/views/buys/index.json.jbuilder
     create
                 app/views/buys/show.json.jbuilder
                 app/views/buys/_buy.json.jbuilder
```

```
root@debian:/home/chelsy/Proyectos_RoR/App_Scaffold# rails routes
                                  Prefix Verb
                                               URI Pattern
                                   buys GET
                                                /buys(.:format)
                                        POST
                                                /buys(.:format)
                                new_buy GET
                                                /buys/new(.:format)
                                edit_buy GET
                                                /buys/:id/edit(.:format)
                                    buy GET
                                                /buys/:id(.:format)
                                         PATCH
                                               /buys/:id(.:format)
                                         PUT
                                                /buys/:id(.:format)
                                        DELETE /buys/:id(.:format)
       turbo_recede_historical_location GET
                                                /recede_historical_location(.:format)
       turbo_resume_historical_location GET
                                                /resume_historical_location(.:format)
       turbo_refresh_historical_location GET
                                                /refresh_historical_location(.:format)
          rails_postmark_inbound_emails POST
                                                /rails/action_mailbox/postmark/inbound_emails(.:format)
ails#create
              rails_relay_inbound_emails POST
                                                /rails/action_mailbox/relay/inbound_emails(.:format)
s#create
          rails_sendgrid_inbound_emails POST
                                                /rails/action_mailbox/sendgrid/inbound_emails(.:format)
ails#create
    rails_mandrill_inbound_health_check GET
                                                /rails/action_mailbox/mandrill/inbound_emails(.:format)
```

```
routes.rb
             buys_controller.rb ×
home > chelsy > Proyectos_RoR > App_Scaffold > app > controllers > ___ buys_controller.rb
      class BuysController < ApplicationController</pre>
        before_action :set_buy, only: %i[ show edit update destroy ]
  4
  5
        def index
  6
        @buys = Buy.all
       end
  8
  9
 10
        def show
 11
        end
 12
 13
        def new
 14
 15
        @buy = Buy.new
 16
        end
 17
 18
 19
        def edit
 20
        end
 21
 22
 23
        def create
 24
          @buy = Buy.new(buy_params)
 25
 26
          respond_to do |format|
 27
            if @buy.save
              format.html { redirect_to buy_url(@buy), notice: "Buy was successfully created." }
 28
              format.json { render :show, status: :created, location: @buy }
 29
 30
              format.html { render :new, status: :unprocessable_entity }
 31
              format.json { render json: @buy.errors, status: :unprocessable_entity }
 33
            end
          end
 34
 35
        end
 36
 37
 38
        def update
 39
          respond_to do |format|
 40
            if @buy.update(buy_params)
 41
               format.html { redirect_to buy_url(@buy), notice: "Buy was successfully updated." }
 42
               format.json { render :show, status: :ok, location: @buy }
 43
               format.html { render :edit, status: :unprocessable entity }
```

```
format.json { render json: @buy.errors, status: :unprocessable_entity }
          end
47
        end
48
       end
49
50
51
52
         @buy.destroy!
53
54
         respond_to do |format|
55
          format.html { redirect_to buys_url, notice: "Buy was successfully destroyed." }
56
          format.json { head :no_content }
57
        end
58
       end
59
60
         # Use callbacks to share common setup or constraints between actions.
61
62
         def set_buy
63
         @buy = Buy.find(params[:id])
64
65
         # Only allow a list of trusted parameters through.
66
67
         def buy_params
68
          params.require(:buy).permit(:category, :description, :amount)
69
70
     end
```

```
root@debian:/home/chelsy/Proyectos_RoR/App_Scaffold# rails server
=> Booting Puma
=> Rails 7.1.3.4 application starting in development
=> Run `bin/rails server --help` for more startup options
Puma starting in single mode...
* Puma version: 6.4.2 (ruby 3.1.2-p20) ("The Eagle of Durango")
* Min threads: 5
* Max threads: 5
* Environment: development
* PID: 45664
* Listening on http://127.0.0.1:3000
Use Ctrl-C to stop
```



Buys

New buy

← → G	O localhost:3000/buys/new	
\leftarrow \rightarrow C	localhost:3000/buys/new	

New buy


Category

Description

Amount

Create Buy

Back to buys



Buy was successfully updated.

Category: Ropa

Description: Pantalon

Amount: 200.0

Edit this buy | Back to buys

Destroy this buy



Editing buy

Category	
Ropa	
Description	
Pantalon	
	ſħ.
Amount	
200.0	
Update Buy	

Show this buy | Back to buys



Buys

Category: Ropa

Description: Pantalon

Amount: 200.0

Show this buy

New buy

\leftarrow	\rightarrow	\mathbb{C}	(\mathcal{C}		localhost:3000/buys/new
--------------	---------------	--------------	---	---------------	--	-------------------------

New buy

3 errors prohibited this buy from being saved:

- Category can't be blank
- Description can't be blank
- Amount can't be blank

Category	
Description	
	fit.
Amount	
Create Buy	

Back to buys

```
root@debian:/home/chelsy/Proyectos_RoR/App_Scaffold# rails generate scaffold Est nomb
re:string apellido:string carrera:string carnet:string nacimiento:date celular intege
     invoke active_record
     create
               db/migrate/20240911200722_create_ests.rb
     create
                app/models/est.rb
     invoke
               test_unit
     create
                  test/models/est_test.rb
     create
                  test/fixtures/ests.yml
     invoke resource_route
      route
               resources :ests
     invoke
             scaffold_controller
     create
                app/controllers/ests_controller.rb
     invoke
               erb
     create
                  app/views/ests
     create
                  app/views/ests/index.html.erb
                  app/views/ests/edit.html.erb
     create
     create
                  app/views/ests/show.html.erb
     create
                  app/views/ests/new.html.erb
     create
                  app/views/ests/_form.html.erb
                  app/views/ests/_est.html.erb
     create
     invoke
                resource_route
     invoke
                test_unit
                  test/controllers/ests_controller_test.rb
     create
     create
                  test/system/ests_test.rb
     invoke
                  app/helpers/ests_helper.rb
     create
     invoke
                  test_unit
     invoke
                jbuilder
     create
                  app/views/ests/index.json.jbuilder
                  app/views/ests/show.json.jbuilder
     create
                  app/views/ests/_est.json.jbuilder
     create
 oot@debian:/home/chelsy/Proyectos_RoR/App_Scaffold#
```

```
ot@debian:/home/chelsy/Proyectos_RoR/App_Scaffold# rake db:migrate
         create_table(:ests)
           -> 0.0026s
          root@debian:/home/chelsy/Proyectos_RoR/App_Scaffold# rails routes
                                   Prefix Verb URI Pattern
                                     ests GET
                                              /ests(.:format)
                                              /ests(.:format)
                                  new_est GET
                                              /ests/new(.:format)
                                  edit_est GET
                                              /ests/:id/edit(.:format)
                                      est GET
                                              /ests/:id(.:format)
                                         PATCH /ests/:id(.:format)
                                         PUT
                                              /ests/:id(.:format)
                                         DELETE /ests/:id(.:format)
                                     buys GET
                                              /buys(.:format)
                                         POST
                                              /buys(.:format)
                                  new_buy GET
                                              /buys/new(.:format)
                                  edit_buy GET
                                              /buys/:id/edit(.:format)
                                     buy GET
                                              /buys/:id(.:format)
                                         PATCH /buys/:id(.:format)
                                         PUT
                                              /buys/:id(.:format)
                                         DELETE /buys/:id(.:format)
                                     root GET
              turbo_recede_historical_location GET
                                              /recede_historical_location(.:format)
              turbo_resume_historical_location GET
turbo_refresh_historical_location GET
                                              /resume_historical_location(.:format)
                                              /refresh_historical_location(.:format)
                 rails_postmark_inbound_emails POST
                                              /rails/action_mailbox/postmark/inbound_emails(.:format)
                 routes.rb X
                                est.rb
                 home > chelsy > Proyectos_RoR > App_Scaffold > config > ₫ routes.rb
                        Rails.application.routes.draw do
                    2
                    3
                          resources :ests
                    4
                          resources :buys
                          root "ests#index"
                    6
                        end
routes.rb
             est.rb
                        ×
home > chelsy > Proyectos_RoR > App_Scaffold > app > models > ___ est.rb
      class Est < ApplicationRecord</pre>
          validates :nombre, :apellido, :carrera, :carnet, :nacimiento, :celular, presence: true
      end
     root@debian:/home/chelsy/Proyectos_RoR/App_Scaffold# rails server
      => Booting Puma
      => Rails 7.1.3.4 application starting in development
      => Run `bin/rails server --help` for more startup options
      Puma starting in single mode...
       Puma version: 6.4.2 (ruby 3.1.2-p20) ("The Eagle of Durango")
         Min threads: 5
         Max threads: 5
         Environment: development
                    PID: 46641
        Listening on http://127.0.0.1:3000
        Listening on http://[::1]:3000
```

2

3

Use Ctrl-C to stop

\leftarrow \rightarrow G	127.0.0.1:3000/ests/new
--------------------------------	-------------------------

New est

Nombre
Apellido
Carrera
Carnet
Nacimiento
mm / dd / yyyy 🗂
Celular
Integer
_
Create Est



Est was successfully created.

Nombre: Chelsea

Back to ests

Apellido: Moraga

Carrera: Ing en Telematica

Carnet: 21-01611-0

Nacimiento: 2003-12-16

Celular: 57852392

Integer: 1

Edit this est | Back to ests

Destroy this est

|--|

Editing est

Nombre
Chelsea
Apellido
Moraga
Carrera
Ing en Telematica
Carnet
21-01611-0
Nacimiento
12 / 16 / 2003 🗂
Celular
57852392
Integer
1
Update Est

Show this est | Back to ests



Ests

Nombre: Chelsea

Apellido: Moraga

Carrera: Ing en Telematica

Carnet: 21-01611-0

Nacimiento: 2003-12-16

Celular: 57852392

Integer: 1

Show this est

New est