sd PlayGame_Stage3_HappyHourVIP | page 1 of 6: Turn start: arrival, Happy Hour decision and recovery (Stage 3) | messages 1 to 9




Manager
ui:ConsoleUI
:GameEngine
:ServiceAdvisor
c3:VIPCustomer
loop [turn = 1 .. 18 (continued)]
opt [config.hintsEnabled()]
loop [for each customer with isWaitingForService() (e.g. c3)]
10: describeLeaving(c3, turn)
11: leavingTurn(c3, turn)
12: turnsUntilLeaving(c3)
13: getSatisfactionLossPerTurn()
VIP override: 5
warning: "leaves at the end of turn N unless served",
or "will not leave before the game ends (turn 18)" if N > 18
14: showMessage(warning)
Extra feature (--hints)
the turn loop continues on page 3

sd PlayGame_Stage3_HappyHourVIP | page 3 of 6: Host seats C3 (Stage 3), with the --hints "hint" command | messages 15 to 25



sd PlayGame_Stage3_HappyHourVIP | page 4 of 6: Waiter: takes the order (VIP + Happy Hour price), later serves it | messages 26 to 38



sd PlayGame_Stage3_HappyHourVIP | page 5 of 6: Chef cooks, eating, payment, waiting and abandonment | messages 39 to 51




ui:ConsoleUI
:GameEngine
:VictoryCondition
:Restaurant
52: result = evaluate(restaurant)
53: getPaidCount()
54: getRevenueCents()
55: getAverageSatisfactionOfPaid()
alt
[all three targets met]
GameResult (victory)
[otherwise]
GameResult (defeat)
MANAGER CHOICE CHANGES THE OUTCOME
Happy Hour ON at turn 10: VICTORY (4 paid, $86.40, average 64.5)
"no" every turn (runs/stage3-defeat.txt): DEFEAT
(C3 pays $13.50 at 75; average 53.8 < 60)
56: showFinalResult(result, restaurant)