

Printing date: October 15, 2014 Revision: October 15, 2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Smoke TriChamber Grenade OC
- · Article number: 1030
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Explosive product.
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC

13386 International Parkway

Jacksonville, FL 32218

Customer Care (800) 347-1200

- · Further information obtainable from: Customer Care Department
- · 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).



flame

Flam. Sol. 1 H228 Flammable solid.



health hazard

Carc. 1A H350 May cause cancer.

Repr. 1A H360 May damage fertility or the unborn child.



STOT SE 3 H335 May cause respiratory irritation.

Aguatic Chronic 3 H412 Harmful to aguatic life with long lasting effects.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R45: May cause cancer.

(Contd. on page 2)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 1)

Xn; Harmful

R22: Harmful if swallowed.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

#### · 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02 GHS07 GHS08

#### · Signal word Danger

#### · Hazard-determining components of labelling:

Nitrocellulose, colloided, granular

potassium chlorate

Capsaicin

potassium nitrate

barium chromate

lead chromate

#### · Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H228 Flammable solid.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P281 Use personal protective equipment as required.

(Contd. on page 3)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 2)

P202 Do not handle until all safety precautions have been read and understood.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: Water.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Can become highly flammable in use.

Restricted to professional users.

- · Hazard description:
- · WHMIS-symbols:

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)



Health = 2Fire = 3Reactivity = 2

· HMIS-ratings (scale 0 - 4)



\*2 Health = \*2 Fire = 3

Warning: Contains lead salt(s). Long-term health hazard.

Indicates a long term health hazard from repeated or prolonged exposures.

#### · HMIS Long Term Health Hazard Substances

7758-97-6 lead chromate

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he

(Contd. on page 4)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

should consult the manufacturer before use.

(Contd. of page 3)

<b>3.2 Mixtures Description:</b> Mixture of subs	tances listed below with nonhazardous additions.	
Dangerous components:		
CAS: 100-21-0 EINECS: 202-830-0	terephthalic acid substance with a Community workplace exposure limit	20-40
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular  E R3  → Expl. 1.1, H201	20-40
CAS: 3811-04-9 EINECS: 223-289-7 Index number: 017-004-00-3	potassium chlorate  X N R20/22; ♠ O R9; ₩ N R51/53	10-20
CAS: 57-50-1 EINECS: 200-334-9	sucrose, pure substance with a Community workplace exposure limit	10-20
CAS: 7760-50-1	Magnesium Carbonate  Xn R22; Xi R36/37/38   ◆ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-10%
CAS: 404-86-4 EINECS: 206-969-8	Capsaicin  Xn R20/22   ↑ Acute Tox. 4, H302; Acute Tox. 4, H332	5-10%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate O R8 O Ox. Sol. 2, H272	1-5%
CAS: 7440-21-3 EINECS: 231-130-8	silicon	1-5%
CAS: 557-04-0 EINECS: 209-150-3	magnesium distearate, pure substance with a Community workplace exposure limit	1-5%
CAS: 7429-90-5 EINECS: 231-072-3 Index number: 013-001-00-6	aluminium powder (pyrophoric) F R15-17 Pyr. Sol. 1, H250; Water-react. 2, H261	0,5-29

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

		(Contd. of page 4)
CAS: 10294-40-3	barium chromate	< 1,0%
EINECS: 233-660-5	<b>X</b> Xn R20/22	
Index number: 056-002-00-7	© Carc. 1A, H350 Carc. 1A, H350 Carc. 1A, H350 Carc. 1A, H350	
CAS: 7758-97-6	lead chromate	< 1,0%
EINECS: 231-846-0	T Carc. Cat. 2, Repr. Cat. 1, 3 R45-61; Xn R62;	
Index number: 082-004-00-2		
	R33	
	& Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
SVHC		
7758-97-6 lead chromate		
· Additional information: For the wording of the listed risk phrases refer to section 16.		

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air.

Seek medical help for symptoms or if unconscious.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

#### After skin contact:

Immediately remove any clothing soiled by the product.

Wash with soap and water.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

#### · 4.2 Most important symptoms and effects, both acute and delayed

May cause respiratory irritation.

Blast injury if mishandled.

Breathing difficulty

Coughing

Irritant to eyes.

Slight irritant effect on skin and mucous membranes.

· Hazards Danger of blast or crush-type injuries.

(Contd. on page 6)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 5)

#### $\cdot$ 4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

#### **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

#### · Suitable extinguishing agents:

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Evacuate area and fight fire from from the upwind side.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Eliminate all ignition sources if safe to do so.

Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Isolate area and prevent access.

#### · 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

(Contd. on page 7)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 6)

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Open and handle receptacle with care.

Handle with care. Avoid jolting, friction and impact.

· Information about fire - and explosion protection:

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 100-21-0 terephthalic acid

TLV (USA) Long-term value: 10 mg/m³ EL (Canada) Long-term value: 10\* 3\*\* mg/m³

\*total dust; \*\*respirable fraction

EV (Canada) Long-term value: 10 mg/m<sup>3</sup>

#### 57-50-1 sucrose, pure

PEL (USA) Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

\*total dust \*\*respirable fraction

REL (USA) Long-term value: 10\* 5\*\* mg/m<sup>3</sup>

\*total dust \*\*respirable fraction

TLV (USA) Long-term value: 10 mg/m<sup>3</sup>

(Contd. on page 8)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

		(Contd. of page 7)
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
7440-21-3 sil	licon	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
557-04-0 ma	gnesium distearate, pure	
TLV (USA)	Long-term value: 10 mg/m³	
7758-97-6 lea	ad chromate	
IOELV (EU)	Long-term value: 2 mg/m³ as Cr	
PEL (USA)	Long-term value: 0,005* mg/m³ Ceiling limit: 0,1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910,1026	
REL (USA)	Long-term value: 0,0002 mg/m³ as Cr; See Pocket Guide Apps. A and C	
TLV (USA)	Long-term value: 0,05* 0,012** mg/m³ *as Pb; BEI; **as Cr	
EL (Canada)	Long-term value: 0,05* 0,012** mg/m³ ACIGH A2, IARC 2A; R; *as Pb;**as Cr	
EV (Canada)	Long-term value: 0,012* 0,05** mg/m³ *as Cr, **as Pb	
	urther relevant information available. urther relevant information available.	
	with biological limit values:	
7758-97-6 lea		
BEI (USA) 3		
	ledium: blood ime: not critical	
	arameter: Lead	
1	0 μg/100 ml	
l l	1edium: blood	
	ime: not critical	
L P	arameter: Lead (women of child bearing potential)	(Contd. on noon 0)
		(Contd. on page 9)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 8)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

#### · Respiratory protection:

Suitable respiratory protective device recommended.

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

· Protection of hands:



Protective gloves

Wear gloves when handling deployed rounds.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

No further relevant information available.

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 9)

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

General Information

· Appearance:

Form: Solid metal container containing liquid and solid contents.

**Colour:** According to product specification

Odour:
 Odour threshold:
 pH-value:
 Odourless
 Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
Undetermined.

Flash point:
Flammability (solid, gaseous):
Auto/Self-ignition temperature:
Not applicable.
Not determined.

Not determined.

• **Self-igniting:** Product is not self-igniting.

• Danger of explosion: Not determined.

· Explosion limits:

**Lower:** Not determined. **Upper:** Not determined.

Oxidising properties
 Oxidizer

Vapour pressure: Not determined.
Density: Not determined.
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

• **9.2 Other information** No further relevant information available.

(Contd. on page 11)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 10)

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Danger of explosion.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

Acts as an oxidising agent on organic materials such as wood, paper and fats.

- 10.4 Conditions to avoid Sources of ignition, open flame, incompatible materials.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Chlorine compounds

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

#### 3811-04-9 potassium chlorate

Oral LD50 1870 mg/kg (rat)

#### 7758-97-6 lead chromate

Oral LD50 12000 mg/kg (mouse)

#### · Primary irritant effect:

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not posess these effects.

- · on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Slight irritant effect on eyes.
- Additional toxicological information:

Normal handling of the undeployed product poses little or no health hazards, One should avoid inhalation by wearing appropriate respiratory protection when exposed to the chemical ingredients of the product above listed TLV's or when exposed to the post ignition by-products. This product is a cansister which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the product is used, particles may be generated which may be irritating to the eyes and the respiratory tract.

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

May cause cancer.

· Acute effects (acute toxicity, irritation and corrosivity): Irritating to respiratory system.

(Contd. on page 12)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 11)

- · Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 1A, Repr. 1A

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

#### **SECTION 14: Transport information**

- · 14.1 UN-Number
- · DOT, ADR, IMDG, IATA

UN0301

(Contd. on page 13)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 12)

· 14.2 UN proper shipping name

· DOT, IMDG, IATA Ammunition Tear-producing with burster, expelling

charge or propelling charge

• ADR 0301 Ammunition Tear-producing with burster,

expelling

charge or propelling charge

· 14.3 Transport hazard class(es)

· DOT



· Class 1.4

· **Label** 1.4G+6.1+8

· ADR, IMDG, IATA



· Class 1.4

· Label 1.4G+6.1+8

· 14.4 Packing group · DOT, ADR, IMDG, IATA

· 14.5 Environmental hazards:

· Marine pollutant: No

14.6 Special precautions for user
 EMS Number:
 Not applicable.
 F-A,S-Q

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

• Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

• UN "Model Regulation": UN0301, Ammunition Tear-producing with burster,

expelling charge or propelling charge, 1.4G (6.1+8), II

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Contd. on page 14)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

		(Contd. of many 42)	
. Section 31	3 (Specific toxic chemical listings):	(Contd. of page 13)	
	potassium nitrate		
	aluminium powder (pyrophoric)		
	ic Substances Control Act):		
•	•		
•	nts are listed.		
•	n 65 (California):		
	known to cause cancer: barium chromate		
	lead chromate		
	known to cause reproductive toxicity for females:		
	barium chromate		
7758-97-6	lead chromate		
	known to cause reproductive toxicity for males:		
	barium chromate		
7758-97-6	lead chromate		
· Chemicals	known to cause developmental toxicity:		
10294-40-3	barium chromate		
7758-97-6	lead chromate		
· Carcinoger	nic Categories		
· EPA (Envir	onmental Protection Agency)		
10294-40-3	barium chromate	A(inh), D(oral), K/L(inh), CBD(oral)	
7758-97-6	lead chromate	K	
· IARC (Inter	national Agency for Research on Cancer)		
10294-40-3	barium chromate	1	
7758-97-6	lead chromate	1	
· TLV (Thres	hold Limit Value established by ACGIH)		
-	sucrose, pure	A4	
	aluminium powder (pyrophoric)	A4	
10294-40-3	barium chromate	A1	
7758-97-6	lead chromate	A2	
· NIOSH-Ca	National Institute for Occupational Safety and Health	)	
	barium chromate	,	
7758-97-6	lead chromate		
· Canada			
· Canadian I	· Canadian Domestic Substances List (DSL)		
All ingredier	nts are listed.		
Canadian Ingredient Disclosure list (limit 0.1%)			
	barium chromate		
	1	(Contd. on page 15)	

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

7758-97-6	(Contd. of page 14)  B lead chromate
· Canadian	Ingredient Disclosure list (limit 1%)
100-21-0	terephthalic acid
7429-90-5	aluminium powder (pyrophoric)

#### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

7758-97-6 lead chromate

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

SECTIO	N 16: Other information	
	mation is based on our present knowledge. However, this shall not constitute fic product features and shall not establish a legally valid contractual relationshi	
H201 H201 H228 H250 H261 H271 H272 H302 H315 H319 H332 H335 H350 H360Df H373 H400 H410 H411	Explosive; mass explosion hazard. Flammable solid. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases. May cause fire or explosion; strong oxidiser. May intensify fire; oxidiser. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation. May cause cancer. May damage the unborn child. Suspected of damaging fertility. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.	
R11 R15 R17 R20/22 R22 R3 R33 R36/37/38	Highly flammable. Contact with water liberates extremely flammable gases. Spontaneously flammable in air. Harmful by inhalation and if swallowed. Harmful if swallowed. Extreme risk of explosion by shock, friction, fire or other sources of ignition. Danger of cumulative effects. Irritating to eyes, respiratory system and skin.	(0-14

(Contd. on page 16)

Printing date: October 15, 2014 Revision: October 15, 2014

Trade name: Smoke TriChamber Grenade - OC

(Contd. of page 15)

R45 May cause cancer.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause harm to the unborn child. R61 R62 Possible risk of impaired fertility.

R8 Contact with combustible material may cause fire. R9 Explosive when mixed with combustible material.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Expl. 1.1: Explosives, Division 1.1

Flam. Sol. 1: Flammable solids, Hazard Category 1 Flam. Sol. 2: Flammable solids, Hazard Category 2

Pyr. Sol. 1: Pyorphoric Solids, Hazard Category 1

Water-react. 2: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 2

Ox. Sol. 1: Oxidising Solids, Hazard Category 1

Ox. Sol. 2: Oxidising Solids, Hazard Category 2

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Carc. 1A: Carcinogenicity, Hazard Category 1A

Carc. 1B: Carcinogenicity, Hazard Category 1B
Repr. 1A: Reproductive toxicity, Hazard Category 1A

Repr. 1A: Reproductive toxicity, Hazard Category 1A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Čategory 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

#### Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com