

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CHEMTEC PRODUCTS COMPANY LLC
P.O. BOX 58
SOUDERTON, PA. 18964

EMERGENCY TELEPHONE NUMBER
(215) 721-1636

PRODUCT NAME: AF-2350
KOSHER FOAM CONTROL AGENT

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

Acute Toxicity: Oral – Category 4
Acute Toxicity: Inhalation – Category 4
Acute Toxicity: Dermal – Category 5

LABEL ELEMENTS

Hazard Symbol



Hazard Word: WARNING

Hazard Statements

H302: Harmful if swallowed in large amounts.
H313: May be harmful in contact with skin.
H332: Harmful if inhaled in large amounts.

Precautionary Statements

Prevention

P264: Wash hands thoroughly after handling.
P280: Wear protective gloves/clothing/eye/face protection

Response

P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do, Continue rinsing.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P309+P313: If exposed or you feel unwell: Get medical advice/attention.

3. COMPOSITION INFORMATION ON INGREDIENTS

COMPONENTS	CAS#	WEIGHT %
POLYDIMETHYLSILOXANE EMULSION	63148-62-9	<30%
SILICON DIOXIDE, CHEMICALLY PREPARED	112926-00-8	<5%
FORMALDEHYFDE	50-00-0	<0.12%

The remaining components are trade secret. Contains no other components or impurities which will influence the classification of the product.

4. FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURES

EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER HOLDING EYELIDS APART, FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

SKIN: PROMPTLY WASH WITH PLENTY OF SOAP AND WATER.

INGESTION: SEEK MEDICAL ATTENTION. IF INDIVIDUAL IS DROWSY OR UNCONSCIOUS, DO NOT GIVE ANYTHING BY MOUTH; PLACE INDIVIDUAL ON LEFT SIDE WITH THE HEAD DOWN. CONTACT A PHYSICIAN OR MEDICAL FACILITY FOR ADVICE WHETHER TO INDUCE VOMITING. IF POSSIBLE, DO NOT LEAVE INDIVIDUAL UNATTENDED.

INHALATION: IF SYMPTOMS DEVELOP, MOVE INDIVIDUAL AWAY FROM EXPOSURE AND INTO FRESH AIR. IF SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN, KEEP PERSON WARM AND QUIET, SEEK MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: USE AN EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE..

SPECIFIC HAZARDS: MAY FORM ALDEHYDES, CARBON DIOXIDE AND CARBON MONOXIDE.

UNUSUAL FIRE & EXPLOSION HAZARDS: NONE

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS: WEAR A SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACE PIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE WITH APPROPRIATE TURN-OUT GEAR AND CHEMICAL RESISTANT PERSONAL PROTECTIVE EQUIPMENT, REFER TO THE PERSONAL PROTECTIVE EQUIPMENT SECTION OF THE SDS.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: ABSORB LIQUID ON VERMICULITE, FLOOR ABSORBENT OR OTHER ABSORBENT MATERIAL.

LARGE SPILL: PREVENT RUN-OFF TO SEWERS, STREAMS OR OTHER BODIES OF WATER. IF RUN-OFF OCCURS, NOTIFY PROPER AUTHORITIES AS REQUIRED, THAT A SPILL HAS OCCURRED. PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE EXCLUDED FROM AREA OF SPILL UNTIL CLEAN-UP HAS BEEN COMPLETED. STOP SPILL AT SOURCE, DIKE AREA OF SPILL TO PREVENT SPREADING, PUMP LIQUID TO SLAVAGE TANK, REMAINING LIQUID MAY BE TAKEN UP ON SAND, CLAY, EARTH, FLOOR ABSORBENT, OR OTHER ABSORBENT MATERIAL AND SHOVELED INTO CONTAINERS.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: NORMAL PRECAUTIONS COMMON TO GOOD MANUFACTURING PRACTICE SHOULD BE FOLLOWED IN HANDLING AND STORAGE.

OTHER PRECAUTIONS: NONE

STORE IN A WELL VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT FROM FREEZING. KEEP AWAY FROM EXCESSIVE HEAT AND COLD.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING MEASURES:

NOT REQUIRED UNDER NORMAL CONDITIONS OF USE, HOWEVER, IF UNUSUAL OPERATING CONDITIONS EXIST, THE PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW PEL/TLV(S).

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT:

EYES: WEAR CHEMICAL SAFETY GOGGLES.

SKIN: WEAR NATURAL RUBBER GLOVES.

RESPIRATORY: NONE REQUIRED IN NORMAL USE

CHEMTEC AF-2350 PAGE 3

Component	ACGIH TLV	OSHA PEL	NIOSH REL
Silicon dioxide		PEL: 5mg/m ³ (Respirable Fraction) PEL: 15 mg/m ³ (Total Dust) TWA: 0.8 mg/m ³ (Z3)	TWA: 6.0 mg/m ³
Formaldehyde	Skin Sensitizer C: 0.3 ppm C: 0.37 mmg/m ³	TWA: 0.75 mg/m ³ 8-hr(Z2) STEL: 2ppm 15-min(Z2) TWA: 0.75 mg/m ³ 8-hr STEL: 2 ppm 15-min	TWA: 0.016ppm 10-hr CEIL: 0.1 ppm 15-min

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VISCOUS EMULSION
COLOR: OFF WHITE TO TAN LIQUID
ODOR: MILD ORGANIC
VAPOR PRESSURE: 1.0 mm Hg @ 68°F
SPECIFIC VAPOR DENSITY: <1.000 @ AIR=1
LIQUID DENSITY: 8.4 LBS/GAL @ 77°F
% VOLATILES: <1%
% VOC: 0%
EVAPORATION RATE: SLOWER THAN ETHYL ETHER
PHYSICAL FORM: HOMOGENOUS SOLUTION
VISCOSITY: 2000 cps
PH: 7
SOLUBILITY IN WATER: DISPERSABLE
BOILING POINT: >210°F @ 760 mmHg
FREEZING POINT: < 32°F
FLASH POINT: > 250°F

10. STABILITY AND REACTIVITY

STABILITY: STABLE UNDER NORMAL CONDITIONS
CONDITION TO AVOID: EXCESSIVE HEAT AND OPEN FLAME
HAZARDOUS DECOMPOSITION PRODUCTS: MAY FORM ALDEHYDES, CARBON DIOXIDE, CARBON MONOXIDE.
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.
MATERIALS TO AVOID: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

<u>Product/Ingredient</u>	Results	Species	Dose	Exposure
Silicon dioxide	LD50 Oral	Rat	>10000 mg/kg	-
	LD50 Inhalation	Rat	0.139 mg/l (4h)	-
	LD50 Dermal	Rabbit	>5000 mg/kg	-
Formaldehyde	LC50 Inhalation Gas	Rat	250 ppm	4 hr
	LC50 Inhalation Gas	Rat	480 ppm	4 hr
	LC50 Dermal	Rabbit	270 mg/kg	-
	LC50 Dermal	Rabbit	270 mg/kg	-
	LC50 Oral	Rat	100 mg/kg	-
	LC50 Oral	Rat	640 mg/kg	-

<u>Irritation/Corrosion</u>	Results	Species	Score	Exposure	Observation
Polydimethyl siloxane	Skin- Mild skin irritation	Rabbit	-	24 hr	-
	Eyes- Mild eye irritation	Rabbit	-	24 hr	-
Silicon dioxide	Skin: not irritating	Rabbit	-	-	-
	Eye: not irritating	Rabbit	-	-	-
Formaldehyde	Eye: Mild irritant	Human	-	6 min 1 ppm	-
	Eye: Severe irritant	Rabbit	-	24 hr 750µg	-
	Skin: Mild irritant	Human	-	72 hr 150µg	-
	Skin: Severe irritant	Human	-	0.01% -	-
	Skin: Mild irritant	Rabbit	-	540 mg -	-
	Skin: Moderate irritant	Rabbit	-	24 hr 50 mg	-
	Skin: Severe irritant	Rabbit	-	24 hr 2 mg	-

<u>Product/Ingredient</u>	OSHA	IARC	NTP
Formaldehyde	+	1	Known to be a human carcinogen

Summary: The International Agency of Research on Cancer (IARC) and the National Toxicology Program (NTP) classify formaldehyde as a carcinogen due to cancers of the upper respiratory system and leukemia, OSHA regulates formaldehyde as a potential carcinogen for exposures at or exceeding 0.5 ppm. The weight of the scientific evidence surrounding the potential association between formaldehyde and cancer risk for both upper respiratory cancer as well as leukemia is conflictory even when significant and prolonged exposure to inhaled formaldehyde are involved,

Sensitization: Not Available

Aspiration Hazard: Not Available

Specific target organ toxicity (single exposure): Not Available

Specific target organ toxicity (repeated exposure): Not Available

Mutagenicity: Not Available

Reproductive toxicity: Not Available

Potential toxicity: Not Available

Potential chronic health effects: Not Available

12. ECOLOGICAL INFORMATION

AQUATIC ECOTOXICITY:

COMPLETE INFORMATION IS NOT YET AVAILABLE

PERSISTENCE AND DEGRADABILITY:

COMPLETE INFORMATION IS NOT YET AVAILABLE

BIOACCUMULATIVE POTENTIAL:

COMPLETE INFORMATION IS NOT YET AVAILABLE

MOBILITY IN SOIL:

SOIL/WATER PARTITION COEFFICIENT (K_{oc}): NO DATA AVAILABLE

OTHER ADVERSE EFFECTS: NO KNOWN SIGNIFICANT EFFECTS OR CITICAL HAZARDS

13. DISPOSAL INFORMATION

.WASTE FROM RESIDUES/ UNUSED PRODUCTS: DISPOSE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

CONTAMINATED PACKAGING: DISPOSE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS

14. TRANSPORT INFORMATION

US DOT HAZARD CLASS: NOT REGULATED
US DOT ID NUMBER: N/A
PROPER SHIPPING NAME: N/A

15. REGULATORY INFORMATION

SARA TITLE III, SECTION 313 (TOXIC CHEMICALS): FORMALDEHYDE CAS# 50-00-0
SARA 304 REPORTABLE QUANTITY (RQ): NONE
SARA 302 THRESHOLD PLANNING QUANTITY (TPQ): NONE
SARA TITLE III, SECTION 311/312 (HAZARD CATEGORIES):
ACUTE: YES
CHRONIC: NO
IGNITABLE: NO
REACTIVE: NO
SUDDEN RELEASE OF PRESSURE: NO

CERLA: THE COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, LIABILITY ACT OF 1980:

REPORTABLE QUANTITY: NONE

OTHER FEDERAL REGULATIONS:

CLEAN AIR ACT, SECTIONS: FORMALDEHYDE

CLEAN WATER ACT, SECTIONS: FORMALDEHYDE

INTERNATIONAL REGULATIONS: NOT DETERMINED

STATE AND LOCAL REGULATIONS:

CALIFORNIA PROPOSITION 65: FORMALDEHYDE CAS # 50-00-0 (GAS)

16. OTHER INFORMATION

HMIS RATING

Health	:1
Flammability	:1
Reactivity	:0
PPE	:X

Note/; The PPE rating depends on circumstances of use. See section 8 for recommended PPE The Hazard Material Information System (HMIS) is a voluntary, subjective alpha-numeric symbolic system for recommending hazard risk and personal protection equipment information. It is a subjective rating system based on the evaluators understanding of the chemical associated risks. The end user must determine if the code is appropriate for their use.

UPDATED 8/26/2016