

SAFETY DATA SHEET

CHEMTEC PRODUCTS COMPANY LLC
P.O. BOX 58
SOUDERTON, PA. 18964

EMERGENCY TELEPHONE NUMBER
(215) 721-1636

1. PRODUCT IDENTIFICATION

PRODUCT NAME: B-100
CHEMICAL NAMES/SYNONYMS: SODIUM SULFITE; COBALT SULFATE
PRODUCT USE: OXYGEN SCAVENGER

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION

RESPIRATORY SENSITIZER CATEGORY 1B
SKIN SENSITIZER CATEGORY 1
GERM CELL MUTAGEN CATEGORY 2
CARCINOGEN CATEGORY 1B
REPRODUCTIVE TOXICITY CATEGORY 1B

LABEL ELEMENTS



DANGER!

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause allergic skin reaction.
Suspected of causing genetic defects.
May cause cancer.
May damage fertility.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust.
Wear respiratory protection.
Wear protective gloves, protective clothing, eye protection, and face protection.
Contaminated work clothing should not be allowed out of the workplace.
IF INHALED: remove person to fresh air and keep comfortable for breathing.
If experiencing respiratory symptoms: Call a POISON CENTER or doctor.
IF ON SKIN: Wash with plenty of water.
If skin irritation or rash occurs: Get medical advice or attention.
Take off contaminated clothing and wash it before reuse.
IF exposed or concerned: Get medical advice or attention.
Store locked up.
Dispose of contents and container in accordance with local, state, and federal regulations.

3. COMPOSITION INFORMATION ON INGREDIENTS

COMPONENTS	CAS#	WEIGHT %
SODIUM SULFITE Na ₂ SO ₃	7757-83-7	95+
COBALT SULFATE Na ₂ SO ₄	10124-43-3	<0.2

CHEMTEC PRODUCTS COMPANY LLC B-100

4. FIRST AID MEASURES

THRESHOLD LIMIT VALUE:.....N/A

EMERGENCY FIRST AID PROCEDURES:

EYES: Dust or mist may irritate or burn eyes. Solutions will irritate or burn.

SKIN: Dust or mist may cause skin irritation from prolonged contact. Solution will also cause irritation.

INGESTION: May irritate gastrointestinal tract. Estimated to be Moderately toxic. May cause severe allergic reactions in some Asthmatics. Large doses may cause violent colic and diarrhea, circulatory disturbances, central nervous system depression and even death.

INHALATION: Inhalation of product dust or mist may irritate respiratory tract.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED:

May cause irritation to the eyes. Harmful if swallowed or inhaled. May cause severe and possibly fatal allergic reactions if inhaled or swallowed by some asthmatics and other 'sulfite-sensitive' individuals. May cause respiratory sensitization with asthma. May cause allergic skin reaction with rash and itching. May cause genetic defects, damage to fertility, or cancer. Reacts with acids to form toxic and irritating sulfur dioxide gas.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NEEDED:

Treat symptomatically. Note potential for anaphylactic shock with allergic individuals.

5. FIRE FIGHTING MEASURES

FLASH POINT (method):.....NOT FLAMMABLE

EXTINGUISHING MEDIA:.....N/A

SPECIAL FIRE FIGHTING PROCEDURES:...WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. USE WATER SPRAY TO KEEP CONTAINERS COOL AND TO KNOCK DOWN FUMES.

UNUSUAL FIRE & EXPLOSION HAZARDS:...SEE HAZARDOUS DECOMPOSITION PRODUCTS, UNDER REACTIVITY DATA.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES: Provide ventilation to clear sulfur dioxide fumes which may be generated by the sodium sulfite component. Wear appropriate personal protective equipment.

STEPS TO BE TAKEN IN EVENT MATERIAL IS RELEASED OR SPILLED: Promptly Shovel up dry chemical into an empty container and cover. Cautiously spray residue with plenty of water.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Avoid contact with eyes, skin and clothing. Avoid breathing dust or mist. Use with adequate ventilation. Store in a cool, dry area away from acids and oxidizing agents.

OTHER PRECAUTIONS: Contact with acids releases irritating and toxic sulfur dioxide gas. When dissolving, add water cautiously and with stirring. Solutions can get hot and splatter.

CHEMTEC PRODUCTS COMPANY LLC B-100

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT:

EYES:....Wear chemical safety goggles.

SKIN:....For handling dry material, wear rubber gloves and full work clothing, including long-sleeved shirt and trousers. When handling solutions and there is prolonged or repeated contact, wear impervious gloves, clothing and boots.

RESPIRATORY:..... Where required, use a NIOSH-approved respirator for dust, mist and/or sulfur dioxide gas, as conditions indicate. Some exposures may require a NIOSH approved self-contained breathing apparatus or supplied-air respirator.

Equipment selection depends on contaminant type and concentration. Select in accordance with 29 CFR 1910.134 and good industrial hygiene practice.

OTHER:.....Eye wash facility.

VENTILATION REQUIREMENTS: Local exhaust.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:.....GRANULAR CRYSTALS

ODOR:.....ODORLESS

SPECIFIC GRAVITY:.....2.63

PH:.....5% SOLUTION - 8

SOLUBILITY IN WATER:.....17% AT 50 DEGREES F 28% AT 92 DEGREES F

FREEZING/MELTING POINT:....DECOMPOSES AT 1652 DEGREES F

10. STABILITY AND REACTIVITY

STABILITY: STABLE

INCOMPATIBILITY: MATERIALS TO AVOID: High Temperatures before melting yield sulfur dioxide gas and hazardous residue.

HAZARDOUS DECOMPOSITION PRODUCTS: Sulfur dioxide gas...Toxic and corrosive. Sodium Sulfide residue...Flammable, dangerous fire risk, strong irritant to skin and tissue, Incompatible with acids

HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL INFORMATION

ACUTE EFFECTS OF EXPOSURE:

SKIN: Dust or mist may cause skin irritation from prolonged contact. Solutions will cause skin irritation. May cause allergic skin reaction (sensitization) with rash and itching.

EYES: Dust or mist may irritate or burn the eyes. Solutions will cause irritation or burns to the eyes.

INHALATION: Inhalation of dust or mist can irritate the respiratory tract. May cause respiratory sensitization. May cause severe or deadly allergic reactions in some asthmatics and sulfite sensitive individuals. Possible signs and symptoms of allergic reactions include bronchoconstriction, sweating, flushing, hives, rapid heart rate, decreased blood pressure, and anaphylaxis.

INGESTION: Ingestion may irritate the gastrointestinal tract. Estimated to be moderately toxic. May cause severe allergic reactions in some asthmatics. Large doses may cause violent colic and diarrhea, circulatory disturbances, central nervous system depression, and even death.

CHRONIC EFFECTS: None known.

CHEMTEC PRODUCTS COMPANY LLC B-100

Ingredients found on one of the three OSHA designated carcinogen lists are listed below.

INGREDIENT NAME	NTP STATUS	IARC STATUS	OSHA LIST
Cobalt Sulfate	reasonably anticipated	2B	No
to be a Carcinogen			

NUMERICAL MEASURES OF TOXICITY:

Immediate (Acute) Effects:

Sodium sulfite – LD50 (oral, mouse) = 820 mg/kg, LD50 (oral, rat) = 2610-6400 mg/kg; LC50 (inhalation, rat) >5.5 mg/L/4 hr.; LC50 (inhalation, rat) >22 mg/L/1 hr.

Delayed (Subchronic and Chronic) Effects:

Sodium sulfite has been demonstrated to be mutagenic in microbial systems; however, it is not mutagenic in studies involving insects and is not considered to present a mutagenic threat to multicell organisms.

Cobalt sulfate is suspected of causing genetic defects based on read-across from similar cobalt containing compounds that have shown evidence for genetic effects in in vivo and in vitro studies. Cobalt sulfate is classified as toxic to reproduction due to read across from similar cobalt containing compounds.

Other Data: None

12. ECOLOGICAL INFORMATION

The following ecotoxicity data is available for Sodium sulfite:

Daphnia magna LC50 48 hrs 440 mg/L

Western Mosquitofish 96hrs LC50 460 mg/L

Biological Oxygen Demand (BOD) 0.12 lb/lb, instantaneous

13. DISPOSAL INFORMATION

RCRA: IS THE UNUSED PRODUCT A RCRA HAZARDOUS WASTE IF DISCARDED? NO

OTHER DISPOSAL CONSIDERATIONS: DISPOSE OF IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

14. TRANSPORT INFORMATION

US DOT HAZARD CLASS: NOT REGULATED

US DOT ID NUMBER: N/A

PROPER SHIPPING NAME: N/A

15. REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA)

TSCA INVENTORY STATUS: ALL COMPONENTS ARE LISTED ON TSCA INVENTORY OF CHEMICAL SUBSTANCES.

OTHER TSCA ISSUES: NONE

SARA TITLE III/CERCLA: NO INGREDIENTS LISTED IN THIS SECTION

SARA 313 TOXIC CHEMICALS: NO INGREDIENTS LISTED IN THIS SECTION

Spills or releases resulting in the loss of any ingredient at or above its RQ

CHEMTEC PRODUCTS COMPANY LLC B-100

requires immediate notification to the National Response Center [(800) 424-8802] and to your Local Emergency Planning Committee. Many states have more stringent regulations. Report all spills in accordance with local, state and federal regulations.

SECTION 311 HAZARD CLASS: Chronic Health

SARA 313 TOXIC CHEMICALS: The following ingredients are SARA 313 "Toxic Chemicals" and may be subject to annual reporting requirements. CAS numbers and weight percents are found in Section 2.

INGREDIENT NAME	COMMENT
-----------------	---------

Cobalt sulfate (cobalt compounds)	<0.2%
-----------------------------------	-------

16. OTHER INFORMATION

INFORMATION AND DATA HEREIN ARE BELIEVED TO BE ACCURATE AND COMPILED FROM RELIABLE SOURCES. BUYER ASSUMES ALL RISK OF USE, STORAGE AND HANDLING TO COMPLY WITH FEDERAL, STATE AND LOCAL REGULATIONS. CHEMTEC PRODUCTS COMPANY MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION SUPPLIED.

UPDATED 9/3/2024