

SAFETY DATA SHEET

CHEMTEC PRODUCTS COMPANY LLC
P.O. BOX 58
SOUDERTON, PA. 18964

EMERGENCY TELEPHONE NUMBER
(215) 721-1636

1. PRODUCT IDENTIFICATION

PRODUCT NAME: B-110-20
CHEMICAL NAMES/SYNONYMS: SODIUM BISULFITE
PRODUCT USE: OXYGEN SCAVENGER

2. COMPOSITION INFORMATION ON INGREDIENTS

GHS CLASSIFICATION

NOT CLASSIFIED AS HAZARDOUS

LABEL ELEMENTS

NONE REQUIRED

HMIS Ratings:	Health	Flammability	Reactivity	Personal Protection
	1	0	1	E
NFPA Ratings:	1	0	1	

TRADE NAMES: SODIUM ACID SULFATE, SODIUM HYDROGEN SULFITE, MONOSODIUM SULFITE, NaHSO₃

COMPONENTS	CAS#	WEIGHT %
SODIUM BISULFITE	7631-90-5	20

3. HAZARDS IDENTIFICATION

Emergency Overview: A pale yellow aqueous solution with a pungent sulfur-like odor. Non-combustible but excessive heat may liberate sulfur dioxide gas that is strongly irritating to the eyes and mucous membranes. The solution itself is relatively non-toxic and poses little immediate hazard to fire fighting personnel in an emergency situation. Solution is mildly acidic and can pose a threat to water courses in an emergency situation.

Potential Health Effects: Inhalation will irritate the nose, throat and respiratory tract. Direct skin or eye contact will cause irritation and discomfort. Accidental splashes in the eye may cause eye tissue damage if left untreated. Sulfiting agents, including sodium bisulfite, have been reported to cause reactions in sensitive individuals, even when ingested at very low concentrations. This material is not listed as a human carcinogen by OSHA, NTP, ACGIH or IARC. (See Toxicological information, Section 11)

Potential Environmental Effects: This product, a sodium bisulfite solution, is moderately acidic, and has a high chemical oxygen demand (COD). Due to these characteristics, the solution itself, or water run-off from the product, has the potential to pose ecological risks in nearby watercourses. (See Ecological information, Section 12)

4. FIRST AID MEASURES

THRESHOLD LIMIT VALUE:.....N/A

EMERGENCY FIRST AID PROCEDURES:

EYES: Solutions will irritate or burn. Flush with lukewarm water gently for 5 minutes while holding eyelid open. Seek medical attention.

SKIN: Remove contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Quickly and thoroughly wash with lukewarm water and use non-abrasive soap for 5 minutes. If irritation persists, repeat flushing. Obtain medical advice. Completely decontaminate clothing before reuse or else discard.

INGESTION: NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Have victim rinse mouth thoroughly with water. DO NOT INDUCE VOMITING. Have victim drink 2-8oz(60-240ml) of

PAGE 2
CHEMTEC PRODUCTS COMPANY LLC B-110-20

water. If vomiting occurs naturally, have victim rinse mouth with water again. Obtain medical advice and bring a copy of SDS.

INHALATION: Remove source of contamination or move victim from exposure area to fresh air immediately. If breathing has stopped, trainee personnel should begin artificial respiration. If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Quickly transport victim to an emergency care facility.

5. FIRE FIGHTING MEASURES

FLASH POINT (method):.....Not Flammable

EXTINGUISHING MEDIA:.....Use any Extinguishing media such as water spray, carbon dioxide, dry chemical or foam. Cool any containers with water stream until fire is extinguished.

SPECIAL FIRE FIGHTING PROCEDURES:...Wear NIOSH-APPROVED self-contained breathing apparatus.

UNUSUAL FIRE & EXPLOSION HAZARDS:...This product is not considered a fire or explosion hazard.

6. ACCIDENTAL RELEASE MEASURES

Procedures for Clean-up: Stop release if possible to do so safely. Contain spill, isolate hazard area and deny entry. Pump back into system if possible. Otherwise, neutralize with alkali such as sodium carbonate or sodium bicarbonate, soda ash or lime. Dispose of spilled material and neutralization residues in accordance with applicable regulations.

Personal Precautions: Protective clothing, gloves, and a combination acid gas/P-95 or P-100 respirator are recommended for persons responding to an accidental release (see also section 8). Splash goggles and/or face shield should be worn to prevent eye contact with mist or spray where splashing is possible.

Environmental Precautions: Components of this product can pose a threat to the environment. Contamination of water and air should be prevented. Do not allow water run-off to enter sewers or watercourses.

7. HANDLING AND STORAGE

Store in a dry, cool, well-ventilated area away from acids, acid fumes and oxidizers. Keep containers tightly closed. Prolonged exposure to the atmosphere will slowly oxidize this product to produce sodium sulfate and release sulfur dioxide gas. Empty and clean containers of all residues before adding more product to container, to avoid potentially dangerous reaction. Always practice good personal hygiene. Refrain from eating, drinking, or smoking in work areas. Thoroughly wash hands before eating, drinking or smoking in appropriate, designated areas.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective Clothing: Protective clothing, splash goggles and impervious gloves are recommended when handling bulk solution. Appropriate protective clothing should be worn where possibility exists that eye contact may occur. An eyewash and quick drench shower should be provided. Workers should wash immediately when skin becomes contaminated and at the end of each work shift. Work clothing should be removed promptly if it becomes contaminated and should be changed daily if there is reasonable probability that the clothing may be contaminated.

Ventilation: Use adequate local or general ventilation to maintain the concentrations of aerosol mists and sulfur dioxide below recommended occupational exposure limits.

Respirators: Where sulfur dioxide or liquid aerosol mists are generated and cannot be controlled to within acceptable levels, use appropriate NIOSH-approved respiratory protection equipment (combined 42 CFR 84 Class N, R or P-95 or P-100 particulate filter and acid gas cartridge)

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:.....Pale Yellow Liquid

ODOR:.....Possible Odor of SO₂

SPECIFIC GRAVITY:.....1.37 at 20°C

PH:.....Approx.3.8

SOLUBILITY IN WATER:.....Complete
BOILING POINT:.....104°C

10. STABILITY AND REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Avoid contact with acids-may liberate sulfur dioxide. Also, avoid strong oxidizers and materials that react violently with water. Sodium Bisulfite solutions are corrosive to Aluminum.

HAZARDOUS DECOMPOSITION PRODUCTS: Excessive heating may liberate sulfur dioxide gas which is toxic and corrosive.

HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL INFORMATION

General: A skin, eye and mucous membrane irritant. Only moderately toxic by ingestion but may cause an allergic reaction in some asthmatics and others who are hypersensitive to sulfites. Hazards are largely those from acute exposure or direct contact rather than chronic or repeated low level exposure. The potential for exposure to sulfur dioxide must always be considered as well, particularly when the solution may become overheated.

Acute: Skin/Eyes: Exposure to mists or aerosols of this solution will cause eye irritation with possible discomfort, tearing or blurring of vision. If left untreated the solution may cause burns and some eye tissue damage. Direct skin contact with the solution will cause slight to moderate skin irritation with discomfort, rash and rarely, an allergic reaction.

Inhalation: Acute inhalation of mists will result in irritation of the nose, throat and upper respiratory passages. Symptoms may include discomfort, coughing, tingling sensation, sneezing and/or shortness of breath and wheezing.

Ingestion: Ingestion of sodium bisulfite solution will irritate the gastrointestinal tract due to the liberation of sulfurous acid. Very large doses can cause violent colic, diarrhea, circulatory disturbance, central nervous system depression and death. May cause a severe allergic reaction in some asthmatics and sulfite-sensitive persons with symptoms of broncho constriction, bronchospasm, gastrointestinal disturbances, flushing, hypotension, tingling sensation, urticaria/angioedema and shock.

Chronic: Symptoms from chronic exposure will be similar to those of acute exposure. Sodium bisulfite is not listed as a human carcinogen by the Occupational Safety and Health Administration(OSHA), the National Toxicology Program(NTP), the American Conference of Governmental Industrial Hygienists(ACGIH) or the International Agency for Research on Cancer(IARC)

12. ECOLOGICAL INFORMATION

This product is a moderately acidic solution that has the potential to be toxic to organisms in the aquatic environment. Its sulfite ion component yields elevated chemical oxygen demand and further pH reduction on oxidation to sulfate. Based on these characteristics, it is recommended that the product be kept away from surface waters.

13. DISPOSAL INFORMATION

Do not wash down drain. Dispose of waste solution or contaminated soil in accordance with local regulatory requirements.

14. TRANSPORT INFORMATION

US DOT HAZARD CLASS: Class 8 Packing Group III

US DOT ID NUMBER: UN2693

PROPER SHIPPING NAME: Bisulfites, aqueous solutions, n.o.s.(Sodium Bisulfite)

MARINE POLLUTANT: Yes (IMO)

IMO CLASSIFICATION: Class 8

15. REGULATORY INFORMATION

Ingredient listed on TSCA Inventory.....Yes

Hazardous under Hazard Communication Standard.....Yes

CERCLA Section 103 Hazardous Substances.....Sodium Bisulfite...Yes.....RQ:5000lbs (2270lbs)

PAGE 4
CHEMTEC PRODUCTS COMPANY LLC B-110-20

EPCRA Section 302 Extremely Hazardous Substance.....No
EPCRA Section 311/312 Hazard Categories.....Immediate (Acute) Health Hazard – Irritant
EPCRA Section 313 Toxic Release Inventory.....This product does not contain any toxic chemicals
subject to the Toxic Release reporting requirements

16. OTHER INFORMATION

The information in this Material Safety Data Sheet is based on the following references:

- American Conference of Governmental Industrial Hygienists, 2004, Documentation of the Threshold Limit Values and Biological Exposure Indices, 7th Edition plus updates.
- American Conference of Governmental Industrial Hygienists, 2009 Guide to Occupational Exposure Values.
- American Conference of Governmental Industrial Hygienists, 2009 Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices.
- Bretherick's Handbook of Reactive Chemical Hazards. 20th Anniversary Edition. (P.G.Urben, Ed.) 1995
- Merck & Co., Inc. 2001 The Merck Index, An Encyclopedia of Chemicals, Drugs and Biologicals, Thirteenth Edition.
- National Library of Medicine, National Toxicology Information Program, Hazardous Substance Data Bank (online version)
- Patty's Toxicology, fifth Edition, 2001 E. Bingham, B. Cohns & C.H Powell, Ed.
- U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. NIOSH Pocket Guide to Chemical Hazards. CD-ROM Edition September 2005
- U.S. Occupational Safety and Health Administration, 1989, Code of Federal Regulations. Title 29, Part 1910

Information and data herein are believed to be accurate and compiled from reliable sources. Buyer assumes all risk of use, storage and handling to comply with Federal, State and Local regulations. Chemtec Products Company LLC makes no Warranty express or implied concerning the accuracy or Completeness of the information supplied.

UPDATED 9/3/2024