

SAFETY DATA SHEET

CHEMTEC PRODUCTS COMPANY LLC
P.O. BOX 58
SOUDERTON, PA. 18964

EMERGENCY TELEPHONE NUMBER
(215) 721-1636

1. PRODUCT IDENTIFICATION

PRODUCT NAME: T-3500
CHEMICAL NAMES/SYNONYMS: SODIUM HYPOCHLORITE
PRODUCT USE: ALGAE CONTROL

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION
CAUSES SEVERE BURNS

HMIS Ratings:	Health	Flammability	Reactivity	Personal Protection
	3	0	1	D
NFPA Ratings:	3	0	1	



3. COMPOSITION INFORMATION ON INGREDIENTS

<u>COMPONENTS</u>	<u>CAS#</u>
SODIUM HYPOCHLORITE	7681-52-9

4. FIRST AID MEASURES

EYES: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, HOLDING LIDS APART TO ENSURE FLUSHING OF THE ENTIRE SURFACE. WASHING EYES WITHIN SEVERAL SECONDS IS ESSENTIAL TO ACHIEVE MAXIMUM EFFECTIVENESS. SEEK MEDICAL ATTENTION IMMEDIATELY.

SKIN: WASH CONTAMINATED AREAS WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND FOOTWEAR AND WASH BEFORE REUSING. SEEK MEDICAL ATTENTION IMMEDIATELY.

INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER. IF AVAILABLE, GIVE SEVERAL GLASSES OF MILK. IF VOMITING OCCURS SPONTANEOUSLY, KEEP AIRWAY CLEAR. SEEK MEDICAL ATTENTION IMMEDIATELY.

INHALATION: GET PERSON OUT OF CONTAMINATED AREA TO FRESH AIR. IF BREATHING HAS STOPPED, RESUSCITATE AND ADMINISTER OXYGEN IF READILY AVAILABLE. SEEK MEDICAL ATTENTION IMMEDIATELY.

5. FIRE FIGHTING MEASURES

FLASH POINT (method):.....NONE

EXTINGUISHING MEDIA:..... WATER FOG, FOAM, DRY CHEMICAL POWDER, CARBON DIOXIDE.

SPECIAL FIRE FIGHTING PROCEDURES:..SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING MUST BE WORN IN CASE OF FIRE. MOVE CONTAINERS FROM THE FIRE AREA IF YOU CAN DO SO WITHOUT RISK. USE WATER SPRAY TO COOL ADJACENT FIRE EXPOSED CONTAINERS. PRODUCT WILL NOT BURN BUT MAY SPLATTER IF TEMPERATURE EXCEEDS BOILING POINT.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN EVENT MATERIAL IS RELEASED OR SPILLED: ABSORB WITH AN INERT MATERIAL SUCH AS SAND, SOIL OR VERMICULITE; SWEEP UP AND DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: DO NOT GET IN EYES, ON SKIN, OR CLOTHING. AVOID BREATHING VAPOR OR MIST. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER USING.

OTHER PRECAUTIONS: DO NOT TAKE INTERNALLY.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS	SOURCE	VALUE
SODIUM HYDROXIDE	OSHA	2/mg/m3
ACGIH	2/mg/m3	
NIOSH	2/mg/m3 ceiling	
SODIUM HYPOCHLORITE	OSHA	2/mg/m3 STEL
ACGIH	No Established Limit	
NIOSH	No Established Limit	

ENGINEERING MEASURES: ENSURE ADEQUATE VENTILATION OF THE WORKING AREA.

RESPIRATORY PROTECTION: NOT NORMALLY REQUIRED. AVOID BREATHING MIST. IN THE EVENT WHERE SIGNIFICANT EXPOSURE IS POSSIBLE, WEAR SELF-CONTAINED BREATHING APPARATUS.

HAND PROTECTION: CHEMICAL RESISTANT GLOVES(PVC).

EYE PROTECTION: APPROVED SAFETY GOGGLES.

PROTECTIVE EQUIPMENT: WEAR CHEMICAL PROTECTIVE CLOTHING.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:..... CLEAR, YELLOW COLOR

ODOR:..... PUNGENT CHLORINE

SPECIFIC GRAVITY:..... 1.09

PH:.....12.0

SOLUBILITY IN WATER:.....100%

BOILING POINT:.....>212f

MELTING/FREEZING POINT.....-150f

10. STABILITY AND REACTIVITY

REACTIVITY: MAY BE CORROSIVE TO METAL

STABILITY: PRODUCT IS STABLE UNDER NORMAL CONDITIONS.

INCOMPATIBILITY: KEEP AWAY FROM ACIDS AND ORGANIC COMPOUNDS.

HAZARDOUS DECOMPOSITION PRODUCTS: HEAT OR REACTION WITH ACIDS MAY RELEASE DANGEROUS CHLORINE GAS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

11. TOXICOLOGICAL INFORMATION

CORROSIVITY CAUSES BURNS

12. ECOLOGICAL INFORMATION

ECOTOXICITY HIGH CONCENTRATIONS WILL INJURE AQUATIC LIFE BY PH EFFECT.

BIOACCUMULATION DOES NOT BIOACCUMULATE.

13. DISPOSAL INFORMATION

WASTE DISPOSAL METHOD: PLACE ALL SPILLED MATERIAL, CONTAMINATED SORBENT MATERIALS, CONTAMINATED DIRT AND OTHER CONTAMINATED MATERIAL IN DRUMS. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

14. TRANSPORT INFORMATION

DOT SHIPPING NAME: CAUSTIC SODA, LIQUID
DOT HAZARD CLASS: CORROSIVE MATERIAL

PROPER SHIPPING NAME: SODIUM HYDROXIDE SOLUTION

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

16. OTHER INFORMATION

INFORMATION AND DATA HEREIN ARE BELIEVED TO BE ACCURATE AND COMPILED FROM RELIABLE SOURCES. BUYER ASSUMES ALL RISK OF USE, STORAGE AND HANDLING TO COMPLY WITH FEDERAL, STATE AND LOCAL REGULATIONS. CHEMTEC PRODUCTS COMPANY MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION SUPPLIED.

UPDATED 9/3/2024